

4

3

2

1


REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	7/15/2020	

B

B

A

A

		NAME	DATE	Description: +X 1U FRAME
	DRAWN	EMILIO GIZZI	7/15/2020	
	CHECKED	CATIE SPIVEY	7/18/2020	
	ENG APPR.			
	MFG APPR.			
COMMENTS:				DWG. NO. +X_1UFrame
				REV A
				SIZE B
				SCALE: 1:1 SHEET 1 OF 4

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETER TOLERANCES: ONE PLACE DECIMAL ±0.1 TWO PLACE DECIMAL ±0.01	MATERIAL
	6061-T6 (SS)
	FINISH
	ANODIZATION: TYPE II
	WEIGHT (REF)
DO NOT SCALE DRAWING	

4

3

2

1

4




3

2

1

B

A




B

A

NOTES:

1. REFERENCE -X_1UFrame.sldprt OR -X_1UFrame.step FOR MODEL BASE DEF.
2. BREAK ALL EDGES.
3. MATERIAL: 6061-T6 (SS)
4. ANODIZATION: TYPE II, BLACK.
5. OVERALL PROFILE TOLERANCE $\frac{0.2}{A \ B \ C}$ TO A MINIMUM GRID OF 5MM, UNLESS OTHERWISE SPECIFIED.
6. INTERNAL CORNERS RADIUS IS 0.2MM MAXIMUM

	DRAWN	EMILIO GIZZI	7/15/2020	Description: +X 1U FRAME
	CHECKED	CATIE SPIVEY	7/18/2020	
	ENG APPR.			
	MFG APPR.			
COMMENTS:				DWG. NO. +X 1UFrame
				REV A SIZE B SCALE: 1:1
				SHEET 2 OF 4

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETER TOLERANCES: ONE PLACE DECIMAL ± 0.1 TWO PLACE DECIMAL ± 0.01	MATERIAL 6061-T6 (SS)
	FINISH ANODIZATION: TYPE II
	WEIGHT (REF)
	DO NOT SCALE DRAWING

3

2

1

