

VIBE BUILDERS CIRCLE

7/18, 2026

Minha Hwang



VIBE BUILDERS' CIRCLE: SCHEDULE

- **10:00 - 10:15 am: Arrival, check-in, and mingling**
- **10:15 - 10:45 am: Welcome, quick introductions, and project ideas**
- **10:45 - 12:30 pm: Open build session—code, collaborate, troubleshoot & share tips**
- **12:30 - 12:45 pm: Optional demos, wrap-up, and clean up**

WHY WE ARE HERE

Three principles that guide every session



Learn by Doing

Less planning, more building. We gain real expertise through hands-on action and experimentation.



Meet New People

Find your crew. Cross-pollinate ideas with a community of driven, like-minded creators.



Have Fun

Protect the vibe. We're here to enjoy the creative journey together.

VIBE CODING PROJECTS: CANDIDATE THEMES

Aspirational

- **Multimodal Apps** with Open-Source Local Models: Desktop or Mobile
 - Open-Source Local Models
 - Eleven Labs API
 - Google Gemini API
 - [Open Model Summary](#)
 - [Mobile App Template](#)
 - [Oh My React Native | SFVibe](#)

Simple

- **Recreate Existing Apps** with Your Twists
 - A simple note apps: Apple Notes, Google Keep
 - Video Streaming apps: Netflix
 - Audiobook apps: Audi8ble
 - QR code generator
 - ChatGPT UI
 - Weather App

Bring Your Own

- **Bring Your Own Ideas**

VIBE CODING 101 - WEB APP FROM SINGLE PROMPT* (1/2)

(1) Fireworks

Build an interactive fireworks show. When I click anywhere on the screen, launch a firework from the bottom to that point and explode it into colorful particles with realistic gravity and fade. Add a dark night sky background with stars. Include a button to launch a random automatic show of multiple fireworks.

(2) Color Palette Generator

Build a color palette generator. Let me pick a base color with a color picker or hex input, then show 5-color harmonies (complementary, analogous, triadic, tetradic, monochromatic) I can switch between with tabs. Tapping any swatch copies its hex code to the clipboard with a toast confirmation. Include a shuffle button that picks a random pleasant base color. Make it clean and modern — the kind of thing you'd actually open on your phone.

VIBE CODING 101 - WEB APP FROM SINGLE PROMPT* (2/2)

(3) Pomodoro Timer

Build a 25-minute pomodoro timer with a circular progress ring that drains as time passes. Include start, pause, and reset buttons. When time hits zero, play a short beep and show a "Break time!" message.

(4) Memory Card Matching Game

Build a memory card matching game. Show a 4x4 grid of face-down cards with emoji pairs. Click to flip cards — if two match they stay face up, otherwise they flip back. Track the number of moves and time elapsed. Show a congratulations message when all pairs are found. Add a restart button.

OPEN-SOURCE / EDGE DEVICE MODELS (1/2)

Open-source Models

- Search and Retrieval: [Liquid AI Announces Multi-Year Partnership with Shopify to Bring Sub-20ms Foundation Models to Core Commerce Experiences | Liquid AI](#)
- Embedded In-Car Intelligence: [Mercedes-Benz and Liquid AI Partner to Scale Embedded In-Car Intelligence in North America](#)
- LLM
 - Liquid.ai: [Liquid Foundation Models | Liquid AI](#)
 - Qwen: [QwenLM/Qwen3.6: Qwen3.6 is the large language model series developed by Qwen team, Alibaba Group.](#)
 - GLM: [zai-org/GLM-4.5: GLM-4.5: Agentic, Reasoning, and Coding \(ARC\) Foundation Models](#)
 - MiniMax: [MiniMax M3 - Coding & Agentic Frontier, 1M Context, Multimodal | MiniMax](#)
 - DeepSeek: [deepseek-ai/DeepSeek-V4-Pro · Hugging Face](#)
 - Mistral: [mistralai/Mistral-Medium-3.5-128B · Hugging Face](#)
- VLA – Robotics Foundation:
 - [Physical-Intelligence/openpi](#)
 - [NVIDIA/Isaac-GR00T: NVIDIA Isaac GR00T N1.7 - A Foundation Model for Generalist Robots.](#)
 - [LeRobot · Hugging Face](#)
 - [Post-Training Isaac GR00T N1.5 for LeRobot SO-101 Arm](#)

OPEN-SOURCE / EDGE DEVICE MODELS (2/2)

Open-source Models

- Text-to-Speech and End-to-End Audio
 - Qwen3-TTS – Voice Cloning and TTS: <https://github.com/QwenLM/Qwen3-TTS>
 - Ultra Light Weight TTS: <https://supertonic3.github.io/>
 - End-to-End Audio (ASR/LLM/TTS): [LiquidAI/LFM2.5-Audio-1.5B · Hugging Face](#)
 - Curated List: <https://www.bentoml.com/blog/exploring-the-world-of-open-source-text-to-speech-models>
- Music Foundation Model
 - ACE-Step-1.5: [ace-step/ACE-Step-1.5: Local music generation model](#)
 - [ACE-Step 1.5 AI Music Generator | Create Royalty-Free Songs](#)
- 2D Image -> 3D Mesh:
 - <https://microsoft.github.io/TRELLIS/>
- Curated List of Open-Source Model*: [BayAreaKGroup/OpenModel: Curated List of Open-Source Models - LLM,VLM, Music, Image,Video](#)

VIBE CODING DEMOS



CLAUDE




CURSOR

```
1  _____
2  _____
3  def greeting(name: str):
4      printc("Hello, ("World'))
5  _____
6  _____
7  _____
8  _____
9  _____
```



WINDSURF

VIBE BUILDERS CIRCLE: DISCORD CHANNEL (FOR LEARNING RESOURCES AND EXPERIENCE SHARING)



REFERENCE PROJECTS FOR IDEAS

Sample Projects


- DeepMind/Al Studio Vibe Coding Hackathon: [Google DeepMind - Vibe Code with Gemini 3 Pro in Al Studio | Kaggle](#)
- 500 AI Agents Projects: [500-AI-Agents-Projects](#)

Learning Resources

- [AI Prompting for Everyone](#)
- [Build with Andrew - DeepLearning.AI](#)
- [Prompt 101 - Code with Claude \(YouTube\)](#)
- [Vibe Coding 101 with Replit](#)
- [Awesome Vibe Coding](#)

MOBILE APPS PRODUCED
BY VIBE CODING:

BAY K-AI VIBE CODING
PROJECT STUDY GROUP
EXAMPLE



<https://apps.apple.com/us/app/ihavebeenhere/id6771244099>

VIBE CODING TOOLS



CLAUDE



CURSOR


```
1  _____
2  _____
3  def greeting(name: str):
4      printc("Hello, ("World'))
5  _____
6  _____
7  _____
8  _____
9  _____
```



WINDSURF

VIBE CODING TOOLS BY LEARNING CURVE

Vibe coding tools have a different learning curve, environment, and degree of autonomy



VIBE CODING TOOLS: SIDE-BY-SIDE COMPARISON

Feature	Prompt-Based Tools (Replit, Base44, Lovable)	IDE-Based Tools (Cursor, GitHub Copilot, Antigravity)	CLI-Based Coding Agent (Claude Code, GitHub Copilot CLI)
Primary interface	Chat	Code editor	Terminal (CLI)
Best for	Prototypes, MVPs	Production code, research	Production code, Automation, debugging, experiments
Control level	Low-medium	High	Developer-defined
Architecture	AI-generated	Developer-defined	Developer-defined
Refactoring	Weak	Strong	Very strong (automated)
Environment access	Limited	Editor-level / Selected shell access under “agent” mode	Full shell access
Execution	No	No / Yes under “agent” mode	Yes (runs commands)
Learning curve	Very low	Moderate	Moderate-high
Team workflows	Limited	Strong	Strong (scriptable)
Deployment	Often one-click	External	Scriptable via CLI
Who it is for	Beginners, founders	Engineers, researchers	Power users, ML/infra engineers

CLAUDE CODE CLI (1/2)

	Skills	Slash Commands	Subagents	Agent Teams	Hooks
What it is	Reusable playbook / knowledge	Stored prompt / procedure	Isolated task worker	Coordinated multi-session workers	Shell scripts/prompts at lifecycle events
Auto-invoke	Yes (by Claude)	No — you trigger it	No — you ask for it	No — you set it up	Yes — always fires on matching event
Explicit invoke	<code>/name</code> or "use X skill"	<code>/name</code>	"use parallel subagents"	"create an agent team"	N/A (automatic)
Cross-platform	Yes (Code + Claude.ai)	Code only	Code only	Code only	Code only
Workers spawned	No (runs inline)	No (runs inline)	Yes — isolated contexts	Yes — persistent sessions	No (side-car scripts)

CLAUDE CODE (2/2)

	Skills	Slash Commands	Subagents	Agent Teams	Hooks
Inter-agent comms	No	No	No — reports up only	Yes — direct messaging	No
Best for	Conventions, standards, playbooks	Repeatable workflows you control	Parallel independent tasks	Multi-round collaboration	Deterministic enforcement
Side effects control	<code>disable- model- invocation: true</code>	You control timing	Inherits permissions	Inherits permissions	<code>PreToolUse</code> can block/deny
Token cost	Cheap (~100 tokens to scan)	Zero until invoked	Scales with workers	Highest — 3- 4x per teammate	Zero (runs outside Claude)

CLAUDE CODE CLI: SUB AGENTS IN PARALLEL – PARALLEL WEB SEARCH

Research these 4 competitors **in parallel** using **separate sub-agents**. Each should cover: pricing page, recent product updates, G2/Trustpilot reviews, and any recent funding news. Save each to research/{company}.md

- Sub-agent 1: Notion
- Sub-agent 2: Coda
- Sub-agent 3: Confluence
- Sub-agent 4: Slab

Once all 4 finish, synthesize key differentiators into research/summary.md

CLAUDE CODE CLI: SUB AGENTS IN SEQUENTIAL CONTEXT MANAGEMENT


Process our 200-page annual report (annual-report.pdf) in **3 sequential sub-agents** to avoid filling the context window:

- Sub-agent 1: Extract all financial figures and KPIs → financials.md
- Sub-agent 2: (reads financials.md) Identify YoY trends and anomalies → trends.md
- Sub-agent 3: (reads trends.md) Write a 1-page executive summary → exec-summary.md

CLAUDE CODE CLI: AGENT TEAMS (1/2)

Compare with subagents

Both agent teams and subagents let you parallelize work, but they operate differently. Choose based on whether your workers need to communicate with each other:



How to set Agent Teams: [Open your settings file](#) (`~/claude/settings.json`) and add

```
{
  "env": {
    "CLAUDE_CODE_EXPERIMENTAL_AGENT_TEAMS": "1"
  }
}
```

How to set Agent Teams: [Alternatively](#)

`export CLAUDE_CODE_EXPERIMENTAL_AGENT_TEAMS=1` (Research Preview: Hidden Flag)

CLAUDE CODE CLI: AGENT TEAMS – MULTI-AGENT PITCH DECK REVIEW

Create an agent team to review our Series A pitch deck (pitch-deck.pdf). Spawn three reviewers:

- Narrative reviewer: assess story flow, clarity, investor hook
- Numbers reviewer: fact-check all claims, flag weak or missing data
- Devil's advocate: argue why an investor would pass (be harsh)

Have them message each other with conflicts (e.g., if the narrative makes a claim the numbers reviewer finds unsupported). Write a consolidated critique to output/[pitch-review.md](#).

LEARNING RESOURCES



CLAUDE



CURSOR

```
1  _____
2  _____
3  def greeting(name: str):
4      printc("Hello, ("World'))
5  _____
6  _____
7  _____
8  _____
9  _____
```



WINDSURF

LEARNING RESOURCES (1/2)

(1) AI Prompting for Everyone

- Ideal for intermediate AI users who want to go beyond prompting and searching with AI chatbot and start to use Agentic AI tools
- Link: <https://learn.deeplearning.ai/courses/ai-prompting-for-everyone>

(2) Gstack from Garry Tan (Y Combinator's CEO) - Claude Code/Cowork Skill

- Collection of Claude Code Skills, Which are Useful for Founder/CEO, Tech leads/staff engineer, Claude Code Beginners
- Link: <https://github.com/garrytan/gstack>

(3) Codream.ai

- Interactive Learning Experience with Voice Agent: Good Reference of EdTech or Voice AI
- Link: <https://codream.ai>

LEARNING RESOURCES (2/2)

(1) Spec-Driven Development

- DeepLearning.AI: Spec-Driven Development with Coding Agents
- <https://learn.deeplearning.ai/courses/spec-driven-development-with-coding-agents/information>
- GitHub Spec-Kit: spec-kit
- <https://github.com/github/spec-kit>

(2) Agent Skills (DeepLearning.AI / Anthropic)

- Agent Skills with Anthropic
- <https://learn.deeplearning.ai/courses/agent-skills-with-anthropic/information>

(3) Claude Code (DeepLearning.AI / Anthropic)

- Claude Code: A Highly Agentic Coding Assistant
- <https://learn.deeplearning.ai/courses/claude-code-a-highly-agentic-coding-assistant/information>

(4) Build With Andrew (Andrew Ng) – Vibe Coding 101

- <https://www.deeplearning.ai/courses/build-with-andrew>