DRA. ANA MARÍA GÓMEZ MEDINA ·

Dra. Ana María Gómez Medina

Médica endocrinóloga · Hospital Universitario San Ignacio · Pontificia Universidad Javeriana · Bogotá, Colombia

PERFIL PROFESIONAL

Endocrinóloga dedicada a la tecnología aplicada a la diabetes. Su trabajo clínico y de investigación se centra en el monitoreo continuo de glucosa, las bombas de insulina y los sistemas de asa cerrada híbrida, la telemedicina y los ecosistemas digitales para el seguimiento ambulatorio, la hipoglucemia y la variabilidad glucémica, y el manejo de la diabetes en el paciente hospitalizado. Ha participado en consensos latinoamericanos sobre el uso del monitoreo continuo de glucosa.

CARGO ACTUAL

- **Jefa de la Unidad de Endocrinología** — Hospital Universitario San Ignacio, Pontificia Universidad Javeriana, Bogotá, Colombia. (Según la afiliación de su artículo de 2025.)
- **Profesora** — Departamento de Medicina Interna, Facultad de Medicina, Pontificia Universidad Javeriana
- **Grupo de investigación en Diabetes, Obesidad y Nuevas Tecnologías** — Pontificia Universidad Javeriana
- Especialidad en Medicina Interna — Pontificia Universidad Javeriana
- Subespecialidad en Endocrinología — Pontificia Universidad Javeriana

PUBLICACIONES INDEXADAS (PubMed) · selección

Autora o coautora de más de 50 artículos indexados en PubMed con afiliación a la Pontificia Universidad Javeriana / Hospital Universitario San Ignacio (búsqueda del 12/10/2026).

- Gómez-Medina AM, Henao-Carillo DC, Villamil-Castañeda LP, Gómez-Quesada Y, Muñoz-Velandia OM, Yepes CA, et al. Insulin DEgludec/LIraglutide versus multiple daily insulin injections in the transition from hospital to outpatient management assessed by continuous glucose monitoring: the DELI transition trial. *Diabetologia*. 2025;68(9):1899-1907. doi: 10.1007/s00125-025-06446-y
- Gómez AM, Henao-Carrillo D, Muñoz-Velandia O, García-Jaramillo M, Hurtado D, Vargas C, et al. Advanced Hybrid Closed-Loop Systems in Perioperative Care: Safety During Anesthesia. *Diabetes Technol Ther*. 2026;28(2):142-150. doi: 10.1177/15209156251376011
- Gómez AM, Henao-Carrillo D, Muñoz-Velandia O, Mina MA, Bermont PA. Virtual vs. In-Person Training for MinMed™ 780G Initiation: Comparable Effectiveness and Safety in Adults with Type 1 Diabetes. *Clin Med Insights Endocrinol Diabetes*. 2026;19:11795514261471612. doi: 10.1177/11795514261471612
- Gomez AM, Henao DC, Muñoz OM, Lucero OD, Cortes D, Del Castillo Cuervo A, et al. Effectiveness of Using a Digital Ecosystem for Ambulatory Diabetes Care in Patients Diagnosed With Type 2 Diabetes Mellitus. *Clin Med Insights Endocrinol Diabetes*. 2025;18:11795514251349342. doi: 10.1177/11795514251349342
- Gómez AM, Henao Carrillo DC, Ré MA, Faradji RN, Flores Caloca O, de la Garza Hernández NE, et al. Recommendations on the use of the flash continuous glucose monitoring system in hospitalized patients with diabetes in Latin America. *Diabetol Metab Syndr*. 2024;16(1):128. doi: 10.1186/s13098-024-01362-4
- Gómez AM, Henao DC, Muñoz OM, Romero DM, León JDS, Jaramillo PE, et al. Temporary Target Versus Suspended Insulin Infusion in Patients with Type 1 Diabetes Using the MiniMed 780G Advanced Closed-Loop Hybrid System During Aerobic Exercise: A Randomized Crossover Clinical Trial. *Diabetes Technol Ther*. 2024;26(11):823-828. doi: 10.1089/dia.2023.0589
- Gómez Medina AM, Henao Carrillo DC, Silva León JD, Gómez González JA, Muñoz Velandia OM, Conde Brahim L, et al. Results From a Virtual Clinic for the Follow-up of Patients Using the Advanced Hybrid Closed-Loop System. *J Diabetes Sci Technol*. 2023;19(3):778-786. doi: 10.1177/19322968231204376
- Gómez AM, Henao D, Parra D, Kerguelen A, Jaramillo P, Gómez Y, et al. Early and sustained increase in time in range 1 year after initiation of hybrid close loop therapy via telemedicine in type 1 diabetes patients. *Acta Diabetol*. 2023;60(7):943-949. doi: 10.1007/s00592-023-02051-w
- Gómez AM, Henao C DC, Rebolledo M, Jaramillo P PE, Muñoz V OM, Niño G LM, et al. Determination of Time in Range Associated With HbA1c ≤7% in a Prospective Cohort of Patients With Type 1 Diabetes Using Continuous Glucose Monitoring for Three Months. *J Diabetes Sci Technol*. 2022;18(2):345-350. doi: 10.1177/19322968221108424
- Gómez AM, Henao DC, Muñoz OM, Aschner P, Yepes CA, Jojoa R, et al. Glycemic control metrics using flash glucose monitoring and hospital complications in patients with COVID-19. *Diabetes Metab Syndr*. 2021;15(2):499-503. doi: 10.1016/j.dsx.2021.02.008

DRA. ANA MARÍA GÓMEZ MEDINA ·

- Gómez AM, Henao DC, Imitola Madero A, Taboada LB, Cruz V, Robledo Gómez MA, et al. Defining High Glycemic Variability in Type 1 Diabetes: Comparison of Multiple Indexes to Identify Patients at Risk of Hypoglycemia. *Diabetes Technol Ther*. 2019;21(8):430-439. doi: 10.1089/dia.2019.0075
- Gómez AM, Marín Carrillo LF, Arévalo Correa CM, Muñoz Velandia OM, Rondón Sepúlveda MA, Silva Herrera JL, et al. Maternal-Fetal Outcomes in 34 Pregnant Women with Type 1 Diabetes in Sensor-Augmented Insulin Pump Therapy. *Diabetes Technol Ther*. 2017;19(7):417-422. doi: 10.1089/dia.2017.0030
- Gómez AM, Henao Carrillo DC, Muñoz Velandia OM. Devices for continuous monitoring of glucose: update in technology. *Med Devices (Auckl)*. 2017;10:215-224. doi: 10.2147/MDER.S110121
- Gomez AM, Alfonso-Cristancho R, Orozco JJ, Lynch PM, Prieto D, Saunders R, et al. Clinical and economic benefits of integrated pump/CGM technology therapy in patients with type 1 diabetes in Colombia. *Endocrinol Nutr*. 2016;63(9):466-474. doi: 10.1016/j.endonu.2016.05.011

DOCENCIA EN ESTE CURSO

- **Curso virtual de actualización en obesidad, diabetes, nutrición clínica y salud digital** — Sociedad de Endocrinología y Diabetes del Austro (SEDA), Ecuador. Módulo 7 · Clase 2: *Monitoreo digital y tecnologías en diabetes y obesidad*.

Fuentes de este borrador: registros de PubMed consultados el 12/10/2026 (publicaciones y afiliaciones). Formación y cargos docentes por confirmar con la docente.