

Software Requirements Specification

for

Draftly

*A Lawyer-in-the-Loop Legal Workflow Platform for Sri Lankan
Legal Practice*

Version 1.0

Prepared by:

Dhanapala D.H.N., Dilshan A.D.L., De Silva B.K.P.
Dr. Nisansa de Silva (Mentor), Ms. Sathsarani A. (TA)

Document identifier:

DRAFTLY-SRS-1.0

Date:

29 July 2026

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

Revision History

Date	Version	Description	Author
21 Jul 2026	0.1	Initial requirements draft.	Group 06
24 Jul 2026	0.2	Reframed the specification around the complete product and defined the V0 to V3 release boundaries.	Group 06
27 Jul 2026	0.3	Defined Draftly as a notarial and conveyancing product and stated the V0 document-processing boundary.	Group 06
29 Jul 2026	1.0	Reorganized the specification into the university IEEE-830/RUP SRS template, expanded every requirement into traceable, testable statements with supporting narrative, and consolidated the document for formal submission. No requirement approved in v0.3 was removed or weakened by this reorganization.	Group 06

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

Table of Contents

Revision History	2
Table of Contents	3
1. Introduction	6
1.1 Purpose	6
1.2 Scope	7
1.3 Definitions, Acronyms, and Abbreviations	9
1.4 References	10
1.5 Overview	12
2. Overall Description	13
2.1 Product Perspective	13
2.1.1 Problem Context	13
2.1.2 Product Objectives	14
2.1.3 Product Position and Comparable Systems	14
2.2 Product Functions	16
2.2.1 Major Product Functions	16
2.2.2 Product Evolution and Release Roadmap (V0 to V3)	16
2.3 User Classes and Characteristics	17
2.4 Operating Environment	17
2.5 Design and Implementation Constraints	17
2.6 Assumptions and Dependencies	18
3. Specific Requirements	19
3.1 Functionality	19
3.1.1 Identity, Roles, and Access Management	19
3.1.2 Matter Management	20
3.1.3 Document Intake and Preservation	20
3.1.4 Document Classification and Extraction	21
3.1.5 Evidence-Linked Verification	22
3.1.6 Structured Matter Record	23
3.1.7 Matter Guidance and Legal Task Workflows	24
3.1.8 Checks and Missing-Evidence Detection	24
3.1.9 Legal Search and Grounded Assistance	25
3.1.10 Draft Preparation and Templates	26
3.1.11 Review, Approval, and Export	27
3.1.12 History, Audit, and Content Governance	28
3.1.13 Language and Communication	28
3.1.14 Collaboration and Integrations	29
3.2 Usability	30
3.2.1 Learnability and Onboarding	30
3.2.2 Evidence Accessibility	30

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.2.3 Terminology and State Consistency	30
3.2.4 Confirmation of Legally Significant Actions	30
3.2.5 Error Messaging	30
3.2.6 Accessibility Conformance	30
3.2.7 Bilingual Interface Usability	30
3.2.8 Primacy of Verifiable Evidence over Summaries	30
3.3 Reliability	31
3.3.1 Durability of Confirmed Data	31
3.3.2 Resumability of Long-Running Processing	31
3.3.3 Idempotency of Repeated Requests	31
3.3.4 Graceful Degradation of Dependent Services	31
3.3.5 Isolation of Generative Failure from Approval State	31
3.3.6 Backup and Restoration	31
3.3.7 Critical Defect Classification	31
3.3.8 Availability Targets for Later Releases	31
3.4 Performance and Security	32
3.4.1 Performance Requirements	32
3.4.2 Security and Privacy Requirements	32
3.4.3 Legal-Output Safety and Accuracy Requirements	33
3.5 Supportability	34
3.6 Design Constraints	34
3.7 On-line User Documentation and Help System Requirements	35
3.8 Purchased Components	35
3.9 Interfaces	37
3.9.1 User Interfaces	37
3.9.2 Hardware Interfaces	37
3.9.3 Software Interfaces	37
3.9.4 Communications Interfaces	38
3.10 Database Requirements	39
3.10.1 Major Entities and Relationships	39
3.10.2 Persistence, Integrity, Versioning, and Audit Requirements	40
3.11 Licensing, Legal, Copyright, and Other Notices	42
3.12 Applicable Standards	42
4. Supporting Information	43
4.1 V0 Acceptance Criteria	43
4.2 Product-Level Success Criteria	44
4.3 Requirements Traceability	44
4.4 Items Requiring Confirmation	44
4.5 Appendix A: Release Scope and Product Rules Summary	46
4.6 Appendix B: Requirement Identifier Index	46

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

1. Introduction

1.1 Purpose

This Software Requirements Specification (SRS) defines the required behaviour, quality attributes, and constraints of Draftly, a lawyer-in-the-loop software platform for Sri Lankan legal practice. It specifies the complete product direction and the shared technical and procedural foundation on which every release of the product is built.

The specification is organized by release. V0, the first release, is specified to the greatest level of detail because it is the implementation and evaluation scope of the current project. V0 supports matters governed by the Registration of Title Act, No. 21 of 1998 (RTA) [1]. Later releases, V1 through V3, extend the same product to broader conveyancing and notarial work. Draftly remains a single product across all releases; V0, V1, V2, and V3 identify successive releases rather than separate products, and a requirement tagged for an earlier release binds every later release unless a formally approved change replaces it.

This document is the authoritative reference against which the software architecture, the test plan, the implementation, and the acceptance evaluation of Draftly are to be traced. It is addressed to the project supervisors and evaluators, the domain experts who approve legal content, the developers and testers who build and verify the system, and the maintainers of later releases.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

1.2 Scope

Draftly is a matter-centred legal work platform. Its purpose is to help a legal professional turn an unstructured bundle of client documents into a verified matter record, identify missing or conflicting information, locate the governing Sri Lankan legal authority, and prepare reviewable legal documents. Every fact the system produces and every draft it assembles remains subject to review and approval by an authorised legal professional before it has any legal effect.

The platform addresses the part of legal work that occurs before a document is signed: reading client-specific records, identifying the facts that matter, reconciling those facts across documents, locating the applicable law, and carrying approved information into a draft without severing its link to the source evidence. Draftly is accordingly broader than a document-template tool and broader than a legal search service; search and drafting are two capabilities inside a single controlled matter environment, not the whole of the product.

V0 focuses on RTA matters because they present a bounded but demanding first case for the platform. The source documents that a V0 matter may contain are digital, scanned, photographed, typed, printed in older formats, bilingual, or partly handwritten. Names, parcel identifiers, extents, boundaries, title references, registered interests, and attestation particulars must agree across several records before a transaction can proceed, and reconciling them by hand is slow and exposes the matter to transcription and consistency errors.

V0 uses Google Cloud Document AI to perform optical character recognition (OCR) and document-quality analysis for supported printed and clearly scanned documents [23]–[25]. Handwriting, severe degradation, blur, glare, damaged pages, and unsupported scripts may produce unreliable output from that service. These conditions are explicit limitations of V0, not capabilities the release promises to deliver automatically. The system retains any document it cannot process reliably for lawyer review and manual entry, and later releases may narrow this boundary only after the relevant document class and language have passed dedicated accuracy testing.

At the date of this SRS, the published Google Document AI Enterprise Document OCR language list does not explicitly list Sinhala [23]. Consequently, the Sinhala interface and Sinhala export requirements stated elsewhere in this document do not imply reliable Sinhala source-document OCR. Sinhala source documents are routed to lawyer review and manual entry unless a separately tested processor is approved for that document class.

The release scope of the product is summarized in Table 1.

Release	Product scope	Status in this SRS
V0	Initial RTA matter workbench covering examination of title, drafting, execution, and attestation; Google Document AI processing for supported documents; lawyer verification; deterministic checks; grounded legal research; approved RTA forms; export; and audit.	Current implementation and evaluation scope
V1	Additional RTA document classes and forms, improved review tools, and tested expansion of difficult-document processing, including selected handwriting or degraded scans	Planned next release

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

	where measured quality is acceptable.	
V2	Wider Sri Lankan conveyancing and notarial coverage, including deed registration, condominium and special-area requirements, historical title relationships where applicable, and broader checks and templates.	Planned conveyancing expansion
V3	Mature notarial and conveyancing platform capabilities, including richer collaboration, organisation knowledge, registry and office integrations, configurable legal content, operational reporting, and larger deployments.	Planned product maturity

Table 1. Draftly release scope.

All releases of Draftly share five product rules that this specification treats as non-negotiable:

1. Every extracted fact must retain a link to its source evidence.
2. Machine output is a candidate until an authorised legal professional verifies or approves it.
3. Legal claims must cite retrievable authority, or the system must state that authority is insufficient.
4. A final draft may use only approved wording and verified matter facts.
5. Corrections, approvals, overrides, and exports must remain auditable.

V0 does not perform autonomous legal decision-making, give legal advice directly to members of the public, replace a notary's statutory duties, submit instruments for registration, or guarantee the legal validity of a matter. It does not claim reliable automated reading of every handwritten or damaged document. Material outside the tested V0 boundary must be retained for human review and manual entry rather than silently discarded, in accordance with product rule 2 above.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

Definitions, Acronyms, and Abbreviations

Table 2 defines the terms, acronyms, and abbreviations used throughout this specification. A reader should consult this table before interpreting any requirement that uses one of these terms in its defined, restricted sense.

Term	Definition
Approval	An explicit decision by an authorised lawyer that permits a draft or other controlled output to proceed.
Audit event	An immutable record of a significant action, its actor, time, affected object, and reason where required.
Bim Saviya	The Sri Lankan title-registration programme associated with the RTA.
Candidate fact	Information extracted or suggested by the system but not yet verified by a lawyer.
Conveyancing	Legal work connected with the transfer, ownership, interests, and registration of land or property.
Evidence span	The page, region, text range, image area, or excerpt from which a fact or claim was obtained.
Grounded answer	An answer whose legal claims are linked to retrievable supporting authority.
Google Document AI	The external Google Cloud service selected for V0 OCR and document-quality analysis.
Matter	A controlled legal work area containing the documents, people, facts, issues, authorities, drafts, decisions, and history for one engagement.
OCR	Optical Character Recognition.
Particular	A structured item of information required for a legal task or document, such as a party name, title number, or parcel extent.
PDPA	Personal Data Protection Act, No. 9 of 2022.
Prescribed form	A form or instrument format required by legislation or an applicable gazette.
RTA	Registration of Title Act, No. 21 of 1998.
Source authority	A statute, regulation, gazette, judgment, or other legally recognised source used to support a rule or answer.
Verification	A lawyer's confirmation or correction of a candidate fact against its evidence.
V0, V1, V2, V3	Successive releases of the same Draftly product.

Table 2. Definitions, acronyms, and abbreviations.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

1.3 References

The following sources inform this specification and are cited by bracketed number throughout the document, in the style recommended by ISO/IEC/IEEE 29148:2018 [8]. Web sources were last accessed on 28 July 2026.

- [1] Parliament of the Democratic Socialist Republic of Sri Lanka, "Registration of Title Act, No. 21 of 1998," 1998. [Online]. Available: https://documents.gov.lk/view/act/1998/4/21-1998_E.pdf.
- [2] Registrar General's Department, Sri Lanka, "Registration of subsequent transactions relating to title certificates," 2026. [Online]. Available: <https://www.rgd.gov.lk/web/index.php/en/services/document-land-registration/title/transactions>.
- [3] Government of Sri Lanka, "Gazette Extraordinary No. 2308/27," 1 December 2022. [Online]. Available: https://rgd.gov.lk/web/images/ActsPDF/title/2308-27_E.pdf.
- [4] Parliament of the Democratic Socialist Republic of Sri Lanka, "Notaries (Amendment) Act, No. 31 of 2022," 2022. [Online]. Available: https://documents.gov.lk/view/acts/2022/10/31-2022_E.pdf.
- [5] Parliament of the Democratic Socialist Republic of Sri Lanka, "Notaries (Amendment) Act, No. 6 of 2024," 2024. [Online]. Available: https://documents.gov.lk/view/act/2024/1/06-2024_E.pdf.
- [6] Parliament of the Democratic Socialist Republic of Sri Lanka, "Personal Data Protection Act, No. 9 of 2022," 2022. [Online]. Available: https://www.documents.gov.lk/view/act/2022/3/09-2022_E.pdf.
- [7] Parliament of the Democratic Socialist Republic of Sri Lanka, "Electronic Transactions Act, No. 19 of 2006," 2006. [Online]. Available: https://documents.gov.lk/view/act/2006/5/19-2006_E.pdf.
- [8] ISO, "ISO/IEC/IEEE 29148:2018, Systems and software engineering, Life cycle processes, Requirements engineering," 2018, confirmed 2024. [Online]. Available: <https://www.iso.org/standard/72089.html>.
- [9] World Wide Web Consortium, "Web Content Accessibility Guidelines (WCAG) 2.2," W3C Recommendation, 12 December 2024. [Online]. Available: <https://www.w3.org/TR/WCAG22/>.
- [10] Harvey, "Getting Started with Harvey," 2026. [Online]. Available: <https://help.harvey.ai/articles/getting-started-with-harvey>.
- [11] Harvey, "Assistant," 2026. [Online]. Available: <https://www.harvey.ai/platform/assistant>.
- [12] Legora, "Portal: AI-native workspace for law firms and in-house teams," 2026. [Online]. Available: <https://legora.com/product/portal>.
- [13] Thomson Reuters, "CoCounsel Legal," 2026. [Online]. Available: <https://legal.thomsonreuters.com/en/products/cocounsel-legal>.
- [14] LexisNexis, "Lexis+ with Protege: Legal AI solution for drafting and research," 2026. [Online]. Available: <https://www.lexisnexis.com/en-us/products/lexis-plus-ai.page>.
- [15] LawLanka, "Sri Lanka Acts and Case Laws," 2026. [Online]. Available: <https://www.lawlanka.com/>.
- [16] AI Pazz, "AI-powered Sri Lanka legal research platform," 2026. [Online]. Available: <https://www.aipazz.com/>.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

- [17] Paralegal.lk, "A search engine for Sri Lankan law," 2026. [Online]. Available: <https://www.paralegal.lk/>.
- [18] LawCeylon, "Sri Lanka Acts, Laws and Case Law Reports System," 2026. [Online]. Available: <https://lawceylon.lk/>.
- [19] C. Samarawickrama, M. de Almeida, N. de Silva, G. Ratnayaka, and A. S. Perera, "Party Identification of Legal Documents using Co-reference Resolution and Named Entity Recognition," in 2020 IEEE 15th International Conference on Industrial and Information Systems, 2020, pp. 494-499, doi: 10.1109/ICIIS51140.2020.9342720.
- [20] K. Sugathadasa, B. Ayesha, N. de Silva, A. S. Perera, V. Jayawardana, D. Lakmal, and M. Perera, "Legal Document Retrieval using Document Vector Embeddings and Deep Learning," in Intelligent Computing, 2018, pp. 160-175, doi: 10.1007/978-3-030-01177-2_12.
- [21] P. Lewis et al., "Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks," in Advances in Neural Information Processing Systems 33, 2020. [Online]. Available: https://papers.neurips.cc/paper_files/paper/2020/hash/6b493230205f780e1bc26945df7481e5-Abstract.html.
- [22] Y. Huang, T. Lv, L. Cui, Y. Lu, and F. Wei, "LayoutLMv3: Pre-training for Document AI with Unified Text and Image Masking," in Proceedings of the 30th ACM International Conference on Multimedia, 2022, pp. 4083-4091, doi: 10.1145/3503161.3548112.
- [23] Google Cloud, "Document AI processor list," 2026. [Online]. Available: <https://docs.cloud.google.com/document-ai/docs/processors-list>.
- [24] Google Cloud, "Document AI supported files and document scan resolution," 2026. [Online]. Available: <https://docs.cloud.google.com/document-ai/docs/file-types>.
- [25] Google Cloud, "Document AI security and compliance," 2026. [Online]. Available: <https://docs.cloud.google.com/document-ai/docs/security>.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

1.4 Overview

Section 2 of this document explains the product context: its perspective within the family of Draftly releases, the problem it addresses, its objectives and major functions, the release roadmap from V0 to V3, its position relative to publicly documented legal-technology products, the classes of user it serves, its operating environment, its constraints, and the assumptions and dependencies on which the requirements rely.

Section 3 states the specific requirements of the product, organized as functionality; usability; reliability; performance and security (including legal-output safety and accuracy); supportability; design constraints; on-line user documentation and help; purchased components; interfaces; database requirements; licensing, legal, and copyright matters; and applicable standards.

Section 4 provides supporting information: the acceptance criteria for V0, the product-level success criteria that apply across releases, the traceability scheme that links every requirement to its design, test, and release evidence, and the matters that require formal confirmation before this SRS or a later release is approved.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

2. Overall Description

This section describes the general factors that shape Draftly and its requirements. It does not itself state binding requirements; it gives the background against which the specific requirements in Section 3 should be read.

2.1 Product Perspective

Draftly is one notarial and conveyancing product with a single, shared matter model. Every release uses the same controlled foundation for documents, evidence, verified facts, legal authority, review, drafting, permissions, and audit history, so that capability added in a later release extends this foundation rather than replacing it.

The product is intended to complement, not replace, the tools a legal professional already uses. Legal research services help a user find the law. Word processors help a user write. Document-management systems store files. Draftly connects these activities to a specific matter and preserves the evidence and professional decisions that justify the resulting work product, a connection that none of those tools provides on its own.

V0 is the first release of this product family. It applies the common foundation to RTA matters and establishes whether the underlying approach, evidence-linked extraction, lawyer verification, grounded research, and controlled drafting, holds up under a clearly bounded legal scope. Later releases reuse the same foundation for wider conveyancing regimes and notarial tasks; they do not start from a different architecture.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	


2.1.1 Problem Context

Sri Lankan notarial and conveyancing work commonly begins with records that were never created for machine processing. A single matter may contain scanned deeds, photographs of pages, forms, certificates, survey plans, identity records, correspondence, and handwritten additions. The documents in a matter may mix Sinhala and English, use older legal terminology, or suffer from poor image quality.

The legal professional handling that matter must identify the facts it contains, compare them across documents, understand their legal effect, and produce an output grounded in that understanding. In RTA conveyancing specifically, a single mismatch in a name, title number, parcel identifier, extent, boundary, registered interest, or attestation particular can stop a transaction or force the lawyer to chase down further evidence before proceeding.

General-purpose AI can produce fluent text, but fluent text is not the same as a verified fact or a legal authority, and it cannot be treated as either. Draftly is built around that distinction: candidate machine output is kept separate from lawyer-approved information at every stage, and inspecting the evidence behind a claim is a first-class part of the product rather than an afterthought.

System context — Draftly



Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

2.1.2 Product Objectives

Draftly is intended to:

- reduce repeated manual reading and retyping while preserving lawyer control over every consequential decision;
- create a structured, evidence-linked record of each matter;
- identify missing, inconsistent, or unsupported information before drafting begins;
- provide access to applicable Sri Lankan legal authority with pinpoint evidence for every claim;
- prepare editable outputs built only from approved content and verified facts;
- preserve a complete history of review, correction, approval, and export decisions;
- support Sinhala and English legal work on equal footing;
- remain extensible across conveyancing regimes and notarial tasks without weakening the verification and audit rules established in V0; and
- measure document-processing, retrieval, checking, and drafting performance against lawyer-reviewed data rather than unverified output.

2.1.3 Product Position and Comparable Systems

Publicly documented legal technology shows several established product patterns that inform where Draftly sits relative to existing tools. Table 3 summarizes the comparison; it is based only on public product information, is not a procurement assessment, and does not claim access to non-public product behaviour.

System group	Publicly documented emphasis	Relevance to Draftly
LawLanka, Paralegal.lk, and LawCeylon	Sri Lankan legislation, judgments, legal reports, and search [15], [17], [18].	Confirms demand for accessible Sri Lankan legal information. Draftly places that research inside a client-matter environment rather than treating search as the complete product.
AI Pazz	Sri Lankan legal research and general AI-assisted research and drafting [16].	Provides a relevant local comparison. Draftly's distinct focus is evidence from a client's matter documents, lawyer-verified facts, RTA-specific checks and forms, and controlled approval history.
Harvey	Assistant, persistent document collections, review tables, reusable legal tasks, drafting, history, citations, and organisation controls [10], [11].	Shows the value of persistent context, source inspection, structured review, and editable work product.
Legora	Shared legal workspace, document review, grounded answers, editing, and	Shows how document analysis and collaboration can remain connected to the work

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

	controlled collaboration [12].	product.
CoCounsel Legal	Research, analysis, and drafting grounded in Westlaw, Practical Law, organisation knowledge, and matter workspaces [13].	Shows the importance of authoritative sources and matter continuity.
Lexis+ with Protege	Legal research, drafting, analysis, source verification, and secure document collections built around LexisNexis content [14].	Shows the value of combining legal authority, internal documents, drafting, and verification.

Table 3. Comparable legal-technology products and their relevance to Draftly.

Draftly does not copy the branding or interface of any of these products. Its position is specific to Sri Lankan practice: bilingual understanding of client documents, local legal authority, evidence-linked verification, RTA and later Sri Lankan conveyancing and notarial rules, and mandatory lawyer approval before any output is used.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

2.2 Product Functions

2.2.1 Major Product Functions

Across the product family, Draftly provides the following major functions:

- secure accounts, roles, organisations, and matter access;
- matter creation and document organisation;
- Google Document AI processing of supported digital, printed, scanned, and photographed documents;
- document classification and structured information extraction;
- source-linked lawyer verification and correction;
- cross-document entity and fact linking;
- missing-evidence and consistency checks;
- grounded search and question answering over Sri Lankan legal sources;
- approved-template drafting from verified information;
- lawyer review, versioning, approval, and export;
- history, audit, content governance, and system administration;
- bilingual interaction and accessible use; and
- release-specific conveyancing and notarial capabilities.

Section 3.1 restates each of these functions as a set of testable functional requirements, organized by functional area.

2.2.2 Product Evolution and Release Roadmap (V0 to V3)

V0, the initial RTA release, covers examination of title, drafting, execution, and attestation for supported RTA matters. It begins with common transactions under the prescribed RTA forms and supports the verified particulars those transactions require. Registration itself remains outside V0 because submitting an instrument to the public registration authority introduces additional legal, procedural, and integration requirements that are not yet part of this scope.


V0 accepts whatever documents the lawyer has available, reports what is missing, extracts what it can read reliably, and exposes uncertainty rather than hiding it. It must never require the lawyer to treat an unreadable document as if it had been successfully processed; manual transcription and verification remain valid, first-class ways to complete a matter.

V1, expanded conveyancing, is planned to add further RTA document classes and forms and to improve the review of difficult source material. It may support selected handwriting or degraded scans, but only where testing shows acceptable results for the specific document class and language involved. Material outside that tested boundary continues to rely on manual review and entry.

V2, wider conveyancing and notarial coverage, is planned to broaden the legal regimes and instruments supported by the same matter foundation. Expected areas include deed registration, condominium property, special-area requirements, historical title relationships where legally relevant, and additional notarial instruments, checks, and templates.

V3, the mature notarial and conveyancing platform, is planned to support wider adoption across notarial and conveyancing practices. Likely areas include organisation knowledge, richer collaboration, configurable legal content, integrations with registry, document, and office systems, client or external spaces with controlled access, operational reporting, and larger deployment capacity.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	



Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

2.3 User Classes and Characteristics

Table 4 identifies the classes of user Draftly is designed to serve and the release in which each class first has a defined role. Users may work primarily in English, Sinhala, or both, and legal users are not assumed to have technical training; the interface is designed to support careful review rather than to optimise for speed alone.

User class	Characteristics and responsibilities	Earliest release
Lawyer or notary	Owens the matter, verifies facts, resolves legal issues, approves wording and outputs, and remains professionally responsible for the matter.	V0
Legal clerk or assistant	Uploads and organises documents, enters data, prepares candidate work, and responds to missing-information requests; cannot give final legal approval.	V0
Senior reviewer	Reviews important findings and drafts, approves controlled outputs, and inspects evidence and history.	V0
Legal content maintainer	Maintains approved source mappings, rules, templates, and terminology and their version dates, under domain-expert control.	V0
Administrator	Manages accounts, roles, organisation settings, security policy, and service configuration, but cannot silently alter lawyer-approved legal content.	V0
External collaborator or client	Receives limited, permission-controlled access to selected files or work products.	V3
Auditor or compliance reviewer	Reviews immutable access and decision records without changing matter content.	V3

Table 4. User classes and characteristics.

2.4 Operating Environment

V0 is intended to operate as a secure browser-based application on current desktop versions of major browsers, and to support the common office-document and image formats used in legal practice. Server-side processing may run in an approved cloud environment or a controlled self-hosted environment, subject to the privacy requirements stated in Section 3.4.2.

Mobile and tablet access may support document capture and review, but V0 treats approval and full drafting as desktop-priority tasks. Later releases may expand mobile support once the necessary usability and security testing has been completed.

2.5 Design and Implementation Constraints

The following constraints limit the design and implementation choices available for Draftly. They

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

are elaborated as binding design constraints in Section 3.6.

- Legal responsibility for a matter remains with the qualified professional at all times.
- No legal rule, prescribed wording, or Sinhala legal term may be activated without authorised human review.
- V0 is limited to selected RTA matters and supported document types.
- Google Document AI is the selected V0 OCR and document-quality-analysis service [23]-[25].
- Reliable automatic extraction from handwriting, severely degraded scans, and unsupported scripts is outside the V0 capability boundary.
- Material outside that boundary must remain available for lawyer review and manual entry.
- Client documents contain confidential and personal data that constrains how they may be stored, transmitted, and processed.
- External AI, OCR, translation, or speech providers may be used only when their data handling satisfies the approved privacy policy.
- The system must distinguish legal authority from client evidence and from machine-generated suggestions at every point where they could otherwise be confused.
- Future releases must preserve the verification, grounding, approval, and audit rules established in V0.

2.6 Assumptions and Dependencies

The requirements in this specification depend on the following assumptions:

- domain experts will approve the V0 matter schema, rules, terminology, forms, evaluation labels, and acceptance decisions;
- official and lawfully accessible legal sources will remain available for the supported functions;
- demonstration and evaluation data will be synthetic, anonymised, or used only with documented permission;
- users will have lawful authority to upload and process the matter documents they provide;
- external-service availability and cost may change, so critical matter data must remain exportable and recoverable without dependence on a single provider;
- Google Document AI must remain available in an approved processing region and must satisfy the privacy controls in Section 3.4.2; and
- each later release will define its own detailed scope and acceptance tests before implementation begins.


Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3. Specific Requirements

This section states the requirements of Draftly to a level of detail sufficient for the software architecture to be designed against them and for a test plan to verify them. Requirement statements use "shall" for mandatory behaviour and "may" for permitted, non-mandatory behaviour. Each requirement carries a unique identifier and is tagged with the earliest release in which it becomes binding, for example [V0] or [V2]. A requirement tagged for an earlier release is inherited by every later release unless an approved change explicitly replaces it; a requirement tagged [V1], [V2], or [V3] describes planned scope and becomes binding once the corresponding release's detailed scope is approved, as discussed in Section 4.4.

3.1 Functionality

This section groups the functional requirements of Draftly into fourteen functional areas. Each subsection describes the purpose of the area, the normal workflow a user follows within it, the alternative and error flows the system must handle, the validation and permission rules that apply, and the outputs the area produces, followed by the itemized functional requirements that area must satisfy.



Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.1.1 Identity, Roles, and Access Management

This functional area controls who can see and act on the confidential content of a matter. Every other function in Draftly depends on it, because a matter's documents, facts, findings, and drafts are only as protected as the access control that gates them.

In the normal flow, a user signs in and the system authenticates the credential before any confidential matter information is displayed. Once authenticated, every action the user attempts, opening a matter, viewing a document, verifying a fact, approving a draft, is authorised individually against that user's role and explicit membership in the matter, rather than against a single coarse permission granted at sign-in. A legal clerk can prepare content, upload documents, and enter data, but the system blocks any attempt by a clerk to verify a legal fact or give final approval unless that same person is separately authorised as a lawyer for the matter.

As an error flow, a request for a matter or document the requesting user is not authorised to see is refused without revealing whether the matter or document exists at all; the response to an unauthorised request must look the same whether the target is missing or simply private. Account creation, deactivation, role changes, and matter-access changes are always written to the audit history described in Section 3.1.12, so that a later reviewer can reconstruct who could see or change a matter at any point in its history.

FR-01 [V0]: The system shall authenticate every user before displaying confidential matter information.

FR-02 [V0]: The system shall authorise each matter action by role and explicit matter membership, evaluated independently for that action rather than inferred from a single sign-in grant.

FR-03 [V0]: A legal clerk may prepare matter content but shall not verify a legal fact or approve a final output unless separately authorised as a lawyer for that matter.

FR-04 [V0]: The system shall record account creation, deactivation, role changes, and matter-access changes as audit events.

FR-05 [V0]: An unauthorised request shall reveal neither matter content nor the existence of private documents; the system's response shall not let a requester distinguish a missing matter from one that exists but is outside their authority.

FR-06 [V3]: The system shall support organisation-level policies, ethical walls between matters, delegated administration, and external access with expiry.

3.1.2 Matter Management

A matter is the controlled work area in which every document, fact, finding, authority, draft, decision, and audit event for one client engagement lives. This functional area lets an authorised user bring a matter into existence, resume work on it, and see its current state at a glance.

In the normal flow, an authorised user creates a matter and records its legal area, governing regime, transaction or instrument type, parties, responsible professionals, status, and a privacy-safe reference that can be used in conversation or in a file name without exposing client identity. Opening that matter later shows the user what is already known, what evidence is still missing, which conflicts remain unresolved, which reviews are pending, which drafts already exist, and what activity has recently occurred, so that a lawyer returning to a matter after an interruption does not have to reconstruct its state from memory. A user can archive a matter that is complete or paused, and resume it later without losing anything that was previously

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

verified or approved.

Matter state must survive sign-out, browser closure, and unexpected interruption; nothing verified or approved may be lost simply because a session ended. A user can search and filter the matters assigned to them, but that search never exposes matters outside their authority, in keeping with the access rules in Section 3.1.1. From V2, a matter additionally records the prior instruments, historical title relationships, registration references, and condominium or special-area particulars that the wider conveyancing regimes it will support require.

FR-07 [V0]: An authorised user shall be able to create, open, archive, and resume a matter.

FR-08 [V0]: A matter shall record its legal area, governing regime, transaction or instrument type, parties, responsible professionals, status, and a privacy-safe reference.

FR-09 [V0]: The system shall show the known information, missing evidence, unresolved conflicts, pending reviews, available drafts, and recent activity for a matter.

FR-10 [V0]: Matter state shall survive sign-out, browser closure, and interruption without loss of verified information or approval history.

FR-11 [V0]: The user shall be able to search and filter assigned matters without exposing matters outside that user's authority.

FR-12 [V2]: A matter shall additionally record relevant prior instruments, historical title relationships, registration references, condominium or special-area particulars, and other regime-specific information where applicable.

3.1.3 Document Intake and Preservation

This functional area brings a client's source documents into a matter and guarantees that nothing supplied by the client is silently lost, even when the system cannot process it automatically.

In the normal flow, a user uploads supported digital documents, scans, photographs, and image files, either one at a time or as a batch. Each uploaded document immediately receives a stable identifier, a version number, the identity of the uploader, an upload timestamp, a detected language, and a processing status that the user can watch change as the document moves through the pipeline. If the same physical document needs to be replaced, for example because a clearer scan becomes available, the replacement creates a new version rather than overwriting the old one, and the earlier version remains in the audit history.

As alternative and error flows, the system identifies files that are unreadable, incomplete, duplicate, password-protected, corrupt, or of an unsupported format, and offers the user a concrete recovery action for each condition rather than a bare failure message. A processing failure of any kind never removes the original upload; the client's document remains available even if the system could not extract anything from it. When automatic processing is unavailable or produces an unreliable result, the user can classify the document manually and enter its data by hand, so that a document outside the system's current capability never blocks the matter from proceeding. From V1, the system evaluates handwriting, degraded-scan, and legacy-format document classes separately from ordinary printed material, and enables automated support for a given class and language combination only after that combination has passed its own approved accuracy and safety tests.

FR-13 [V0]: The system shall accept supported digital documents, scans, photographs, and image files individually or in a batch.

FR-14 [V0]: Each uploaded document shall receive a stable identifier, version, uploader,

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

timestamp, detected language, and processing status.

FR-15 [V0]: Replacing a document shall create a new version and preserve the earlier version in the audit history.

FR-16 [V0]: The system shall identify unreadable, incomplete, duplicate, password-protected, corrupt, or unsupported files and provide a recovery action for each.

FR-17 [V0]: A processing failure shall not remove the original upload.

FR-18 [V0]: The system shall allow manual classification and manual data entry when automatic processing is unavailable or unreliable.

FR-19 [V1]: The system shall evaluate selected handwriting, degraded-scan, and legacy-format classes separately. Automated support shall be enabled only for a document class and language combination that has passed its approved accuracy and safety tests.

3.1.4 Document Classification and Extraction

Once a document has been accepted, this functional area determines what kind of document it is and pulls out the structured particulars a lawyer needs, while being explicit about what it could not read reliably.

In the normal flow, the system classifies each supported document into one of its approved document classes and displays that classification to the user for confirmation before treating it as settled. Extraction of approved particulars only happens when the document's class and language fall inside the approved V0 support matrix; a document outside that matrix is routed to manual review and entry instead of being force-processed. Every candidate fact the system produces carries its extracted value, the method used to extract it, a confidence or quality indicator, and at least one evidence span pointing back to the source document. The system preserves the original script and wording of an extracted value exactly as written; any normalised form used for matching or display is stored as a separate value alongside it, never in place of it.

As an error and validation flow, the system never marks a low-confidence or handwritten value as verified simply because extraction ran to completion, and it explicitly reports when a required value could not be found at all rather than leaving a silent gap. From V1, extraction coverage becomes configurable by legal regime, document class, language, and approved model version, so that the supported combinations can grow without a code change to the extraction logic itself.

FR-20 [V0]: The system shall classify each supported document into an approved document class and display the detected class for confirmation.

FR-21 [V0]: The system shall extract approved particulars only when the document class and language are included in the approved V0 support matrix; other documents shall route to manual review and entry.

FR-22 [V0]: Every candidate fact shall include its extracted value, extraction method, confidence or quality indicator, and at least one evidence span.

FR-23 [V0]: The system shall preserve the original script and wording of an extracted value; normalised values shall be stored separately.

FR-24 [V0]: The system shall not mark a low-confidence or handwritten value as verified merely because extraction completed.

FR-25 [V0]: The system shall report when a required value was not found.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

FR-26 [V1]: Extraction coverage shall be configurable by legal regime, document class, language, and approved model version.

3.1.5 Evidence-Linked Verification

This functional area is where a candidate fact produced by extraction becomes information a lawyer can rely on. It exists because a machine-extracted value is a proposal, not a settled fact, until a qualified person has checked it against its source.

In the normal flow, a user reviewing a candidate fact can open the document that supports it directly at the relevant page or image region, so that verification never requires searching through an unrelated document viewer to find the right passage. Every fact carries a verification state drawn from at least the following set: unreviewed, verified, corrected, conflicting, and blocked. Only an authorised lawyer can move a fact into the verified or corrected state when that fact will be used in a final legal output; a clerk can flag or annotate a fact but cannot make it authoritative.

When a reviewer corrects a value, the system preserves the original extracted value, the corrected value, the identity of the reviewer, the time of correction, a reason where one is required, and the evidence behind the correction, so the correction itself becomes part of the traceable record rather than overwriting history. If two documents in the same matter supply conflicting values for the same fact, both values remain visible to every reviewer until a lawyer either resolves the conflict or formally accepts it with a recorded reason; the system never picks a winner silently. A fact entered by hand, with no supporting extraction, records its author, its reason, and either a source note or an explicit missing-source status. As a safeguard against careless bulk approval, batch verification of many facts at once is only permitted after the user has actually been shown the affected facts and their evidence, not as a single blind confirmation.

FR-27 [V0]: A user reviewing a candidate fact shall be able to open the supporting document at the relevant page or image region.

FR-28 [V0]: Verification states shall distinguish at minimum unreviewed, verified, corrected, conflicting, and blocked information.

FR-29 [V0]: Only an authorised lawyer shall be able to assign verified or corrected status to a fact used in a final legal output.

FR-30 [V0]: A correction shall preserve the extracted value, corrected value, reviewer, time, reason where required, and evidence.

FR-31 [V0]: Conflicting values from different documents shall remain visible until a lawyer resolves or formally accepts the conflict.

FR-32 [V0]: A manual fact shall record its author, reason, and source note or missing-source status.

FR-33 [V0]: Batch verification shall be allowed only after the user has been shown the affected facts and their evidence.

3.1.6 Structured Matter Record

Behind the documents and facts of a matter, Draftly maintains one structured record that represents the current, legally relevant state of that matter. This functional area is what lets checks, drafting, and review all operate on a single consistent view of the facts instead of each recomputing it independently.

In the normal flow, the system maintains a structured RTA matter record covering the

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

current title, the parcel, the parties, the current instrument, any registered interests or encumbrances, the supporting evidence for each of these, and the particulars a supported task requires. Where the same person, parcel, title, plan, instrument, or organisation is referred to differently across several source documents, the system links those references together as one entity while still preserving the original value exactly as each source wrote it, so that a spelling variant or an old title reference is never lost even after linking.

The record distinguishes current verified information from historical, superseded, disputed, and unverified information, so a user always knows which value is authoritative for drafting today. Deleting or replacing a document removes that specific version's ability to supply new output going forward, but its historical references remain intact for audit purposes; nothing is erased from the record's history, only excluded from future use. From V1, the matter record supports approved historical title relationships and additional conveyancing regimes without changing the identity of existing evidence or audit events, and from V2, the same common record extends to further conveyancing regimes and notarial instrument types without weakening its evidence, verification, approval, or audit controls.

FR-34 [V0]: The system shall maintain a structured RTA matter record covering the current title, parcel, parties, current instrument, registered interests or encumbrances, supporting evidence, and required particulars.

FR-35 [V0]: The system shall link references to the same person, parcel, title, plan, instrument, or organisation while preserving the original values from each source.

FR-36 [V0]: The system shall distinguish current verified information from historical, superseded, disputed, and unverified information.

FR-37 [V0]: Deleting or replacing a document shall prevent that version from supplying new output while retaining its historical references.

FR-38 [V1]: The matter record shall support approved historical title relationships and additional conveyancing regimes without changing the identity of existing evidence or audit events.

FR-39 [V2]: The common matter record shall support additional conveyancing regimes and notarial instrument types without weakening evidence, verification, approval, or audit controls.

3.1.7 Matter Guidance and Legal Task Workflows

This functional area organizes the work a lawyer performs on a V0 matter into the recognisable legal tasks of examination of title, drafting, execution, and attestation, and tells the user what each task still needs before it can be considered complete.

In the normal flow, for each supported task the system presents the information that task requires, the evidence still missing, the applicable approved legal authority, any open findings, and the decisions the user is allowed to make at that point. The system deliberately does not force a user through a generic intake checklist before it will accept documents; instead it accepts whatever is available and reports what remains outstanding, so early-stage matters are never blocked from starting.

A task marked mandatory can become blocked, in which case it requires either new evidence that resolves the gap or an authorised override accompanied by a recorded reason; a blocked task never disappears or resolves itself silently. Task definitions, their legal anchors, the conditions under which they apply, and the decisions a user is allowed to make are themselves versioned content, approved by an authorised content maintainer rather than hard-coded into the application. From V2, wider conveyancing support organizes title investigation, authority and capacity, instrument preparation, execution, attestation, and registration-readiness

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

requirements for each additional regime the product supports.

FR-40 [V0]: The system shall organise V0 matter activity around examination of title, drafting, execution, and attestation.

FR-41 [V0]: For each supported task, the system shall present the required information, missing evidence, applicable approved authority, open findings, and available user decisions.

FR-42 [V0]: The system shall not require users to complete a generic intake checklist before documents are accepted. It shall accept available documents and report what remains missing.

FR-43 [V0]: A mandatory blocked task shall require new evidence or an authorised override with a recorded reason.

FR-44 [V0]: Task definitions, legal anchors, applicability conditions, and allowed decisions shall be versioned and approved by an authorised content maintainer.

FR-45 [V2]: Wider conveyancing support shall organise title investigation, authority and capacity, instrument preparation, execution, attestation, and registration-readiness requirements for each approved regime.

3.1.8 Checks and Missing-Evidence Detection

This functional area runs deterministic checks over the matter record to surface problems before drafting begins, rather than leaving a lawyer to discover a missing document or an inconsistent extent only after a draft has already been produced.

In the normal flow, the system evaluates approved deterministic checks over information that is either verified or explicitly selected by the user for checking. V0 checks cover required-document completeness, party identity and capacity, title and parcel references, cadastral and plan details, extent and boundary consistency, current instrument particulars, interests or encumbrances, form selection, execution evidence, and attestation completeness where applicable. Each finding a check produces identifies its type, its severity, the facts it affects, the evidence behind it, the applicable authority or business rule, its current status, and the user responsible for acting on it.

The system is careful to distinguish a check that ran and failed from a check that could not run at all because the information it needs is missing; these are different situations and are shown differently. A lawyer resolves, accepts, or overrides a finding only through an explicit action that records the decision and the reason for it; a finding never disappears on its own. A machine-generated suggestion is never allowed to create a legal finding unless an approved deterministic rule actually supports it, which keeps generative output from masquerading as a checked result. From V1, the check catalogue expands by conveyancing regime and by effective legal date, and from V2, checks additionally support approved deed-registration, condominium, special-area, historical-title, and instrument-specific requirements.

FR-46 [V0]: The system shall evaluate approved deterministic checks over verified or explicitly selected matter information.

FR-47 [V0]: V0 checks shall cover required-document completeness, party identity and capacity, title and parcel references, cadastral and plan details, extent and boundary consistency, current instrument particulars, interests or encumbrances, form selection, execution evidence, and attestation completeness where applicable.

FR-48 [V0]: Each finding shall identify its type, severity, affected facts, supporting evidence, applicable authority or business rule, status, and responsible user.

FR-49 [V0]: The system shall distinguish a failed check from a check that could not run because

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

information is missing.

FR-50 [V0]: A lawyer may resolve, accept, or override a finding only through an explicit action that records the decision and reason.

FR-51 [V0]: A machine-generated suggestion shall not create a legal finding unless an approved deterministic rule supports it.

FR-52 [V1]: The check catalogue shall expand by conveyancing regime and effective legal date.

FR-53 [V2]: Checks shall support approved deed-registration, condominium, special-area, historical-title, and instrument-specific requirements included in the V2 scope.

3.1.9 Legal Search and Grounded Assistance

This functional area lets a user find and rely on Sri Lankan legal authority without accepting a claim on faith. It exists because a fluent legal-sounding answer is worthless, and actively dangerous, if it cannot be traced back to a real source.

In the normal flow, the system searches an approved corpus of Sri Lankan statutes, amendments, gazettes, and case-law material, and a user can run that search either independently or from within the context of an authorised matter. Every legal claim that appears in a generated answer links to retrievable supporting text and identifies its source, and the user can inspect the exact cited passage without losing track of the question or answer that led them there. Where the status is known, the system distinguishes binding, persuasive, historical, repealed, superseded, and unverified candidate authority, so a user is never left to guess whether a cited provision still applies.

As an error and safety flow, if the available evidence does not support all or part of an answer, the unsupported part is withheld and explicitly labelled as insufficient authority rather than filled in with a plausible-sounding guess. An extracted case rule stays marked unverified until a qualified reviewer approves it for use, and the system never presents model confidence as if it were legal correctness or legal authority; those are different things and the interface keeps them visibly different. Throughout, search and answering preserve the separation between public legal authority and confidential matter evidence, so a public research query never leaks private client facts and vice versa. From V2, conveyancing research organizes authority by legal regime, transaction or instrument type, and effective date, with citations suitable for lawyer review.

FR-54 [V0]: The system shall search an approved corpus of Sri Lankan statutes, amendments, gazettes, and case-law material.

FR-55 [V0]: A user shall be able to search independently or within the context of an authorised matter.

FR-56 [V0]: Each legal claim in a generated answer shall link to retrievable supporting text and identify the source.

FR-57 [V0]: The user shall be able to inspect the exact cited passage without losing the question or answer context.

FR-58 [V0]: The system shall distinguish binding, persuasive, historical, repealed, superseded, and unverified candidate authority where that status is known.

FR-59 [V0]: If available evidence does not support all or part of an answer, the unsupported part shall be withheld and labelled as insufficient authority.

FR-60 [V0]: An extracted case rule shall remain marked unverified until a qualified reviewer approves it for use.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

FR-61 [V0]: The system shall never present model confidence as legal correctness or authority.

FR-62 [V0]: Search and answering shall preserve the difference between public legal authority and confidential matter evidence.

FR-63 [V2]: Conveyancing research shall organise authority by legal regime, transaction or instrument type, and effective date, with citations suitable for lawyer review.

3.1.10 Draft Preparation and Templates

This functional area turns verified matter facts and approved templates into an editable draft, without ever letting the drafting process itself become a back door around verification.

In the normal flow, the system prepares supported RTA instruments and related work products from approved templates. The approved transfer form is the first supported V0 transaction for evaluation; any additional RTA form requires separate domain approval and its own acceptance tests before it can be offered. Prescribed or otherwise approved legal wording is protected from unauthorised alteration, and every matter particular the system inserts into a draft references a verified or corrected fact, never a raw candidate value. A user can inspect the source of any system-inserted fact directly from within the draft, so a reviewer never has to take an inserted value on faith.

As a validation flow, the system blocks approval of a draft while a mandatory placeholder, an unresolved required fact, or a blocking finding remains outstanding; a draft cannot be approved by simply ignoring an open problem. Every saved draft version preserves its content, the template version it was built from, the facts it links to, its author, and its timestamp, and a user can compare two versions or restore an earlier one without deleting the versions in between. From V1, the template catalogue expands to additional conveyancing regimes and outputs under versioned domain approval, and from V2, it further supports approved deed-registration, condominium, special-area, and other notarial or conveyancing instruments while preserving source links and lawyer control.

FR-64 [V0]: The system shall prepare supported RTA instruments and related work products from approved templates.

FR-65 [V0]: The approved transfer form shall be the first supported V0 transaction for evaluation. Any additional RTA form shall require separate domain approval and acceptance tests.

FR-66 [V0]: Prescribed or approved legal wording shall be protected from unauthorised alteration.

FR-67 [V0]: Matter particulars inserted by the system shall reference verified or corrected facts.

FR-68 [V0]: The system shall block approval while a mandatory placeholder, unresolved required fact, or blocking finding remains.

FR-69 [V0]: The user shall be able to inspect the source of a system-inserted fact from the draft.

FR-70 [V0]: Every saved draft version shall preserve its content, template version, linked facts, author, and timestamp.

FR-71 [V0]: The user shall be able to compare versions and restore an earlier version without deleting intervening history.

FR-72 [V1]: The template catalogue shall expand to additional conveyancing regimes and outputs under versioned domain approval.

FR-73 [V2]: The template catalogue shall support approved deed-registration, condominium,

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

special-area, and other notarial or conveyancing instruments while preserving source links and lawyer control.

3.1.11 Review, Approval, and Export

This functional area is the final gate between a candidate draft and a work product a lawyer can hand to a client or use professionally. It concentrates the last, most consequential decision in the whole workflow into a single, clearly recorded act.

In the normal flow, only an authorised lawyer can give final approval to a legal draft, and that approval records the approver, the approved version, the time of approval, and any outstanding non-blocking warnings the lawyer chose to accept alongside it. Any edit made after approval creates a new, unapproved version rather than silently modifying the approved one, so an approved document can never drift out from under its own approval record. Once approved, a work product can be exported to common office and fixed-layout formats for use outside the system.

An export identifies the approved version it came from and never exposes internal confidence scores, private system notes, or hidden placeholders to the person receiving it. Sinhala and English text render correctly in every exported document, regardless of which script the underlying facts were captured in. Exporting a document is explicitly not the same as executing, attesting, filing, or registering it; those remain separate legal acts that this system does not perform unless a later approved integration specifically supports them.

FR-74 [V0]: Only an authorised lawyer shall be able to give final approval to a legal draft.

FR-75 [V0]: Approval shall record the approver, version, time, and outstanding non-blocking warnings.

FR-76 [V0]: Any edit after approval shall create a new unapproved version.

FR-77 [V0]: Approved work products shall be exportable to common office and fixed-layout formats.

FR-78 [V0]: An export shall identify the approved version and shall not expose internal confidence scores, private system notes, or hidden placeholders.

FR-79 [V0]: Sinhala and English text shall render correctly in exported documents.

FR-80 [V0]: Export does not constitute execution, attestation, filing, or registration unless a later approved integration explicitly supports that act.

3.1.12 History, Audit, and Content Governance

This functional area keeps a permanent, trustworthy record of everything that happened in a matter and controls how the legal content that drives checks, templates, and terminology is allowed to change over time.

In the normal flow, the system keeps an append-only audit history covering uploads, processing runs, fact changes, verification, findings, overrides, legal-source use, drafts, approvals, exports, permission changes, and approved content changes. Each audit event identifies the actor who performed it, the action taken, the object affected, the time it occurred, and, where applicable, a before-and-after reference so the change itself is reconstructable. Ordinary users, including lawyers and administrators acting in their normal capacity, cannot edit or delete an audit event once it exists.

Legal rules, source mappings, terminology, and templates move through their own lifecycle of draft, reviewed, active, suspended, and retired states, and activating or retiring any

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

piece of controlled legal content requires an authorised user and creates its own audit event. Every version of legal content records the date it takes effect and the authority or approval it depends on, so a later change never silently rewrites the meaning of an earlier matter's history. From V3, organisation administrators can configure controlled content and retention policy without being able to alter immutable matter history.

FR-81 [V0]: The system shall keep an append-only audit history for uploads, processing runs, fact changes, verification, findings, overrides, legal-source use, drafts, approvals, exports, permissions, and approved content changes.

FR-82 [V0]: An audit event shall identify the actor, action, object, time, and before-and-after references where applicable.

FR-83 [V0]: Ordinary users shall not be able to edit or delete audit events.

FR-84 [V0]: Legal rules, source mappings, terminology, and templates shall have draft, reviewed, active, suspended, and retired states.

FR-85 [V0]: Activating or retiring controlled legal content shall require an authorised user and shall create an audit event.

FR-86 [V0]: A legal-content version shall record its effective date and the authority or approval on which it depends.

FR-87 [V3]: Organisation administrators shall be able to configure controlled content and retention policy without changing immutable matter history.

3.1.13 Language and Communication

This functional area supports Sri Lankan legal practice in both of its working languages and governs how the system communicates with users and, in later releases, with people outside the matter team.

In the normal flow, the supported V0 path provides both English and Sinhala interface text. Wherever the system displays translated content, it preserves the source-language text alongside it and clearly labels the translated version as a translation rather than presenting it as an equivalent original. Sinhala legal terminology used anywhere in controlled content passes through domain review before it is activated, in line with the content-governance rules in Section 3.1.12.

From V1, if voice dictation or playback is included at all, it is enabled only for the specific tasks that pass language-specific accuracy, privacy, and usability testing; it is not switched on generally just because the underlying capability exists. From V3, notifications and any external sharing minimise the personal information they contain and continue to respect the matter permissions that govern who may see what.

FR-88 [V0]: The supported V0 path shall provide English and Sinhala interface text.

FR-89 [V0]: The system shall preserve source-language text and shall label translated content as a translation.

FR-90 [V0]: Sinhala legal terminology used in controlled content shall require domain review.

FR-91 [V1]: If voice dictation or playback is included, it shall be enabled only for tasks that pass language-specific accuracy, privacy, and usability tests.

FR-92 [V3]: Notifications and external sharing shall minimise personal information and respect matter permissions.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.1.14 Collaboration and Integrations

This functional area, planned for V1 and V3, extends Draftly from a single-user workbench into a collaborative tool that can connect to the other systems a firm already runs, without loosening any of the controls established in earlier functional areas.

From V1, authorised users can assign reviews, add comments, and record requests for missing documents within a matter, and this collaboration layer is built so that it never blurs the line between a comment, a candidate fact, a verified fact, and an approved legal decision; each remains visibly and structurally distinct even as people discuss a matter around them.

From V3, external document, email, office, registry, or practice-management systems connect to Draftly only through authenticated and auditable interfaces, consistent with the software-interface requirements in Section 3.9.3. A failure in one of these integrations is contained so that it cannot corrupt the matter record or bypass any approval control, and organisation knowledge can be exported under controlled conditions without exposing one client's confidential matter to another client or organisation.

FR-93 [V1]: Authorised users shall be able to assign reviews, add comments, and record requests for missing documents within a matter.

FR-94 [V1]: Collaboration shall preserve the distinction between a comment, a candidate fact, a verified fact, and an approved legal decision.

FR-95 [V3]: External document, email, office, registry, or practice systems shall connect through authenticated and auditable interfaces.

FR-96 [V3]: An integration failure shall not corrupt the matter record or bypass approval controls.

FR-97 [V3]: The system shall support controlled export of organisation knowledge without exposing one client's confidential matter to another.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.2 Usability

Draftly's users are legal professionals reviewing consequential decisions, not power users optimising for raw speed. The usability requirements below are written with that in mind: they favour making evidence and state easy to verify over minimising click counts.

3.2.1 Learnability and Onboarding

USE-01 [V0]: A new legal user shall be able to create a matter, upload a small document set, identify processing status, and begin verification within 15 minutes using on-screen guidance, without needing separate training.

3.2.2 Evidence Accessibility

USE-02 [V0]: Evidence for a fact, finding, legal claim, or inserted draft value shall be reachable in no more than two user actions from wherever that fact, finding, claim, or value is displayed.

3.2.3 Terminology and State Consistency

USE-03 [V0]: The interface shall use consistent names and states across documents, facts, findings, legal sources, and drafts, so the same word always means the same thing wherever it appears.

3.2.4 Confirmation of Legally Significant Actions

USE-04 [V0]: Legally significant actions such as verification, override, approval, and export shall use explicit labels and require confirmation where the action cannot be reversed immediately.

3.2.5 Error Messaging

USE-05 [V0]: Error messages shall state what failed, what information was preserved, and what the user can do next, so a failure never leaves the user guessing whether their work survived.

3.2.6 Accessibility Conformance

Accessibility is treated as a release-blocking usability requirement, not an optional enhancement, because legal professionals using assistive technology are a real part of the intended user base.

USE-06 [V0]: The core V0 path shall conform to WCAG 2.2 Level AA [9], including keyboard operation, visible focus, sufficient colour contrast, labelled controls, status that is not conveyed by colour alone, and usable operation at 200 percent zoom.

3.2.7 Bilingual Interface Usability

USE-07 [V0]: English and Sinhala layouts shall remain usable without clipped text or hidden actions, regardless of which language produces the longer rendered string for a given label.

3.2.8 Primacy of Verifiable Evidence over Summaries

A dashboard summary or a conversational answer is convenient, but it must never become the only way to check a claim; a user must always be able to drop down to the

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

underlying evidence, verification state, legal authority, or approval state that the summary is describing.

USE-08 [V0]: A dashboard summary or conversational answer shall not be the only way to inspect evidence, verification state, legal authority, or approval state.

3.3 Reliability

Reliability requirements for Draftly cover both the durability of confirmed data and the availability of the service under partial failure. Because Draftly holds legal evidence and professional decisions, a reliability failure is treated as a correctness failure, not merely an inconvenience.

3.3.1 Durability of Confirmed Data

REL-01 [V0]: No accepted upload, verified fact, correction, approval, or audit event shall be lost after the system confirms completion to the user.

3.3.2 Resumability of Long-Running Processing

REL-02 [V0]: Long-running document processing shall be resumable or safely repeatable after interruption, without requiring the user to re-upload the source document.

3.3.3 Idempotency of Repeated Requests

REL-03 [V0]: Repeated submission of the same processing request, for example from a retried network call, shall not create conflicting duplicate records.

3.3.4 Graceful Degradation of Dependent Services

REL-04 [V0]: Failure of an OCR, search, translation, speech, or language service shall produce a visible reduced-capability state and a recovery option, rather than a silent or unexplained failure.

3.3.5 Isolation of Generative Failure from Approval State

REL-05 [V0]: Failure of a generative component shall never cause an uncited answer or unverified fact to be treated as approved.

3.3.6 Backup and Restoration

REL-06 [V0]: Backups shall preserve matter data, controlled content, and audit history, and restoration from backup shall be tested before external evaluation of the system.

3.3.7 Critical Defect Classification

The following defect classes are treated as critical for V0 and trigger the release-blocking response defined in the test plan: cross-matter disclosure, silent data loss, corrupted evidence links, approval bypass, invented authority presented as valid, and export containing an unverified mandatory fact.

REL-07 [V0]: Critical defects include cross-matter disclosure, silent data loss, corrupted evidence links, approval bypass, invented authority presented as valid, and export containing unverified mandatory facts.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.3.8 Availability Targets for Later Releases

REL-08 [V3]: Production availability and disaster-recovery targets shall be defined from deployment and client requirements before V3 release.

3.4 Performance and Security

This section states Draftly's performance targets, its security and privacy controls, and the legal-output safety and accuracy rules that keep machine-generated content from being mistaken for verified fact or legal authority. The three groups are presented together because, for a legal-technology product, a performance shortfall, a security gap, and an unsafe legal output all carry the same consequence: a user relying on something that is not actually trustworthy.

3.4.1 Performance Requirements

Performance targets are stated against a defined reference deployment and test load so that results are reproducible and comparable across builds; each measurement is reported with the conditions under which it was taken.

PERF-01 [V0]: Excluding file processing, answer generation, and export rendering (which are governed by PERF-03, PERF-04, and PERF-05 respectively), 95 percent of ordinary page and matter operations shall respond within two seconds on the reference deployment.

PERF-02 [V0]: A legal search shall return its first result page within three seconds under the reference test load.

PERF-03 [V0]: A generated grounded answer shall show progress and either complete, partially answer, fail, or abstain within 60 seconds under the reference test configuration.

PERF-04 [V0]: Upload acceptance shall be acknowledged within two seconds; document processing may continue asynchronously with visible per-document status.

PERF-05 [V0]: A typical V0 matter set of up to 15 supported documents shall reach review or an explicit failure state within 10 minutes on the reference processing environment.

PERF-06 [V0]: Performance tests shall report the hardware, network, document sizes, concurrency, and percentile used for each result.

PERF-07 [V3]: V3 capacity targets shall be defined from measured organisation usage rather than extrapolated from V0 measurements alone.

3.4.2 Security and Privacy Requirements

Because Draftly processes confidential client documents and personal data governed by the PDPA [6], security and privacy are treated as a single connected set of controls rather than two separate concerns.

SEC-01 [V0]: All client-to-server communication shall use encrypted transport.

SEC-02 [V0]: Confidential data, backups, and stored documents shall be encrypted at rest in the approved deployment.

SEC-03 [V0]: Access control shall be enforced on the server for every matter and document request, never relying on client-side enforcement alone.

SEC-04 [V0]: Authentication secrets, service credentials, and encryption keys shall not be stored in source code, client-visible data, or ordinary logs.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

SEC-05 [V0]: Logs, analytics, notifications, screenshots, and error reports shall exclude raw identity numbers, signatures, complete addresses, and unnecessary client-document content.

SEC-06 [V0]: Development and demonstration environments shall not use identifiable client documents.

SEC-07 [V0]: External processing shall transmit only the minimum content required for the approved purpose.

SEC-08 [V0]: Where an external provider supports data-retention or model-training controls, the most restrictive available settings shall be used for client data.

SEC-09 [V0]: The system shall record the provider, purpose, time, and matter reference for external processing of confidential content.

SEC-10 [V0]: The system shall support retention periods, lawful deletion, access review, and export revocation appropriate to the applicable PDPA obligations and policies in force at deployment [6].

SEC-11 [V0]: Automated tests shall verify cross-matter isolation, permission enforcement, upload validation, approval gates, and protection against common web vulnerabilities. SEC-12 [V0]: The system shall enforce session inactivity timeout, re-authentication after expiry, and shall not allow concurrent sessions to bypass access controls for confidential matter content.

SEC-13 [V3]: Organisation deployments shall support stronger identity, audit, key-management, and network controls where required by the client.

3.4.3 Legal-Output Safety and Accuracy Requirements

These requirements exist because Draftly's core risk is not a crash or a slow response, it is a plausible but wrong legal output being mistaken for a checked one. They apply on top of the functional grounding rules in Sections 3.1.9 and 3.1.10 and define what counts as an unacceptable failure for evaluation purposes.

SAFE-01 [V0]: The system shall identify its outputs as drafts for professional review until an authorised lawyer approves them.

SAFE-02 [V0]: The system shall not represent itself as a lawyer or offer final legal advice directly to the public.

SAFE-03 [V0]: A legal answer without sufficient retrievable authority shall be withheld in full or in part.

SAFE-04 [V0]: A factual statement about a client matter shall not be treated as verified solely because a model generated or extracted it.

SAFE-05 [V0]: Prescribed wording shall be activated only after comparison with an authoritative source and approval by the responsible domain expert.

SAFE-06 [V0]: Legal rules and forms shall be versioned by effective date so that a later change does not silently rewrite earlier matter history.

SAFE-07 [V0]: Evaluation shall report false positives, false negatives, abstentions, unsupported claims, and lawyer disagreements rather than a single aggregate accuracy score.

SAFE-08 [V0]: Any invented citation, materially unsupported legal claim, cross-matter disclosure, or mandatory unverified fact in an approved export shall be treated as a release-blocking failure.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.5 Supportability

Supportability requirements ensure that Draftly can be maintained, extended to new conveyancing regimes, and diagnosed in production without weakening the verification and audit rules the rest of this specification establishes.

SUP-01 [V0]: The system shall separate user interface, matter services, document processing, legal retrieval, controlled legal content, and storage through documented interfaces.

SUP-02 [V0]: Data exchanged between components shall be validated against versioned schemas.

SUP-03 [V0]: Legal rules, templates, terminology, and source mappings shall be maintainable as controlled content without requiring application code changes for ordinary updates.

SUP-04 [V0]: Each deterministic check shall have positive, negative, missing-input, and boundary tests.

SUP-05 [V0]: Automated tests shall cover critical access, verification, citation, approval, versioning, and export controls.

SUP-06 [V0]: A deployment shall record application version, controlled content version, model or service version where relevant, and database migration version.

SUP-07 [V0]: System monitoring shall detect failed processing jobs, service errors, storage problems, and unusual access without recording unnecessary client content.

SUP-08 [V1]: New conveyancing regimes and notarial instrument types shall extend the common matter, evidence, approval, and audit contracts rather than bypass them.

3.6 Design Constraints

The following constraints bind the architecture and implementation of Draftly. Except where a constraint names a specific product, such as Google Document AI, the choice of programming language, framework, component library, model vendor, and database product is left to the software architecture document, provided every requirement in this specification remains satisfied.

DC-01 [V0]: Draftly shall be delivered as a browser-based system with server-enforced security.

DC-02 [V0]: The architecture shall keep confidential matter documents separate from the public legal-source corpus.

DC-03 [V0]: The verified matter record shall be the authoritative source for generated matter facts.

DC-04 [V0]: Deterministic checks shall remain separate from generative text production.

DC-05 [V0]: Google Document AI shall be isolated behind a controlled document-processing interface so that failure or later replacement of that service does not change the verified matter record.

DC-06 [V0]: The system shall store original evidence and generated derivatives separately.

DC-07 [V0]: Audit history shall be append-only for ordinary application users.

DC-08 [V0]: Except for the selected Google Document AI dependency, this SRS does not mandate the visual design, programming framework, component library, model vendor, or database product. Those choices belong in the software architecture document and may change

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

if all requirements remain satisfied.

DC-09 [V0]: No third-party product name, logo, screenshot, proprietary text, or distinctive interface asset shall be copied into Draftly.

3.7 On-line User Documentation and Help System Requirements

Draftly's help system is designed around the same evidence-versus-verified distinction that governs the rest of the product, so that a user consulting help never receives guidance that contradicts what the interface itself shows.

HELP-01 [V0]: The product shall include help for matter creation, document upload, failed processing, fact verification, findings, legal citations, drafting, approval, export, and privacy controls.

HELP-02 [V0]: Help shall distinguish candidate machine output from lawyer-approved information.

HELP-03 [V0]: Contextual help shall explain why an action is blocked and identify the next permitted action.

HELP-04 [V0]: User guidance shall be available in English and Sinhala for the supported V0 path.

HELP-05 [V0]: Administrator and legal-content maintenance guidance shall be separated from ordinary matter-user help.

3.8 Purchased Components

Draftly's only mandated third-party component by product name is Google Document AI, used for V0 OCR and document-quality analysis of supported documents [23], [24]. No other commercial component is required by name; where a component is needed for a function such as translation, speech, or object storage, the architecture may select any product that satisfies the requirements below and the applicable requirements in Sections 3.4.2 and 3.6.

EXT-01 [V0]: V0 shall use Google Document AI for OCR and document-quality analysis of supported documents [23], [24]. No other commercial component is mandatory by product name.

Before any external component is allowed to process matter data, its assessment must record the items below, so that adopting a purchased or external component is a documented decision rather than an unreviewed dependency.

- data location, retention, deletion, and training use;
- confidentiality and access controls;
- availability, quota, cost, and exit arrangements;
- supported languages and document formats;
- auditability and incident notification; and
- licence and acceptable-use restrictions.

EXT-02 [V0]: Before an external component processes matter data, its assessment shall record data location, retention, deletion, and training use; confidentiality and access controls; availability, quota, cost, and exit arrangements; supported languages and document formats; auditability and incident notification; and licence and acceptable-use restrictions.

EXT-03 [V0]: An external component shall not become the system of record for verified facts or

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

approval history.

EXT-04 [V0]: Every critical function that depends on an external component shall have an approved replacement or manual fallback.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.9 Interfaces

This section defines the interfaces Draftly must support: the user interface presented to legal professionals, the hardware it must run on, the software components it connects to, and the communication protocols those connections use. The exact navigation structure and screen layout remain design decisions for the software architecture and user-interface specification; this section states the functional and protocol requirements those designs must satisfy.

3.9.1 User Interfaces

The user interface must give every user access to the objects their permissions allow: accounts, assigned matters, documents, extracted information, evidence, findings, legal sources, drafts, review decisions, exports, and history. Within a matter, the current matter and the acting user's role must always be unambiguous, so a lawyer working across several open matters never risks acting on the wrong one by mistake.

Machine-suggested, human-reviewed, corrected, conflicting, and blocked states must look visibly different from one another, and evidence must be viewable alongside the information it supports rather than in a separate, disconnected view. A capability that is planned for a future release must never be displayed as if it already worked; if V1 handwriting support is not yet enabled, the interface must not offer a control that implies it is. Before a significant action is confirmed, the interface must show its consequence, and the whole interface must remain usable in both English and Sinhala.

UI-01 [V0]: The user interface shall provide access to accounts, assigned matters, documents, extracted information, evidence, findings, legal sources, drafts, review decisions, exports, and history according to the user's permissions.

UI-02 [V0]: The current matter and user role shall remain clear during matter work.

UI-03 [V0]: Machine, human-reviewed, corrected, conflicting, and blocked states shall be visibly distinct.

UI-04 [V0]: Evidence shall be viewable alongside the information it supports.

UI-05 [V0]: A capability planned for a future release shall not be displayed as a working function.

UI-06 [V0]: A significant action shall show its consequence before confirmation.

UI-07 [V0]: The interface shall remain usable in English and Sinhala.

3.9.2 Hardware Interfaces

Draftly is designed to run on the equipment a legal office already has; it does not require the firm to purchase specialised hardware.

HW-01 [V0]: V0 shall require no specialised user hardware beyond a desktop-class computer, display, keyboard, pointing device, and network connection.

HW-02 [V0]: The system shall accept document images created by an ordinary camera or scanner. A microphone and speakers are optional for later voice capabilities.

3.9.3 Software Interfaces

Draftly may connect to the following categories of software component. Detailed protocols, message schemas, and API contracts belong in the software architecture document; this specification states only the behavioural requirements those interfaces must meet.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

- Google Document AI for V0 OCR and document-quality analysis;
- a legal-source retrieval service;
- approved language-model, translation, or speech services;
- protected object storage;
- an identity service;
- office-document conversion software; and
- future registry, document-management, email, or practice systems.

SWI-01 [V0]: Each enabled software interface shall authenticate requests, validate messages, handle timeout and failure, and avoid transmitting more confidential content than required.

SWI-02 [V0]: A provider-specific interface shall not be the only means of recovering verified matter data or approval history.

3.9.4 Communications Interfaces

COM-01 [V0]: Browser and service communication shall use HTTPS with a currently supported transport-security configuration.


COM-02 [V0]: Background processing that uses asynchronous messaging shall authenticate publishers and consumers.

COM-03 [V0]: Unencrypted transfer protocols shall not be used for confidential matter content.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.10 Database Requirements

This section defines the persistence requirements that follow from the structured matter record described in Section 3.1.6 and the audit and content-governance requirements in Section 3.1.12. It identifies the major entities the matter database must represent, how they relate to one another, and the integrity, versioning, retention, and indexing rules that govern them. It does not mandate a specific database product; that choice belongs to the software architecture document, consistent with DC-08.



Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.10.1 Major Entities and Relationships

Table 5 lists the major entities the matter database must represent and the relationship each has to the others. These entities are drawn directly from the functional requirements in Section 3.1 rather than introduced independently of them.

Entity	Purpose and key relationships
User, role, and organisation membership	Identifies an account and its role within an organisation; a user holds membership in zero or more matters, each membership carrying the role that governs what FR-02 and FR-03 permit that user to do in that matter.
Matter	The controlled work area defined in FR-08; owns one or more documents, facts, findings, drafts, and audit events, and records its legal area, governing regime, transaction type, parties, and status.
Document and document version	A document represents one uploaded source file; each edit or replacement creates a new document version per FR-15, and the document retains every prior version rather than overwriting it.
Evidence span	The page, region, or excerpt of a specific document version from which a fact or claim was drawn (FR-22); every evidence span resolves to exactly one document version, never to a document in the abstract, so that a superseded version cannot silently supply new evidence.
Fact and fact version	A candidate or verified particular about the matter; each correction creates a new fact version linked to the value it supersedes, preserving both the extracted and the corrected value together with the reviewer, time, and reason (FR-30).
Linked entity	A resolved person, parcel, title, plan, instrument, or organisation that ties together facts drawn from different source documents while each source's original wording is kept intact (FR-35).
Finding	The output of a deterministic check (FR-46 to FR-48); references the facts and evidence it evaluated and the authority or business rule it applied, and records its own resolution history.
Legal-source reference	A citation to a statute, gazette, amendment, or case-law passage used to ground a search answer or a piece of controlled legal content (FR-56, FR-86); kept separate from confidential matter data per DC-02.
Draft and draft version	A prepared instrument or work product; each saved draft version records its content, the template version it was built from, the facts it links to, its author, and its timestamp (FR-70).
Approval	Records the approver, the approved draft version, the time of approval, and any accepted non-blocking warnings (FR-75);

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

	an approval always references exactly one draft version, and any later edit produces a new, separately approvable version (FR-76).
Controlled legal content	Rules, templates, terminology, and source mappings, each carrying the draft, reviewed, active, suspended, and retired states defined in FR-84, together with an effective date and the authority it depends on (FR-86).
Audit event	An immutable record of an actor, action, affected object, time, and before-and-after reference (FR-82); every entity above that can change state produces audit events rather than being modified without a trace.

Table 5. Major matter-database entities and their relationships.

3.10.2 Persistence, Integrity, Versioning, and Audit Requirements

Original documents are stored in protected document storage, not in the matter database itself; the database stores controlled references to that storage rather than public file locations, so that access to a document is always mediated by the access-control rules in Section 3.1.1. A correction to a fact never overwrites the value it replaces; it creates a new version linked to the superseded one, and this same append-only pattern applies to drafts, findings, and controlled legal content.

Search indexes and other extraction outputs derived from the matter record are treated as rebuildable artifacts: they can be regenerated from the underlying verified record at any time without that regeneration changing the record itself. Every evidence link must remain resolvable to the correct document version indefinitely, even after that document has been superseded, so a historical draft can still be traced back to the evidence that supported it at the time. Backup and restoration must preserve the relationships among documents, evidence, facts, decisions, and audit history as a set; restoring only the facts while losing their evidence links, for example, would not satisfy this requirement.

Data export and deletion requests must preserve any record that is legally required to remain while removing data that is no longer authorised to be kept, in line with the PDPA obligations in Section 3.4.2. From V1, schema evolution must preserve the meaning of V0 matter data and proceed only through documented migrations, so that an upgrade never silently reinterprets a fact, finding, or approval that was recorded under an earlier schema.

DATA-01 [V0]: The system shall store matters, users, memberships, documents, document versions, evidence spans, facts, fact versions, entities, findings, legal-source references, drafts, approvals, and audit events.

DATA-02 [V0]: Original documents shall be stored in protected document storage; the matter database shall store controlled references rather than public file locations.

DATA-03 [V0]: Corrections shall create new versions linked to the superseded value.

DATA-04 [V0]: Derived search indexes and extraction outputs shall be rebuildable without changing the verified matter record.

DATA-05 [V0]: Every evidence link shall remain resolvable to the correct document version.

DATA-06 [V0]: Data export and deletion shall preserve records that must lawfully remain while

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

removing data that is no longer authorised.

DATA-07 [V0]: Backup and restoration shall preserve relationships among documents, evidence, facts, decisions, and audit history.

DATA-08 [V1]: Schema evolution shall preserve V0 matter meaning and shall use documented migrations.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

3.11 Licensing, Legal, Copyright, and Other Notices

Draftly operates in a regulated legal and data-protection environment. The requirements below state how the product must handle personal data, prescribed legal content, third-party legal-database material, and its own dependencies within that environment.

LEG-01 [V0]: The system shall process personal and confidential information in a manner designed to support compliance with the PDPA and applicable directions in force at deployment [6].

LEG-02 [V0]: Prescribed RTA forms and requirements shall be taken from authoritative legislation and gazettes [1]-[5].

LEG-03 [V0]: Electronic records used inside the platform shall be handled consistently with the Electronic Transactions Act [7]. V0 shall not depend on electronic execution of an instrument excluded from that Act; exported instruments are prepared for lawyer review and the legally required method of execution, attestation, and registration.

LEG-04 [V0]: Restricted editorial headnotes, case summaries, commercial database content, and published law-report content shall not be republished without permission.

LEG-05 [V0]: Open-source and commercial dependencies shall be used under their applicable licences.

LEG-06 [V0]: The product shall display that machine-assisted outputs require review by a qualified legal professional.

3.12 Applicable Standards

The following standards and legal instruments govern the requirements, content, and evaluation of Draftly:

- ISO/IEC/IEEE 29148:2018 guides the quality, identification, traceability, and change control of the requirements in this specification [8].
- WCAG 2.2 Level AA applies to the core web interface, as stated in USE-06 [9].
- The Registration of Title Act, the applicable gazettes, and the Notaries Amendment Acts govern the legal content activated for V0 [1]-[5].
- The Personal Data Protection Act, No. 9 of 2022, governs applicable personal-data processing obligations [6].
- The Electronic Transactions Act, No. 19 of 2006, informs the handling of electronic records and communications [7].

STD-01 [V0]: Secure web-development, dependency-management, backup, and incident-response practices shall be documented and tested before external use.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

4. Supporting Information

This section provides the evidence-based acceptance criteria for V0, the success criteria that apply across the whole product roadmap, the traceability scheme that connects every requirement to its design, test, and release evidence, and the matters that require formal confirmation before this SRS or a subsequent release is approved. It closes with two appendices that summarise the release scope and the requirement identifier ranges defined earlier in this document.

4.1 V0 Acceptance Criteria

V0 shall not be accepted solely because a scripted demonstration completes. Acceptance requires evidence for each of the following fifteen items, gathered against a lawyer-reviewed holdout set rather than produced from the demonstration data itself.

1. Document handling: every supported test document reaches review or an explicit recoverable failure state, and originals remain available throughout.
2. Google Document AI: the processor type, processor version, processing region, input quality, and service outcome are recorded for each evaluation run; a service failure routes the document to retry or manual review.
3. Classification: performance is reported by document class on a lawyer-reviewed holdout, including precision, recall, F1, and confusion counts.
4. Extraction: mandatory particulars are evaluated separately from optional particulars; results report exact or normalised match, precision, recall, F1, and abstentions.
5. Handwriting and poor scans: V0 does not claim reliable automatic extraction from handwriting or severely degraded pages. Such material shall not be accepted automatically and shall route to human review or manual entry.
6. Evidence: every accepted machine-extracted particular opens the correct document version and source location.
7. Verification control: no mandatory unverified fact appears in an approved export.
8. Checks: each activated check has approved authority or business-rule status and is evaluated against lawyer-labelled cases.
9. Legal research: every retained claim has a resolvable citation; lawyer review measures whether the citation supports the claim and whether the answer uses the correct authority.
10. Abstention: unsupported questions and unreadable facts produce an explicit abstention or blocked state rather than fabricated content.
11. Drafting: approved wording is preserved, required fields use verified facts, no hidden placeholder remains, and the lawyer can trace inserted particulars to evidence.
12. Export: English and Sinhala content renders correctly, the approved version is identifiable, and reopening the exported file does not corrupt content.
13. Security and privacy: tests show no cross-matter access, no approval bypass, no exposed credentials, and no identifiable client data in demonstration material or ordinary logs.
14. Usability and accessibility: a legal user completes the core V0 tasks, and the interface passes the defined keyboard, zoom, language, and WCAG 2.2 AA checks.
15. Audit: uploads, corrections, findings, overrides, approvals, exports, permissions, and controlled-content changes appear in an immutable history.

Numerical thresholds are approved in the test plan only after the holdout set, document classes, and error costs have been agreed with the domain expert. Results report counts and confidence intervals where appropriate, not percentages alone.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

4.2 Product-Level Success Criteria

The Draftly product direction is successful when its shared foundation can support a new conveyancing regime or notarial instrument type without weakening evidence, verification, grounding, approval, privacy, or audit controls. V1, V2, and V3 each define their own release-specific acceptance criteria before implementation begins; the criteria in Section 4.1 apply to V0 only.

Across releases, evaluation should measure:

- time required for representative legal tasks compared with current manual preparation;
- document classification and extraction quality by language and document class;
- correctness of source links and cross-document relationships;
- precision and recall of deterministic findings;
- legal support and authority correctness of retrieved answers;
- factual and template correctness of drafts;
- abstention quality and reviewer disagreement;
- accessibility, security, privacy, and recovery behaviour; and
- lawyer-rated usefulness, measured separately from legal correctness rather than as a substitute for it.

4.3 Requirements Traceability

Each requirement identifier in this specification shall map forward to:

- one or more design components in the software architecture document;
- one or more test cases in the test plan;
- an implementation or configuration item;
- an acceptance result or an explicitly recorded deferral; and
- the release in which the requirement becomes binding.

A requirement change shall record the reason for the change, the approver, the affected release, the affected tests, and the change's compatibility impact on requirements that depend on it. Appendix B summarizes the requirement identifier ranges defined in Section 3 to support this traceability process.

4.4 Items Requiring Confirmation

The following matters require formal confirmation before this SRS is approved or before the relevant later release proceeds:

1. The complete V0 document-class, language, file-format, and image-quality boundary. Handwriting and severely degraded pages remain outside reliable automatic extraction unless a narrow class passes separate testing.
2. The Google Document AI processor version and approved processing region used for V0.
3. The exact RTA forms and transaction types included in V0 after the first approved transfer form.
4. The lawyer-approved V0 rule, terminology, and template catalogue.
5. Numerical acceptance thresholds and the size and composition of the lawyer-reviewed holdout.
6. Retention, deletion, hosting, and external-processing policy for real client matters.
7. The professional-conduct review required before use on a live notarial matter.
8. The detailed scope of V1, V2, and V3 before implementation begins.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

Sections 1 through 3 and the approved V0 criteria in Section 4.1 are normative for the initial release. The later-release descriptions in Section 2.2.2 define the product roadmap; their detailed requirements become binding when each release's scope is formally set.

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

4.5 Appendix A: Release Scope and Product Rules Summary

This appendix reproduces the release scope and the five product rules defined in Section 1.2 for quick reference during design, testing, and evaluation.

Release	Product scope	Status
V0	RTA matter workbench: title examination, drafting, execution, attestation, Google Document AI processing, lawyer verification, checks, grounded research, approved RTA forms, export, audit.	Current implementation and evaluation scope
V1	Additional RTA document classes and forms; improved review tools; tested expansion of difficult-document processing.	Planned next release
V2	Wider conveyancing and notarial coverage: deed registration, condominium and special-area requirements, historical title relationships, broader checks and templates.	Planned conveyancing expansion
V3	Mature notarial and conveyancing platform: collaboration, organisation knowledge, registry and office integrations, configurable legal content, operational reporting, larger deployments.	Planned product maturity

The five product rules that bind every release, restated from Section 1.2, are: every extracted fact must retain a link to its source evidence; machine output is a candidate until an authorised lawyer verifies or approves it; legal claims must cite retrievable authority or the system must state that authority is insufficient; a final draft may use only approved wording and verified matter facts; and corrections, approvals, overrides, and exports must remain auditable.

4.6 Appendix B: Requirement Identifier Index

Table 6 indexes the requirement identifier prefixes used throughout Section 3, to support the traceability process described in Section 4.3.

Prefix	Requirement category	Range	SRS section
FR	Functionality	FR-01 to FR-97	3.1
USE	Usability	USE-01 to USE-08	3.2
REL	Reliability	REL-01 to REL-08	3.3

Project Name: Draftly	Version: 1.0
Software Requirement Document	Date: 29/07/2026
document identifier: DRAFTLY-SRS-1.0	

PERF	Performance	PERF-01 to PERF-07	3.4.1
SEC	Security and privacy	SEC-01 to SEC-13	3.4.2
SAFE	Legal-output safety and accuracy	SAFE-01 to SAFE-08	3.4.3
SUP	Supportability	SUP-01 to SUP-08	3.5
DC	Design constraints	DC-01 to DC-09	3.6
HELP	On-line documentation and help	HELP-01 to HELP-05	3.7
EXT	Purchased and external components	EXT-01 to EXT-04	3.8
UI	User interfaces	UI-01 to UI-07	3.9.1
HW	Hardware interfaces	HW-01 to HW-02	3.9.2
SWI	Software interfaces	SWI-01 to SWI-02	3.9.3
COM	Communications interfaces	COM-01 to COM-03	3.9.4
DATA	Database requirements	DATA-01 to DATA-08	3.10
LEG	Licensing, legal, and copyright	LEG-01 to LEG-06	3.11
STD	Applicable standards	STD-01	3.12

Table 6. Requirement identifier index.