
Exhibit Packet 3

Publications and Published Material

Synthetic evidence bundle for software testing only.

QA Case ID	DRAFTY-QA-2025-12-30-001
Beneficiary	Dr. Karina Solene Velasquez
Issues Addressed	Published Material About the Beneficiary; Authorship of Scholarly Articles

Exhibit C1. Publication and Citation Summary (Synthetic Index Excerpt)

The following is a synthetic index-style record intended to test extraction of publication metadata. DOIs use the example prefix 10.5555 and do not correspond to real records.

Profile metrics (synthetic)

Total publications (selected)	18
Total citations (synthetic)	1,240
h-index (synthetic)	16
i10-index (synthetic)	18
Primary topics	radiomics reproducibility, imaging biomarker validation, multi-site evaluation

Year	Title	Venue	DOI (example)
2024	Cross-Scanner Harmonization for Clinical Radiomics Pipelines	Journal of Clinical Radiomics (synthetic)	10.5555/jcri.2024.0031
2024	Robust Evaluation Protocols for Multi-Site Oncology Imaging Biomarkers	Imaging Biomarkers Quarterly (synthetic)	10.5555/ibq.2024.0112
2023	A Benchmark Suite for Radiomics Reproducibility Across Sites	Translational Oncology Imaging (synthetic)	10.5555/toi.2023.0142
2023	Bias Auditing in Radiomics Based Response Prediction	AI in Medicine Practice (synthetic)	10.5555/aimp.2023.0207
2022	Open Reference Implementation of Feature Extraction for Radiomics	SoftwareX Imaging (synthetic)	10.5555/sxi.2022.0055

Exhibit C2. Article First Pages (Synthetic Samples)

Each page below simulates the minimal pages typically provided to show author, title, and journal. Full articles are intentionally not included.

Journal of Clinical Radiomics (synthetic)

Title. Cross-Scanner Harmonization for Clinical Radiomics Pipelines

Authors. Dr. Karina Solene Velasquez; Jordan Patel; A. Sethi

Year. 2024 **DOI.** 10.5555/jcri.2024.0031

Abstract

We describe a harmonization procedure for CT radiomics feature stability across scanners and protocols. The method reduces site specific drift while preserving clinically relevant signal, enabling multi-center deployment.

Translational Oncology Imaging (synthetic)

Title. A Benchmark Suite for Radiomics Reproducibility Across Sites

Authors. Rina Ko; Dr. Karina Solene Velasquez; Celeste Huang

Year. 2023 **DOI.** 10.5555/toi.2023.0142

Abstract

We introduce a benchmark dataset and evaluation protocol to quantify reproducibility of radiomics pipelines across sites. We report baseline results and propose reporting standards for cross-site validation.

Exhibit C3. Published Material About the Beneficiary (Synthetic Trade Profile)

AI Imaging Today (synthetic). Feature profile

Title. The Reliability Engineer of Radiomics. Dr. Karina Solene Velasquez and the Push for Reproducible Imaging Biomarkers

Author. Lena Ortiz

Date. May 6, 2024

Publication details (synthetic). AI Imaging Today is an online trade publication covering clinical imaging AI. Monthly unique visitors (synthetic estimate). 310,000. Primary audience. radiologists, imaging scientists, clinical ML teams, and medical device professionals.

In this profile, the reporter summarizes Dr. Karina Solene Velasquez's work on evaluation protocols and multi-site deployment practices for radiomics models. The article describes specific contributions such as a benchmark suite, harmonization practices, and adoption by multiple clinical partners. This text is synthetic and designed to test extraction of about-the-person media content versus general company marketing.

Exhibit C4. Independent Coverage Clip (Synthetic)

Oncology Diagnostics Review (synthetic). Interview excerpt

Title. When Radiomics Leaves the Lab. Operationalizing Imaging Biomarkers in Real Clinics

Format. Podcast transcript excerpt

Host. Mark Renner

Date. September 18, 2024

The interview focuses on Dr. Karina Solene Velasquez's approach to translating radiomics research into operational clinical systems. It includes discussion of validation, monitoring, and governance. Synthetic excerpt included to test ingestion of transcript-like evidence with speaker turns.

Transcript excerpt (synthetic)

- Host. What breaks most radiomics deployments in practice
- Velasquez. Evaluation shortcuts. You can get a great AUC on one site and fail everywhere else if you ignore protocol drift.
- Host. What did you change
- Velasquez. We built a benchmark suite with forced cross-site splits and required stability reporting before any release.