


Visi-Pro[™]
Balloon Expandable
Peripheral Stent System



www.ev3.net



Your endovascular company.™



Visible Precision.

Visi-Pro™ Balloon Expandable Peripheral Stent System

Premium Visibility Exclusive 0.035" BE Stent with radiopaque stent markers ensuring visualization during and after stent placement

Competitor stent

VisiPro™




Precise Placement


- Precise balloon to stent placement minimizing dilatation of healthy tissue
- · Accurate catheter marker alignment to balloon taper
- · Progressive stent design delivers minimal shortening



Solid Radial Strength and Flexibility

• Patented stent design for strength and flexibility1





Superior Trackability and Retraction

- 5-Fold Balloon wrap improves retraction
- 28% slimmer catheter tip profile for tracking tortuous anatomy**
- All 8 mm stents and smaller are 6F compatible

¹ Comparison testing performed by ev3 Inc. Data on file. Bench results not intended to indicate clinical performance. **Comparable to Primus™ GPS™



Visi-Pro™ Balloon Expandable Peripheral Stent System

Ordering Information									
Product Number Catheter Length 80 cm	Product Number Catheter Length 135 cm	Stent Diameter (mm)	Stent Length (mm)	Balloon Length (mm)	Sheath Size (F)				
PXP35-05-12-080	-	5	12	15	6*				
PXP35-05-17-080	PXP35-05-17-135	5	17	20	6				
PXP35-05-27-080	PXP35-05-27-135	5	27	30	6				
PXP35-05-37-080	PXP35-05-37-135	5	37	40	6				
PXP35-05-57-080	PXP35-05-57-135	5	57	60	6				
PXP35-06-12-080	-	6	12	15	6				
PXP35-06-17-080	PXP35-06-17-135	6	17	20	6				
PXP35-06-27-080	PXP35-06-27-135	6	27	30	6				
PXP35-06-37-080	PXP35-06-37-135	6	37	40	6				
PXP35-06-57-080	PXP35-06-57-135	6	57	60	6				
PXP35-07-12-080	-	7	12	15	6				
PXP35-07-17-080	PXP35-07-17-135	7	17	20	6				
PXP35-07-27-080	PXP35-07-27-135	7	27	30	6				
PXP35-07-37-080	PXP35-07-37-135	7	37	40	6				
PXP35-07-57-080	PXP35-07-57-135	7	57	60	6				
PXP35-08-17-080	PXP35-08-17-135	8	17	20	6				
PXP35-08-27-080	PXP35-08-27-135	8	27	30	6				
PXP35-08-37-080	PXP35-08-37-135	8	37	40	6				
PXP35-08-57-080	PXP35-08-57-135	8	57	60	6				
PXP35-09-17-080	PXP35-09-17-135	9	17	20	7				
PXP35-09-27-080	PXP35-09-27-135	9	27	30	7				
PXP35-09-37-080	PXP35-09-37-135	9	37	40	7				
PXP35-09-57-080	PXP35-09-57-135	9	57	60	7				
PXP35-10-17-080	PXP35-10-17-135	10	17	20	7				
PXP35-10-27-080	PXP35-10-27-135	10	27	30	7				
PXP35-10-37-080	PXP35-10-37-135	10	37	40	7				
PXP35-10-57-080	PXP35-10-57-135	10	57	60	7				

Visi-Pro™	Inflation Pressure (atm)						
Diameter (mm)				11	12		
5.0	5.00	5.09	5.16	5.22	5.28		
6.0	6.00	6.11	6.22	6.31	6.39		
7.0			7.00	7.09	7.17		
8.0			8.00	8.15	8.26		
9.0			9.00	9.15	9.28		
10.0			10.00	10.11	10.21		

Diameter at Nominal Pressure
 Diameter at Rated Burst Pressure

*6F=0.085" I.D.

(

Indications, contraindications, warnings and instructions for use can be found in the product labeling supplied with each device. The Visi-Pro™ is CE marked for use in the renal, common and external iliac, and subclavian arteries, as well as malignant biliary use.

Visi-Pro[™] is a trademark of ev3 lnc.

ev3 Europe International Headquarters 106-108 rue La Boétie 75008 Paris France

NEUROVASCULAR I PERIPHERAL VASCULAR
Access · Balloons · Carotid · Embolic Coils · Embolic Protection · Liquid Embolics · Plaque Excision · Procedural Support · Retrieval Devices · Stents

ev3 SAS France PH +33 (0) 156 88 31 10 **FX** +33 (0) 156 88 31 11

ev3 Technologies lberica, S.L. Spain PH +34 91 656 7154 FX +34 91 656 7214

ev3 S.r.I Italy PH +39 0267 977 61 FX +39 0266 711 637



©2010 ev3 Inc. All rights reserved.



114254-001 (D) Intl SEP/10