[illegible]

[illegible]

[illegible]

[illegible]

[illegible]
[illegible] (gMG)

[illegible]

[illegible] (MG) [illegible] [1, 2]. [illegible] [3]. [illegible] (gMG) [illegible] (IVIG) [illegible] (PLEX) [4]। [illegible] [5, 6]। [illegible] [7]।

[illegible]

[illegible] [8] । [illegible] C3 [illegible] [8]. [illegible] C1 [illegible] । [illegible] [9]। [illegible] C5 [illegible] । [illegible] ।10].

[illegible] C5. [illegible] । C5 C5a [illegible] C5b [illegible] C5b [illegible] [8]. [illegible] । [illegible] [11] ।

ᱨᱤᱜᱮᱱ ᱥᱴᱟᱰᱤ

ᱨᱤᱯᱷᱨᱮᱠᱴᱚᱨᱤ ᱡᱤ.ᱮᱢ.ᱡᱤ. ᱞᱟᱹᱜᱤᱫ ᱤᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮᱭᱟᱜ ᱱᱤᱨᱟᱯᱚᱫᱚᱛᱟ ᱟᱨ ᱠᱟᱹᱢᱤ ᱫᱟᱲᱮ ᱟᱸᱫᱟᱡᱽ ᱞᱟᱹᱜᱤᱫ, ᱨᱮᱱᱰᱚᱢᱟᱭᱟᱡᱽᱰ, ᱰᱚᱵᱚᱞ-ᱵᱞᱟᱭᱟᱱᱰᱮᱰ, ᱯᱞᱟᱥᱤᱵᱳ-ᱠᱚᱱᱴᱨᱚᱞᱰ ᱯᱷᱮᱡᱽ 3 ᱨᱤᱜᱮᱱ ᱴᱨᱟᱭᱟᱞ ᱟᱨ ᱱᱚᱣᱟ ᱨᱮᱭᱟᱜ ᱳᱯᱮᱱ-ᱞᱮᱵᱮᱞ ᱮᱠᱥᱴᱮᱱᱥᱚᱱ ᱦᱩᱭ ᱞᱮᱱᱟ [11]।

2014 ᱥᱟᱞ ᱨᱮᱭᱟᱜ ᱮᱯᱨᱤᱞ ᱠᱷᱚᱱ 2016 ᱥᱟᱞ ᱨᱮᱭᱟᱜ ᱯᱷᱮᱵᱨᱩᱣᱟᱨᱤ ᱢᱩᱫᱽᱨᱮ 170 ᱦᱚᱲ ᱨᱩᱜᱤ ᱠᱚ ᱵᱤᱰᱟᱹᱣ ᱞᱮᱫ ᱠᱚᱣᱟ, 126 ᱦᱚᱲ ᱨᱩᱜᱤ ᱠᱚ ᱵᱤᱰᱟᱹᱣ ᱞᱮᱫ ᱠᱚᱣᱟ। ᱪᱤᱠᱤᱛᱥᱟ ᱞᱟᱹᱜᱤᱫ ᱵᱟᱪᱷᱮᱱᱟᱣ ᱦᱩᱭ ᱞᱮᱱᱟ ᱟᱨ 125 ᱡᱚᱱ ᱯᱚᱲᱦᱚᱱ ᱨᱟᱱ ᱧᱟᱢ ᱞᱮᱫᱟ ᱠᱚ (62 ᱡᱚᱱ ᱮᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ, 63 ᱡᱚᱱ ᱯᱞᱟᱥᱤᱵᱳ) । ᱮᱱᱴᱤ-ᱮᱥᱤᱴᱤᱞᱠᱳᱞᱤᱱ ᱨᱤᱥᱮᱯᱴᱚᱨ ᱮᱱᱴᱤᱵᱚᱰᱤ-ᱯᱚᱡᱤᱴᱤᱵᱷ ᱨᱤᱯᱷᱨᱮᱠᱴᱚᱨᱤ ᱡᱤ.ᱮᱢ.ᱡᱤ ᱛᱟᱦᱮᱸᱱ ᱜᱤᱫᱽᱨᱟ. ᱠᱚᱣᱟᱜ ᱡᱤ.ᱮᱢ.ᱡᱤ ᱜᱚᱴᱟᱭ ᱞᱟᱹᱜᱤᱫ ᱨᱩᱜᱤ ᱠᱚ (18 ᱥᱮᱨᱢᱟ ᱥᱮ ᱚᱱᱟ ᱠᱷᱚᱱ ᱰᱷᱮᱨ) ,

MG-ADL ≥ 6, ᱟᱨ MGFA ᱠᱞᱟᱥ II–IV ᱨᱩᱣᱟᱹ ᱫᱚ ᱡᱳᱜᱽᱭᱚ ᱛᱟᱦᱮᱸ ᱠᱟᱱᱟ [11]। 125 ᱦᱚᱲ ᱪᱤᱠᱤᱛᱥᱟ ᱟᱠᱟᱱ ᱠᱚ ᱢᱩᱫᱽ ᱨᱮ, 118

ᱯᱟᱲᱦᱟᱣ ᱠᱚ ᱯᱩᱨᱟᱹᱣ ᱠᱮᱫᱟ ᱟᱨ ᱮᱭᱟᱭ ᱦᱚᱲ ᱫᱚ ᱵᱟᱝ ᱠᱚ ᱪᱟᱞᱟᱣ ᱠᱮᱫᱟ, ᱡᱟᱹᱥᱛᱤ ᱠᱟᱭᱛᱮ ᱵᱟᱹᱲᱤᱡ ᱜᱷᱚᱴᱱᱟ ᱠᱷᱟᱹᱛᱤᱨ [12]।

ᱯᱟᱲᱦᱟᱣ ᱨᱮᱭᱟᱜ ᱢᱩᱬᱩᱛ ᱡᱚᱥ ᱫᱚ ᱛᱟᱦᱮᱸᱠᱟᱱᱟ ᱵᱮᱥᱞᱟᱭᱤᱱ ᱠᱷᱚᱱ 26 ᱦᱟᱯᱛᱟ ᱫᱷᱟᱹᱵᱤᱡ ᱪᱤᱠᱤᱛᱥᱟ ᱟᱨ ᱯᱞᱟᱥᱤᱵᱳ ᱜᱨᱩᱯ ᱢᱩᱫᱽᱨᱮ ᱮᱢ ᱡᱤ-ᱮ ᱰᱤ ᱮᱞ ᱥᱠᱳᱨ ᱨᱮᱭᱟᱜ ᱢᱤᱫᱴᱟᱝ ᱥᱴᱮᱴᱤᱥᱴᱤᱠᱟᱞᱤ ᱥᱤᱜᱽᱱᱤᱯᱷᱤᱠᱮᱱᱴ ᱯᱷᱟᱨᱟᱠ ᱧᱮᱞ ।
ᱥᱴᱮᱴᱤᱥᱴᱤᱠᱟᱞ

ᱢᱤᱫᱴᱟᱝ ᱡᱚᱛᱚᱠᱷᱚᱱ ᱵᱟᱹᱲᱤᱡ-ᱨᱮᱸᱠ ANCOVA ᱥᱟᱶ ᱢᱚᱦᱚᱛ ᱜᱚᱴᱟ ᱞᱮᱱᱟ ᱟᱨ ᱱᱚᱣᱟ ᱫᱚ ᱢᱚᱦᱚᱛ ᱵᱟᱭ ᱧᱟᱢ ᱞᱮᱫᱟ eculizumab ᱟᱨ placebo ᱜᱩᱴ ᱛᱟᱞᱟ ᱨᱮ [11]। ᱢᱤᱫᱴᱟᱝ ᱯᱩᱨᱟᱹ ᱠᱞᱤᱱᱤᱠᱟᱞ ᱪᱤᱛᱟᱹᱨ ᱮᱢᱚᱜ ᱞᱟᱹᱜᱤᱫ ᱰᱟᱠᱛᱚᱨ ᱟᱨ ᱨᱩᱜᱤ ᱵᱟᱨᱭᱟ ᱦᱚᱲᱟᱜ ᱧᱮᱱᱮᱞ ᱥᱟᱢᱟᱝ ᱫᱚᱦᱚ ᱠᱟᱛᱮ, ᱯᱨᱤᱥᱯᱮᱥᱤᱯᱷᱟᱭᱤᱰ ᱥᱮᱱᱥᱤᱴᱤᱵᱷᱤᱴᱤ ᱟᱨ ᱥᱮᱠᱮᱱᱰᱟᱨᱤ ᱮᱱᱟᱞᱟᱭᱴᱤᱠᱟᱞ ᱮᱯᱨᱳᱪ ᱥᱮᱞᱮᱫ ᱦᱩᱭ ᱞᱮᱱᱟ । ᱫᱚᱥᱟᱨ ᱡᱚᱥ ᱠᱚᱫᱚ ᱛᱟᱦᱮᱸ ᱠᱟᱱᱟ ᱤᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ [12] ᱨᱮᱭᱟᱜ ᱥᱟᱱᱟᱢ ᱞᱮᱠᱟᱱ ᱥᱩᱨᱩᱠᱷᱟ ᱟᱨ ᱥᱟᱦᱟᱣ ᱫᱟᱲᱮ ᱨᱮᱭᱟᱜ ᱯᱨᱚᱢᱟᱱ, ᱥᱟᱶᱛᱮ ᱠᱤᱭᱩ.ᱮᱢ.ᱡᱤ. ᱥᱠᱳᱨ ᱨᱮ ᱢᱩᱲᱩᱫ ᱵᱷᱮᱜᱟᱨ, ᱢᱤᱫᱴᱟᱝ ᱮᱢ.ᱡᱤ-ᱮ.ᱰᱤ.ᱮᱞ ᱟᱨ ᱠᱤᱭᱩ.ᱮᱢ.ᱡᱤ ᱥᱠᱳᱨ ᱨᱮᱭᱟᱜ ᱨᱮᱥᱯᱚᱱᱥᱚᱵᱷ ᱵᱤᱥᱞᱮᱥᱚᱱ, ᱢᱤᱫᱴᱟᱝ ᱵᱮᱥᱞᱟᱭᱤᱱ ᱯᱷᱟᱨᱟᱠ ᱨᱮ ᱮᱢ ᱡᱤ ᱥᱤ ᱥᱠᱮᱞ, ᱟᱨ ᱢᱤᱫᱴᱟᱝ ᱵᱮᱥᱞᱟᱭᱤᱱ ᱯᱷᱟᱨᱟᱠ ᱨᱮ MG-QOL15 ᱠᱩᱠᱞᱤ ᱯᱚᱛᱟᱨ। ᱮᱢ.ᱡᱤ-ᱮ.ᱰᱤ.ᱮᱞ, ᱮᱢ.ᱡᱤ.ᱥᱤ ᱟᱨ ᱠᱤᱭᱩ.ᱮᱢ.ᱡᱤ ᱠᱟᱹᱢᱤ ᱫᱟᱲᱮ ᱟᱨ [illegible] [illegible] ᱯᱟᱞᱴᱟᱣ ᱦᱚᱪᱚᱭᱟ, ᱡᱚᱠᱷᱚᱱ ᱡᱚᱠᱷᱚᱱ MG-QOL15 ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱵᱩᱡᱷᱟᱹᱣ ᱪᱮᱛᱟᱱ ᱨᱮ ᱫᱷᱭᱟᱱ ᱮᱢ ᱦᱩᱭᱩᱜ-ᱟ।11].

Eculizumab ᱫᱚ QMG ᱵᱚᱫᱚᱞ ᱞᱟᱹᱜᱤᱫ ᱯᱞᱮᱥᱤᱵᱳ ᱠᱷᱚᱱ ᱢᱤᱫᱴᱟᱝ ᱞᱟᱵᱽ ᱩᱫᱩᱜ ᱟᱠᱟᱫᱟ, ᱟᱨ MG-ADL ᱟᱨ QMG ᱞᱟᱹᱜᱤᱫ ᱦᱚᱸ ᱨᱮᱥᱯᱚᱱᱥᱚᱵᱷ ᱮᱱᱟᱞᱟᱭᱥᱤᱥ। MG-QOL15 ᱦᱚᱸ eculizumab ᱮ ᱠᱩᱥᱤᱭᱟᱫᱟ, ᱡᱚᱠᱷᱚᱱ ᱡᱚᱛᱚ ᱠᱷᱚᱱ ᱵᱟᱹᱲᱤᱡ ᱨᱮᱸᱠ ANCOVA ᱞᱟᱹᱜᱤᱫ ᱜᱩᱴ ᱠᱚ ᱢᱩᱫᱽᱨᱮ MGC ᱵᱟᱝ ᱯᱷᱟᱨᱟᱠ ᱛᱟᱦᱮᱸᱠᱟᱱᱟ। [11]. MG-ADL, QMG ᱞᱟᱹᱜᱤᱫ ᱥᱮᱱᱥᱤᱴᱤᱵᱷᱤᱴᱤ ᱮᱱᱟᱞᱟᱭᱥᱤᱥ ᱟᱨ MG-QOL15 ᱮᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱥᱟᱶ ᱩᱛᱷᱟᱹᱨ ᱩᱫᱩᱜ ᱟᱠᱟᱫᱟ, ᱟᱨ MGC ᱨᱮᱥᱟᱞᱴ ᱠᱚ ᱥᱟᱶ ᱢᱤᱫ ᱞᱮᱠᱟ ᱛᱟᱦᱮᱸᱠᱟᱱᱟ ᱮᱢ ᱡᱤ-ᱮ ᱰᱤ ᱮᱞ [11]।

ᱥᱟᱨᱟ ᱞᱮᱠᱟᱛᱮ, ᱯᱨᱟᱭᱢᱟᱨᱤ ᱮᱱᱰᱯᱚᱭᱮᱱᱴ ᱫᱚ ᱥᱴᱮᱴᱤᱥᱴᱤᱠᱟᱞ ᱥᱤᱜᱽᱱᱤᱯᱷᱤᱠᱮᱱᱥ ᱵᱟᱭ ᱧᱟᱢ ᱞᱮᱫ ᱨᱮᱦᱚᱸ, ᱥᱮᱠᱮᱱᱰᱟᱨᱤ ᱟᱨ ᱥᱮᱱᱥᱤᱴᱤᱵᱷᱤᱴᱤ ᱮᱱᱟᱞᱟᱭᱥᱤᱥ ᱩᱫᱩᱜ ᱮᱫᱟ ᱡᱮ ᱮᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱫᱚ ᱵᱷᱟᱜᱭᱟ ᱛᱮ ᱥᱟᱦᱟᱣ ᱞᱮᱱᱟ, ᱢᱤᱫᱴᱟᱝ ᱥᱮᱴᱟᱱᱟ ᱯᱷᱚᱴᱷᱟᱨᱟᱠ ᱥᱟᱶ ᱢᱤᱫ ᱞᱮᱠᱟᱱᱮᱜ ᱛᱟᱦᱮᱸ ᱠᱟᱱᱟ ᱢᱟᱲᱟᱝ ᱨᱩᱣᱟᱹ (PHN, aHUS) ᱥᱟᱶ ।

ᱯᱟᱲᱦᱟᱣ ᱨᱮᱭᱟᱜ ᱥᱤᱢᱟ.

ᱨᱤᱜᱮᱱ ᱠᱷᱚᱸᱫᱽᱨᱚᱸᱫᱽ ᱨᱮᱭᱟᱜ ᱢᱩᱬᱩᱫ ᱥᱤᱢᱟ. ᱦᱩᱭᱩᱜ ᱠᱟᱱᱟ ᱠᱷᱚᱸᱫᱽᱨᱚᱸᱫᱽ ᱠᱚ ᱦᱚᱛᱮᱛᱮ ᱯᱚᱨᱤᱥᱚᱝᱠᱷᱭᱟ ᱞᱮᱠᱟᱛᱮ ᱵᱮᱣᱦᱟᱨ ᱟᱠᱟᱱ ᱡᱚᱛᱚ ᱠᱷᱚᱱ ᱵᱟᱹᱲᱤᱡ-ᱨᱮᱝᱠ ᱵᱤᱥᱞᱮᱥᱚᱱ । ᱱᱚᱣᱟ ᱫᱚ ᱚᱠᱟᱭ ᱨᱩᱜᱤ ᱠᱚ ᱥᱮᱞᱮᱫ ᱞᱟᱹᱜᱤᱫ ᱜᱚᱴᱚ ᱟᱨᱮ ᱡᱟᱦᱟᱸᱭ ᱠᱚᱣᱟᱜ ᱛᱷᱚᱲᱟ ᱚᱠᱚᱛ ᱞᱟᱹᱜᱤᱫ ᱵᱟᱧᱪᱟᱣ ᱟᱨᱮ ᱨᱮᱭᱟᱜ ᱞᱟᱹᱠᱛᱤ ᱛᱟᱦᱮᱸ ᱠᱟᱱᱟ, ᱡᱟᱦᱟᱸᱭ ᱠᱚ ᱡᱟᱦᱟᱸ ᱠᱟᱨᱚᱱ ᱛᱮ ᱵᱟᱧᱪᱟᱣ ᱟᱨᱮ ᱵᱮᱣᱦᱟᱨ ᱥᱮ ᱵᱟᱝᱵᱮᱣᱦᱟᱨ ᱫᱚ [illegible] [illegible] [illegible] ᱞᱮᱠᱟᱛᱮ [illegible] ᱨᱮ ᱥᱮᱞᱮᱫ ᱞᱟᱹᱜᱤᱫ ᱜᱚᱲᱚ ᱮᱢ ᱞᱮᱫᱟᱭ । ᱱᱚᱣᱟ ᱠᱷᱟᱹᱛᱤᱨ ᱛᱮ, ᱥᱟᱹᱨᱤ ᱵᱚᱫᱚᱞ ᱠᱮᱭᱟ ᱵᱚᱫᱚᱞ ᱛᱮ ᱨᱮᱝᱠ ᱨᱮᱭᱟᱜ ᱧᱟᱢ [illegible] ।

ᱵᱟᱹᱲᱤᱡ-ᱨᱮᱝᱠ ᱵᱤᱥᱞᱮᱥᱚᱱ ᱫᱚ ᱯᱟᱲᱦᱟᱣ ᱰᱟᱴᱟ ᱨᱮᱭᱟᱜ ᱢᱮᱱᱮᱛ ᱠᱞᱤᱱᱤᱠᱟᱞ ᱯᱨᱮᱠᱴᱤᱥ ᱨᱮ ᱛᱚᱨᱡᱚᱢᱟ ᱞᱟᱹᱜᱤᱫ ᱟᱸᱴ ᱮ ᱵᱮᱱᱟᱣᱟ [11]।

ᱮᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮᱭᱟᱜ ᱠᱟᱹᱢᱤ ᱫᱟᱲᱮ ᱛᱟᱦᱮᱸᱱ ᱨᱮᱦᱚᱸ ᱮᱪ.ᱟᱨ. ᱮᱱᱴᱤᱵᱚᱰᱤ-ᱯᱚᱡᱤᱴᱤᱵᱽ ᱨᱤᱯᱷᱨᱮᱠᱴᱚᱨᱤ ᱡᱤ.ᱮᱢ.ᱡᱤ. ᱨᱮᱭᱟᱜ ᱨᱟᱱ ᱨᱮ ᱨᱤᱜᱮᱱ ᱥᱴᱟᱰᱤ ᱨᱮ ᱩᱫᱩᱜ ᱥᱚᱫᱚᱨ ᱦᱩᱭ ᱞᱮᱱᱟ, ᱚᱸᱰᱮ ᱢᱮᱱᱟᱜ-ᱟ ᱥᱮᱨᱳᱱᱮᱜᱮᱴᱤᱵᱷ ᱮᱢᱡᱤ, ᱛᱷᱟᱭᱢᱳᱢᱟ-ᱮᱥᱳᱥᱤᱭᱮᱴᱮᱰ ᱮᱢᱡᱤ ᱟᱨ ᱮᱢᱡᱤ ᱠᱨᱟᱭᱥᱤᱥ ᱥᱟᱶᱛᱮ ᱮᱢᱡᱤ ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱮᱴᱟᱜ ᱪᱟᱸᱜᱟ ᱜᱩᱱ ᱨᱮ ᱱᱚᱣᱟ ᱨᱮᱭᱟᱜ ᱯᱨᱚᱵᱷᱟᱵᱽ ᱤᱫᱤ ᱠᱟᱛᱮ ᱠᱚᱢ ᱛᱮᱛᱮᱫ ᱢᱮᱱᱟᱜ-ᱟ [13] । ᱱᱚᱣᱟ ᱜᱩᱱ ᱠᱚ ᱤᱫᱤ ᱠᱟᱛᱮ ᱟᱨᱦᱚᱸ ᱰᱷᱮᱨ ᱠᱷᱚᱸᱫᱽᱨᱚᱸᱫᱽ ᱵᱟᱝ ᱨᱩᱣᱟᱹ ᱵᱤᱨᱩᱫᱷ ᱨᱮ ᱯᱨᱚᱵᱷᱟᱵᱤ ᱪᱤᱠᱤᱛᱥᱟ ᱵᱮᱱᱟᱣ ᱞᱟᱹᱜᱤᱫ ᱟᱹᱰᱤ ᱨᱟᱹᱥᱠᱟᱹ ᱟᱱᱟᱜ ᱦᱩᱭᱩᱜ-ᱟ ।

ᱥᱮᱞᱮᱫ ᱠᱚᱣᱟᱜ ᱧᱮᱱᱮᱞ

ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱧᱮᱱᱮᱞ

ᱨᱤᱜᱮᱱ ᱩᱫᱩᱜ ᱟᱠᱟᱫᱟᱭ ᱡᱮ ᱮᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱮᱴᱟᱜ ᱤᱢᱤᱭᱩᱱᱳᱥᱯᱨᱮᱥᱮᱱ ᱨᱟᱱ ᱛᱩᱞᱟᱹᱡᱚᱠᱷᱟ ᱨᱮ ᱢᱤᱫᱴᱟᱝ ᱧᱩᱢᱟᱱ ᱵᱚᱛᱚᱨ ᱵᱟᱝ ᱯᱨᱚᱢᱟᱱ ᱟᱠᱟᱫᱟ ᱟᱨ ᱦᱟᱞᱠᱟ ᱟᱹᱭᱠᱟᱹᱣ ᱨᱮ ᱩᱛᱱᱟᱹᱣ ᱟᱨ ᱞᱚᱠᱟᱫᱮ ᱠᱚ ᱠᱚᱢ ᱟᱠᱟᱱᱟ । ᱱᱚᱣᱟ ᱨᱮᱭᱟᱜ ᱢᱮᱱᱮᱛ ᱦᱩᱭᱩᱜ ᱠᱟᱱᱟ ᱡᱮ, ᱥᱴᱮᱱᱰᱟᱨᱰ ᱤᱢᱤᱭᱩᱱᱳᱥᱯᱨᱮᱥᱮᱱ ᱛᱟᱞᱟᱛᱮ ᱵᱷᱟᱹᱲᱤᱡ ᱨᱮᱭᱟᱜ ᱡᱟᱦᱟᱸ ᱵᱚᱛᱚᱨ ᱢᱮᱱᱟᱜ-ᱟ ᱚᱱᱟ ᱨᱩᱜᱤ ᱫᱚ ᱵᱟᱝ ᱵᱟᱹᱲᱛᱤ ᱟᱠᱟᱫᱟ ᱟᱨ ᱩᱞᱠᱩᱣᱟᱜ ᱥᱟᱶᱤᱨ ᱫᱚ ᱡᱚᱛᱚ ᱞᱮᱠᱟᱛᱮ ᱵᱷᱟᱹᱜᱤ ᱜᱮᱭᱟ ।

ᱚᱱᱟᱛᱮ ᱤᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮᱭᱟᱜ ᱵᱮᱣᱦᱟᱨ ᱫᱚ ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱞᱟᱹᱜᱤᱫ ᱜᱮ। MG-QOL15 ᱮᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮ ᱛᱟᱦᱮᱸᱱ ᱚᱠᱛᱚ ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱵᱷᱟᱹᱞᱟᱹᱭ ᱵᱩᱡᱷᱟᱹᱣ ᱥᱟᱶ ᱥᱚᱦᱢᱚᱛ ।13, 14].

ᱢᱟᱭᱟᱥᱛᱷᱮᱱᱤᱭᱟ ᱜᱨᱮᱵᱷᱤᱥ ᱦᱩᱭᱩᱜ ᱫᱚ ᱩᱢᱮᱨ ᱥᱟᱶᱛᱮ ᱵᱚᱫᱚᱞᱚᱜ-ᱟ, ᱡᱟᱦᱟᱸ ᱫᱚ ᱪᱮᱛᱟᱱ ᱨᱮ ᱛᱟᱦᱮᱸᱱᱟ। 30 ᱟᱨ 50 ᱛᱤᱨᱞᱟᱹ ᱠᱚᱣᱟᱜ ᱩᱢᱮᱨ ᱥᱮᱨᱢᱟ ᱟᱨ 60-89 ᱠᱚᱲᱟ ᱠᱚᱣᱟᱜ ᱩᱢᱮᱨ ᱥᱮᱨᱢᱟ । ᱛᱤᱨᱞᱟᱹ ᱠᱚᱣᱟᱜ ᱢᱟᱲᱟᱝ ᱨᱮ ᱮᱢᱡᱤ ᱦᱩᱭᱩᱜ ᱨᱮᱭᱟᱜ ᱯᱮ ᱜᱩᱱ ᱰᱷᱮᱨ ᱥᱚᱢᱵᱷᱟᱵᱱᱟ ᱢᱮᱱᱟᱜ-ᱟ । 40 ᱥᱮᱨᱢᱟ ᱩᱢᱮᱨ ᱞᱟᱦᱟ ᱠᱷᱚᱱ ᱜᱮ ᱯᱨᱚᱵᱷᱟᱵᱤᱛ ᱞᱮᱠᱟᱛᱮ ᱵᱮᱱᱟᱣ ᱟᱠᱟᱱᱟ [1] । 40 ᱥᱮᱨᱢᱟ ᱢᱟᱲᱟᱝ ᱨᱮᱜᱮ ᱱᱚᱣᱟ ᱟᱡᱟᱨ ᱛᱮ ᱠᱷᱟᱚᱭ ᱦᱩᱭᱩᱜ ᱨᱮᱭᱟᱜ ᱢᱮᱱᱮᱛ ᱫᱚ ᱦᱩᱭᱩᱜ ᱠᱟᱱᱟ ᱡᱮ ᱱᱚᱣᱟ ᱨᱮ ᱢᱤᱫᱴᱟᱝ । ᱠᱚᱢ ᱥᱮ ᱠᱚᱢ 20 ᱥᱮᱨᱢᱟ ᱨᱮᱭᱟᱜ ᱠᱟᱹᱢᱤ ᱡᱟᱦᱟᱸᱱᱟᱜ ᱞᱮᱠᱟᱛᱮ ᱵᱟᱝ ᱧᱟᱢᱚᱜ-ᱟ । ᱱᱚᱣᱟ ᱫᱚ ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱠᱟᱹᱚᱵᱤ-ᱟᱹᱨᱤ ᱦᱟᱞᱚᱛ ᱮ ᱯᱨᱚᱵᱷᱟᱵᱤᱛ ᱟᱭ ᱟᱨ ᱢᱟᱲᱟᱝ ᱥᱮᱫ ᱮᱢᱡᱤ ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱟᱭᱢᱟ ᱠᱟᱹᱢᱤ ᱥᱮᱨᱢᱟ ᱟᱫ ᱠᱷᱟᱹᱛᱤᱨ ᱥᱟᱶᱛᱮ ᱟᱨᱦᱚᱸ ᱚᱨᱥᱟᱝ ᱯᱟᱲᱟᱣ ᱟᱠᱟᱱᱟ । ᱡᱟᱦᱟᱸ ᱠᱟᱹᱢᱤ ᱨᱮ ᱛᱤᱨᱞᱟᱹ ᱠᱚᱣᱟᱜ ᱥᱮᱞᱮᱫ ᱵᱟᱹᱲᱛᱤ ᱛᱟᱦᱮᱸᱱᱟ, ᱚᱱᱟ ᱠᱚ ᱱᱚᱣᱟ ᱦᱚᱛᱮᱛᱮ ᱵᱟᱹᱲᱛᱤ ᱯᱨᱚᱵᱷᱟᱵᱤᱛ ᱟᱠᱟᱱᱟ ᱪᱮᱫᱟᱜ ᱥᱮ ᱡᱤᱭᱚᱱ ᱨᱮᱭᱟᱜ ᱯᱩᱭᱞᱩ ᱥᱮᱫ ᱟᱫᱷᱟ ᱨᱮ ᱯᱟᱲᱦᱟᱣ ᱟᱠᱟᱱ ᱛᱤᱨᱞᱟᱹ ᱠᱚᱣᱟᱜ ᱣᱮᱩᱯᱴᱚ ᱵᱟᱹᱲᱛᱤ ᱜᱮᱭᱟ । ᱠᱚᱲᱟ ᱠᱚᱣᱟᱜ ᱦᱩᱭᱩᱜ ᱨᱮᱭᱟᱜ ᱡᱷᱚᱛᱵᱠᱷᱚᱮ ᱰᱷᱮᱨ ᱫᱚ ᱡᱟᱨᱟᱹᱣ ᱩᱢᱮᱨ ᱥᱩᱨᱥᱩᱯᱩᱨ ᱨᱮ, ᱡᱟᱦᱟᱸ ᱫᱚ ᱠᱟᱹᱢᱤ ᱞᱮᱠᱟᱛᱮ ᱥᱟᱶᱛᱮ ᱞᱟᱹᱜᱤᱫ ᱩᱱᱟᱹᱜ ᱢᱟᱨᱟᱝ ᱞᱩᱠᱥᱟᱹᱱ ᱵᱟᱝ ᱠᱟᱱᱟ ।

ᱡᱟᱹᱛᱤᱭᱟᱹᱨᱤ ᱯᱟᱹᱪᱷᱞᱟᱹ ᱥᱮᱫ ᱱᱮᱣᱟᱸᱰ ᱠᱟᱛᱮᱜ ᱮᱢᱡᱤ ᱨᱮᱭᱟᱜ ᱯᱨᱮᱵᱷᱮᱞᱮᱱᱥ ᱵᱟᱨᱮᱜᱟᱨ ᱩᱫᱩᱜ ᱠᱟᱛᱮᱜ ᱛᱳᱴᱟᱞ ᱦᱩᱭ ᱟᱠᱟᱱᱟ [1] । ᱮᱠᱷᱟᱱ ᱤᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮᱭᱟᱜ ᱪᱤᱠᱤᱛᱥᱟ ᱫᱟᱲᱮ ᱡᱟᱯᱟᱱᱮ ᱟᱨ ᱠᱚᱢᱟᱨᱥᱤᱭᱟᱞ ᱨᱩᱜᱤ ᱠᱚ ᱢᱩᱫᱽᱫᱟᱨᱮ ᱥᱚᱢᱟᱞ ᱧᱮᱞ ᱟᱠᱟᱱᱟ, ᱡᱟᱦᱟᱸ ᱫᱚ ᱩᱮᱠᱩᱣᱟᱜ ᱵᱟᱨᱮᱜᱟᱨ ᱠᱷᱟᱹᱛᱤᱨ ᱛᱩᱞᱟᱹᱡᱚᱠᱷᱟ ᱦᱩᱭ ᱞᱮᱱᱟ । ᱚᱱᱟᱛᱮ ᱤᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮᱭᱟᱜ ᱵᱮᱣᱦᱟᱨ ᱞᱟᱹᱜᱤᱫ ᱮᱢ.ᱡᱤ. ᱯᱮᱛᱷᱚᱞᱚᱡᱤ ᱨᱮᱭᱟᱜ ᱪᱤᱠᱤᱛᱥᱟ ᱡᱟᱹᱛᱤᱭᱟᱹᱨᱤ ᱯᱟᱹᱪᱷᱞᱟᱹ ᱦᱚᱛᱮᱛᱮ ᱚᱨᱥᱟᱝ ᱵᱟᱝ ᱦᱩᱭᱩᱜ-ᱟ [15] ।

ᱨᱟᱱ ᱠᱚᱢᱯᱟᱱᱤ ᱠᱚᱣᱟᱜ ᱧᱮᱞ ᱫᱟᱲᱮᱭᱟᱜ-ᱟ

ᱨᱟᱱ ᱵᱮᱱᱟᱣ ᱥᱚᱝᱥᱛᱷᱟ ᱠᱚᱣᱟᱜ ᱧᱮᱱᱮᱞ ᱠᱷᱚᱱ, ᱤᱠᱩᱞᱤᱡᱩᱢᱟᱵᱽ ᱨᱮᱭᱟᱜ ᱫᱟᱢ ᱢᱩᱭᱩᱫ ᱞᱮᱠᱟᱛᱮ ᱠᱞᱤᱱᱤᱠᱟᱞ ᱜᱚᱱᱚᱝ, ᱟᱨ ᱰᱤ ᱟᱨ ᱰᱤ ᱨᱮᱭᱟᱜ ᱡᱷᱩᱸᱠᱤ ᱟᱨ ᱵᱟᱡᱟᱨ ᱨᱮᱭᱟᱜ ᱵᱟᱝ ᱧᱟᱢᱚᱜ ᱦᱚᱛᱮᱛᱮ ᱵᱤᱪᱟᱹᱨ ᱦᱩᱭᱩᱜ-ᱟ । ᱨᱩᱜᱤ ᱠᱚᱣᱟᱜ ᱮᱞ ᱠᱚᱢ ᱠᱷᱟᱹᱛᱤᱨ, ᱠᱚᱢᱯᱟᱱᱤ ᱫᱚ ᱱᱚᱣᱟ ᱱᱟᱹᱪᱠᱟᱹᱜ ᱦᱩᱭᱩᱜ-ᱟ ᱡᱮ ᱟᱨ ᱮᱱᱵᱚᱵᱷ ᱚᱤ ᱫᱚ ᱵᱷᱟᱹᱜᱮ ᱞᱮᱠᱟᱛᱮ ᱨᱩᱟᱹᱨ ᱧᱟᱢᱚᱜ-ᱟ, ᱨᱮ

[illegible] [16]।

[illegible] [17] । [illegible] ([illegible]) [illegible] ।

[illegible] 30% [illegible] [18]।

[illegible]

gMG [illegible] । [illegible] । [illegible] [19]।

[illegible] [20]।

[illegible] ।

[illegible] । [illegible] ।

[illegible]

[illegible] । [illegible] । [illegible] [21] ।

[illegible]

[illegible] । [illegible], [illegible] ([illegible], [illegible]), [illegible] [22] ।

[illegible], [illegible] । [illegible], [illegible] [22]।

[illegible]

[illegible]

[illegible] । [illegible] 400,000–500,000 [illegible] । [illegible], [illegible] । [illegible], [illegible] [23]।

[illegible]।

[illegible] gMG [illegible] eculizumab [illegible]।

[illegible] [13]।

[illegible], [illegible], [illegible] [13]।

[illegible] । [illegible] [24], [illegible] [11]। [illegible] 20 [illegible] । [illegible] ।
[22]

[illegible] ।

[illegible]

[illegible] 2014 [illegible] [24] । [illegible] 2023 [illegible] [25] । [illegible] । [illegible] C5 [illegible] [24, 25]।

[illegible]

[illegible] । [illegible] [13, 26, 27] ।

[illegible] । [illegible] ।13].

[illegible] । [illegible] [12, 13]। [illegible]।

[illegible]

[illegible] । [illegible] । [illegible] ।

[illegible] । [illegible] । [illegible] । [illegible] ।

[illegible] ।

[illegible].[illegible].[illegible] [illegible]

[1] Dresser L, Wlodarski R, Rezania K, Soliven B. Myasthenia Gravis: [illegible], [illegible] [illegible] [illegible] [illegible]। J Clin Med. 2021;10(11): 2235

[2] Howard Jr JF, Barohn RJ, Cutter GR, Freimer M, Juel VC, Mozaffar T, [illegible] [illegible]। [illegible] [illegible], refractory [illegible] [illegible] [illegible] [illegible] [illegible] eculizumab [illegible] double-blind, placebo-controlled phase II [illegible] generalized myasthenia gravis. Muscle Nerve. 2013;48(1): 76–84

[3] Melzer N, Ruck T, Fuhr P, Gold R, Hohlfeld R, Marx A, et al. Clinical features, pathogenesis, [illegible] myasthenia gravis [illegible] [illegible] [illegible]: Guidelines of the German Neurological [illegible] [illegible] [illegible] Society. J Neurol. 2016;263: 1473–1494

[4] Vu T, Wiendl H, Katsuno M, Reddel SW, Howard Jr JF. Myasthenia Gravis [illegible] Ravulizumab: [illegible] [illegible] [illegible] [illegible] [illegible]। Neuropsychiatr Dis Treat. 2023;19: 2639–2655

[5] Mantegazza R, Antozzi C. [illegible] myasthenia gravis [illegible] refractory [illegible] [illegible]-[illegible]: [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].[illegible] [illegible]। Ther Adv Neurol Disord. 2018;11: 1756285617749134

[6] Schneider-Gold C, Hagenacker T, Melzer N, Ruck T. refractory [illegible] [illegible] [illegible].[illegible] myasthenia gravis. Ther Adv Neurol Disord. 2019;12: 1756286419832242

[7] Cortés-Vicente E, Álvarez-Velasco R, Pla-Junca F, Rojas-Garcia R, Paradas C, Sevilla T, [illegible] [illegible] Drug-refractory myasthenia gravis: [illegible] [illegible] [illegible], [illegible] [illegible], [illegible] [illegible]। Ann Clin Transl Neurol. 2022;9(2): 122-31

[8] Sahashi K, Engel AG, Lambert EH, Howard Jr FM. [illegible] [illegible] Ultrastructural localization [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] (C9)। J Neuropathol Exp Neurol. 1980;39(2): 160-72

[9] [illegible] [illegible]. [illegible] [illegible] [illegible]। 4 [illegible] [illegible]। [illegible] [illegible]: [illegible] [illegible] [illegible]; 2014। [illegible] 9, [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]; 231-65

[10] [illegible] [illegible]. [illegible] [illegible] [illegible]। 4 [illegible] [illegible]। [illegible] [illegible]: [illegible] [illegible] [illegible]; 2014। [illegible] 2, [illegible] [illegible]: [illegible] [illegible] [illegible] [illegible]; 29-45

[11] [illegible], [illegible], [illegible], [illegible], [illegible], [illegible], [illegible] ([illegible]) [illegible] 3, [illegible], [illegible]-[illegible], [illegible]-[illegible], [illegible]। [illegible] 2017;16(12): 976-86

[12] ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Identifier NCT01997229. Safety and Efficacy of Eculizumab in Refractory Generalized [illegible] ([illegible]) ; 2019-07-16 [[illegible] 2025-09-08]. [illegible]: https://clinicaltrials.gov/study/NCT01997229

[13] Jiao L, Li H, Guo S. Eculizumab [illegible] myasthenia gravis [illegible]: 2021 [illegible]। J Neuroimmunol. 2022;362: 577767

[14] Andersen H, Mantegazza R, Wang JJ, O'Brien FL, Patra K, Howard Jr JF, [illegible]। Eculizumab [illegible] refractory generalized myasthenia gravis [illegible]। Qual Life Res. 2019;28: 2247-54

[15] Murai H, Uzawa A, Suzuki Y, Imai T, Shiraishi H, Suzuki H, [illegible]। Generalized myasthenia gravis [illegible] eculizumab [illegible]-[illegible] [illegible].: REGAIN open-label extension [illegible]। J Neurol Sci. 2019;407: 116419

[16] Caetano R, Cordeiro Dias Villela Correa M, Villardi P, Almeida Rodrigues PH, Garcia Serpa Osorio-de-Castro C. [illegible]. [illegible], [illegible], [illegible]: eculizumab [illegible]। PLoS One. 2021;16(3): e0247853.

[17] aHUS Alliance. [illegible]-[illegible]? [[illegible]]। aHUS Alliance; 2017 [2017-03-04 [illegible]; 2025-10-02 [illegible]]। [illegible]-[illegible]: https://www.ahusallianceaction.org/justifying-price-eculizumab/

[18] Verified Market Reports. [illegible], [illegible], [illegible] [[illegible]]। Verified Market Reports; 2025. 663144. [2025-10-02 [illegible]]। [illegible]-[illegible]: [www.verif edmarketreports.com/product/eculizumab-market/](www.verifiedmarketreports.com/product/eculizumab-market/)

[19] Murphy B. [illegible]. [illegible] MG [illegible] [[illegible]]। Haymarket Media; 2023 [2023-07-24 [illegible]; 2025-09-13 [illegible]]। [illegible]-[illegible]: https://www.rarediseaseadvisor.com/news/generalized-mg-patients-caregivers-broader-previously-reported/

[20] [illegible] 2024;271: 6209-19

[21] [illegible] 2021;8(7): 1398-407

[22] [illegible] 2024;11: 593-601

[23] Lien PW, Joshi M, Tice JA, Agboola F, Nikitin D, Withanawasam V, et al. [illegible] J Manag Care Spec Pharm. 2024;30(6): https://doi.org/10.18553/jmcp.2024.30.6.517

[24] [illegible] Soliris [illegible] EU: [illegible]; [illegible] 2025-07-18; [illegible] 2025-09-13] [illegible]: https://www.ema.europa.eu/en/medicines/human/EPAR/soliris

[25] Läkemedelsverket. Rystiggo (rozanolixizumab), Vyvgart (efgartigimod alfa), Zilbrysq (zilukoplan) [illegible] [illegible]: Läkemedelsverket; 2024 [illegible] 2024-12-19; [illegible] 2025-09-13] [illegible]: https://www.lakemedelsverket.se/sv/behandling-och-forskrivning/lakemedelsmonografer/sok-monografer/rystiggo-vyvgart-zilbrysq#hmainbody1

[26] Vissing J, Jacob S, Fujita KP, O'Brien FL, Howard Jr JF, et al. '[illegible]' [illegible] J Neurol. 2020;267: 1991-2001

[27] Muppidi S, Utsugisawa K, Benatar M, Murai H, Barohn RJ, Illa I, et al. [illegible] Muscle Nerve. 2019;60(1): 14-24

ᱮ ᱟᱭ ᱵᱮᱣᱦᱟᱨ ᱞᱟᱹᱜᱤᱫ ᱡᱩᱠᱛᱤ

ᱱᱚᱣᱟ ᱦᱩᱭ ᱯᱮᱯᱟᱨ ᱨᱮ ᱮ ᱟᱭ ᱪᱮᱴᱜᱯᱤᱴ ᱨᱮᱭᱟᱜ ᱵᱮᱣᱦᱟᱨ ᱫᱚ ᱵᱮᱭᱟᱠᱚᱨᱚᱱ ᱥᱩᱫᱷᱟᱹᱨ, ᱞᱟᱯᱷᱟᱝ ᱥᱯᱚᱥᱴᱚᱛᱟ ᱞᱟᱹᱜᱤᱫ ᱵᱟᱠᱠᱚ ᱫᱚᱲᱦᱟ ᱚᱞ ᱟᱨ ᱡᱚᱯᱚᱲᱟᱣ ᱥᱟᱶᱮᱥᱤᱭᱟ. ᱨᱮᱯᱷᱟᱨᱮᱱᱥ ᱧᱟᱢ ᱨᱮ ᱫᱷᱮᱭᱟᱱ ᱮᱢ ᱟᱠᱟᱱᱟ ᱾ ᱱᱚᱣᱟ ᱠᱟᱹᱢᱤ ᱞᱟᱹᱜᱤᱫ ᱯᱟᱹᱴᱷᱩᱣᱟ. ᱠᱚᱣᱟᱜ ᱢᱟᱯ ᱫᱚ ᱯᱳᱭᱞᱳ ᱥᱨᱳᱛ ᱠᱟᱱᱟ ᱟᱨ ᱵᱤᱡᱳᱜᱟᱱᱤᱠ ᱡᱚᱜᱟᱡᱚᱜ ᱵᱮᱥ ᱞᱟᱹᱜᱤᱫ ᱮ ᱟᱭ ᱫᱚ ᱢᱤᱫᱴᱟᱝ ᱦᱟᱹᱛᱤᱭᱟᱹᱨ ᱞᱮᱠᱟᱛᱮ ᱠᱟᱹᱢᱤᱭᱟ ᱾ ᱱᱚᱝᱠᱟ ᱞᱮᱠᱟᱛᱮ, ᱮ ᱟᱭ ᱫᱚ ᱱᱚᱣᱟ ᱯᱮᱯᱟᱨ ᱨᱮᱭᱟᱜ ᱯᱷᱚᱨᱢᱟᱞ ᱜᱩᱱᱚᱛᱛᱚ ᱵᱮᱥ ᱞᱟᱹᱜᱤᱫ ᱢᱤᱫᱴᱟᱝ ᱯᱩᱨᱟᱹᱣ ᱠᱟᱱᱟ ᱟᱨ ᱠᱚᱱᱠᱨᱤᱴ ᱥᱟᱦᱤᱛᱭᱚ ᱨᱮ ᱥᱮᱴᱮᱨᱚᱜ ᱨᱮ ᱜᱚᱲᱚᱭ ᱮᱢᱚᱜ-ᱟ, ᱚᱱᱟᱛᱮ ᱥᱟᱶᱮᱥᱤᱭᱟ. ᱠᱟᱹᱢᱤ ᱫᱚ ᱚᱞ ᱠᱚ ᱦᱚᱛᱮᱛᱮ ᱦᱩᱭ ᱟᱠᱟᱱᱟ ᱟᱨ ᱮ ᱟᱭ ᱫᱟᱨᱟᱭᱛᱮ ᱫᱚ ᱵᱟᱝ ᱾