

Time table => Thursday

1.KBS(T)=> 9.30 a.m =>LH1

2.)KBS(P)=>10.30 a.m => 12.30 a.m

3.)1.30 p.m => Computer Security

4.)2.30 - 3.30 => MCC(T)

5.)Today extra ICA 3.30 p.m to 4.15 p.m

KBS(T)

1.)Frame

Frame Structure

1. University offering courses

2. Course_unit

3. Event

4. Teaching

Words=>?? , Attribute

2.)Script

Taking money from bank using slip

1. writing to understandable by robots.

this is human understandable format or

natural language have to change to machine understandable code so we need previously studied

1. predicate
2. clausal form
3. Semantic net
4. Frame

additional work => conceptual dependencies is a method for script

Computer security

1. Acquisition => I think ? => After shutdown PC within very quick time we can get (below 10 sec) may get the data
2. In Ram get data =>??

Asymmetric cipher

=> Having two key => one for public and one for private(Receiver have)

Symmetric cipher have one key value

$$x = y^n \bmod n$$

$$y = x$$

two condition => 1.) $key = \{1, 2, \dots, \phi(n)\}$

2.) $\text{Mod}(a, b) =$
Taking Prime numbers (Larger number)

For Ex
7, 11

$$11 = 1 \times 7 + 4$$

$$7 = 1 \times 4 + 3$$

$$4 = 1 \times 3 + 1$$

$$3 = 3 \times 1 + 0$$

gcd(1)

$$1 = 4 - (1 \times 3)$$

$$1 = 4 - 1 \times (7 - 1 \times 4)$$

1 = 4 - 1x []

1x []

3

1 = 4 - []

MCC(T)



1.) TCP => Transfer control protocol

3 tyoes =>

1. Indirect

2. Snooping TCP

3. mobile TCP



Mobile TCP



MCC(P)=>

1. Expo project codes => 1.)npx create-expo-app Authentication , 2.) npm , 3.)npm install @react-navigation/native react-navigation/native-stack , 4.)npm react-native-screens react-native-safe--context , 5.)npm install firebase, 6.) npx expo start --web