

Agent architecture - leftover split, Enh 2 / Enh 3, CHIA nodes

CHIA loop driver - chia_remote / get() onto named slots - planner never sees easy / hard / impossible

CHIA loop (driver) - examples/coverage_growth/coverage_growth_loop.py - coverage_growth/loop.py

while budget: snapshot - leftover split - enhancement_plan - chia_remote(engine) - get() - merge - EngineYieldNode.record

cluster.yaml: torture - riscv_dv+verilator_run - formal - coverage_meter - chia up / chia job submit / chia viz-profile

CoverageMeterNode

@ChiaFunction coverage_meter: 1
chia_meter_snapshot - chia_meter_merge
frozen HMAC list - open names only
kind = line | toggle | sva

split_leftovers (kind only)

SVA leftovers - formal set
line/toggle leftovers - CRV set
crv_closed_frac on reachable denom
no bucket tags to the planner

enhancement_plan

enh_formal - enh_directed - enh_v1
after 40% hit + CRV batches e 8
one Allocation (action, hours, pids)
EngineYieldNode last_cph / stall

Enh 2 - impossible prune

formal_targets(split) - leftover SVA pids only
chia_run_formal.chia_remote - get()
slot formal: 1.0 - SymbiYosysNode.run

Cover BMC Unreached - retire (impossible)
Cover BMC Reached - hit
Meter accepts retire iff unreachable

Sim engines cannot retire. Cap 3 batches, stop if dry.

Enh 3 - hard-to-hit last-mile

directed_targets(split) - never SVA
chia_run_directed.chia_remote - get()
slot verilator_run: 1.0

Named leftover line/toggle bins
Hits possible - cannot retire ghosts
Optional last-mile writer (self / Poolside)

Never last-mile before 40% hit. CRV stall / peak-cph drop.

Engine slots (cluster.yaml) - one chia_remote per round

torture:1 - riscv_dv+verilator_run:1 (CRV carpet) - torture:0.25 (retune, unused on leftover poster) - verilator_run:1 (Enh 3) - formal:1 (Enh 2 / SymbiYosysNode)

Merge hits/retired on CoverageMeterNode. Update EngineYieldNode. Next hour follows last-batch coverage-per-hour - not a chat planner.