

FACULTY OF SCIENCE AND ENGINEERING DEPARTMENT OF MATHEMATICS AND STATISTICS

MID-TERM ASSESSMENT EXAMINATION 1

INSTRUCTIONS TO CANDIDATES

- This exam will start at 12:05, and will last 45 minutes.
- Each question will be worth either 1 or 2 Marks. There are 15 Marks worth of questions.
- All questions must be attempted (LENS students please see below)
- Write all of your answers in the exam script. Write the script number on any other documents you submit.
- It is your responsibility to return the script to collection box. An audit of scripts will take place immediately after the exam. If your script is account for in that audit, you are deemed to be absent, and will receive no marks.
- IMPORTANT for LENS Student: Specifically approved LENS students have to answer any selection of questions that have an aggregate mark of 12 Marks.
 - They may skip any three of the 1-Mark Questions
 - OR They may skip a 1-Mark Question and a 2-Mark Question
 - The mark will be rescaled by 125 %.
 - They are advised to skip questions that are indicated by an asterisk symbol ("*"), but it is not compulsory that they do so.

Attempt ALL questions

Q1. Descriptive Statistics A (3 Marks)

Consider the following data set of seven numbers:

29 14 17 30 19 25 13

For this sample, compute the following descriptive statistics:

- a. (1 Mark) The mean,
- b. (1 Mark) The variance,
- c. (1 Mark) The standard deviation.

Q2. Descriptive Statistics B (2 Marks)

The heights for a group of forty rowing club members are tabulated as follows:

127	136	136	143	146	146	146	147	150	156
156	160	161	161	163	164	166	166	167	168
169	171	171	172	172	172	172	174	175	176
176	176	180	180	182	183	184	186	186	188

- a. (1 Mark) The median,
- b. (1 Mark) The inter-quartile range.

Q3. Dixon Q Test For Outliers (4 Marks)

The typing speeds for one group of 14 Engineering students were recorded both at the beginning of year 1 of their studies. The results (in words per minute) are given below:

	123	146	150	149	142	170	153
ĺ	137	164	156	165	137	171	159

Use the Dixon Q-test to determine if the lowest value (123) is an outlier. You may assume a significance level of 5%.

- i. (1 Mark) Formally state the null hypothesis and the alternative hypothesis.
- ii. (1 Mark) Compute the Test Statistic.
- iii. (2 Mark) By comparing the Test Statistic to the appropriate Critical Value, state your conclusion for this test.

Q4. Normal Distribution (5 Marks)

Assume that the diameter of a critical component is normally distributed with a Mean of 100mm and a Standard Deviation of 5mm. You are required to estimate the approximate probability of the following measurements occurring on an individual component.

- i. (1 Mark) Greater than 103mm
- ii. (2 Marks) Less than 94.2 mm
- iii. (2 Marks)[*] Between 94.2 and 103 mm