Table 1 Cumulative Binomial Probabilities

p = probability of success in a single trial; n = number of trials. The table gives the probability of obtaining r *or more* successes in n independent trials. That is

$$\sum_{x=r}^{n} \binom{n}{x} p^x (1-p)^{n-x}$$

When there is no entry for a particular pair of values of r and p, this indicates that the appropriate probability is less than 0.000 05. Similarly, except for the case $r = 0$, when the entry is exact, a tabulated value of 1.0000 represents a probability greater than 0.999 95.

	p =	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
$n = 2$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.0199	.0396	.0591	.0784	.0975	.1164	.1351	.1536	.1719
	2	.0001	.0004	.0009	.0016	.0025	.0036	.0049	.0064	.0081
$n = 5$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.0490	.0961	.1413	.1846	.2262	.2661	.3043	.3409	.3760
	2	.0010	.0038	.0085	.0148	.0226	.0319	.0425	.0544	.0674
	3		.0001	.0003	.0006	.0012	.0020	.0031	.0045	.0063
	4						.0001	.0001	.0002	.0003
$n = 10$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.0956	.1829	.2626	.3352	.4013	.4614	.5160	.5656	.6106
	2	.0043	.0162	.0345	.0582	.0861	.1176	.1517	.1879	.2254
	3	.0001	.0009	.0028	.0062	.0115	.0188	.0283	.0401	.0540
	4			.0001	.0004	.0010	.0020	.0036	.0058	.0088
	5					.0001	.0002	.0003	.0006	.0010
	6									.0001
$n = 20$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.1821	.3324	.4562	.5580	.6415	.7099	.7658	.8113	.8484
	2	.0169	.0599	.1198	.1897	.2642	.3395	.4131	.4831	.5484
	3	.0010	.0071	.0210	.0439	.0755	.1150	.1610	.2121	.2666
	4		.0006	.0027	.0074	.0159	.0290	.0471	.0706	.0993
	5			.0003	.0010	.0026	.0056	.0107	.0183	.0290
	6				.0001	.0003	.0009	.0019	.0038	.0068
	7						.0001	.0003	.0006	.0013
	8								.0001	.0002
$n = 50$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.3950	.6358	.7819	.8701	.9231	.9547	.9734	.9845	.9910
	2	.0894	.2642	.4447	.5995	.7206	.8100	.8735	.9173	.9468
	3	.0138	.0784	.1892	.3233	.4595	.5838	.6892	.7740	.8395
	4	.0016	.0178	.0628	.1391	.2396	.3527	.4673	.5747	.6697
	5	.0001	.0032	.0168	.0490	.1036	.1794	.2710	.3710	.4723
	6		.0005	.0037	.0144	.0378	.0776	.1350	.2081	.2928
	7		.0001	.0007	.0036	.0118	.0289	.0583	.1019	.1596
	8			.0001	.0008	.0032	.0094	.0220	.0438	.0768
	9				.0001	.0008	.0027	.0073	.0167	.0328
	10					.0002	.0007	.0022	.0056	.0125
	11						.0002	.0006	.0017	.0043
	12							.0001	.0005	.0013
	13								.0001	.0004
	14									.0001

Table 1 Cumulative Binomial Probabilities – continued

	p =	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
$n = 100$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.6340	.8674	.9524	.9831	.9941	.9979	.9993	.9998	.9999
	2	.2642	.5967	.8054	.9128	.9629	.9848	.9940	.9977	.9991
	3	.0794	.3233	.5802	.7679	.8817	.9434	.9742	.9887	.9952
	4	.0184	.1410	.3528	.5705	.7422	.8570	.9256	.9633	.9827
	5	.0034	.0508	.1821	.3711	.5640	.7232	.8368	.9097	.9526
	6	.0005	.0155	.0808	.2116	.3840	.5593	.7086	.8201	.8955
	7	.0001	.0041	.0312	.1064	.2340	.3936	.5557	.6968	.8060
	8		.0009	.0106	.0475	.1280	.2517	.4012	.5529	.6872
	9		.0002	.0032	.0190	.0631	.1463	.2660	.4074	.5506
	10			.0009	.0068	.0282	.0775	.1620	.2780	.4125
	11			.0002	.0022	.0115	.0376	.0908	.1757	.2882
	12				.0007	.0043	.0168	.0469	.1028	.1876
	13				.0002	.0015	.0069	.0224	.0559	.1138
	14					.0005	.0026	.0099	.0282	.0645
	15					.0001	.0009	.0041	.0133	.0341
	16						.0003	.0016	.0058	.0169
	17						.0001	.0006	.0024	.0078
	18							.0002	.0009	.0034
	19							.0001	.0003	.0014
	20								.0001	.0005
	21									.0002
	22									.0001

	p =	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50
$n = 2$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.1900	.2775	.3600	.4375	.5100	.5775	.6400	.6975	.7500
	2	.0100	.0225	.0400	.0625	.0900	.1225	.1600	.2025	.2500
$n = 5$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.4095	.5563	.6723	.7627	.8319	.8840	.9222	.9497	.9688
	2	.0815	.1648	.2627	.3672	.4718	.5716	.6630	.7438	.8125
	3	.0086	.0266	.0579	.1035	.1631	.2352	.3174	.4069	.5000
	4	.0005	.0022	.0067	.0156	.0308	.0540	.0870	.1312	.1875
	5		.0001	.0003	.0010	.0024	.0053	.0102	.0185	.0313
$n = 10$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.6513	.8031	.8926	.9437	.9718	.9865	.9940	.9975	.9990
	2	.2639	.4557	.6242	.7560	.8507	.9140	.9536	.9767	.9893
	3	.0702	.1798	.3222	.4744	.6172	.7384	.8327	.9004	.9453
	4	.0128	.0500	.1209	.2241	.3504	.4862	.6177	.7430	.8281
	5	.0016	.0099	.0328	.0781	.1503	.2485	.3669	.4956	.6230
	6	.0001	.0014	.0064	.0197	.0473	.0949	.1662	.2616	.3770
	7		.0001	.0009	.0035	.0106	.0260	.0548	.1020	.1719
	8			.0001	.0004	.0016	.0048	.0123	.0274	.0547
	9					.0001	.0005	.0017	.0045	.0107
	10							.0001	.0003	.0010
$n = 20$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.8784	.9612	.9885	.9968	.9992	.9998	1.0000	1.0000	1.0000
	2	.6083	.8244	.9308	.9757	.9924	.9979	.9995	.9999	1.0000
	3	.3231	.5951	.7939	.9087	.9645	.9879	.9964	.9991	.9998
	4	.1330	.3523	.5886	.7748	.8929	.9556	.9840	.9951	.9987
	5	.0432	.1702	.3704	.5852	.7625	.8818	.9490	.9811	.9941
	6	.0113	.0673	.1958	.3828	.5836	.7546	.8744	.9447	.9793
	7	.0024	.0219	.0867	.2142	.3920	.5834	.7500	.8701	.9423
	8	.0004	.0059	.0321	.1018	.2277	.3990	.5841	.7480	.8684
	9	.0001	.0013	.0100	.0409	.1133	.2376	.4044	.5857	.7483
	10		.0002	.0026	.0139	.0480	.1218	.2447	.4086	.5881
	11			.0006	.0039	.0171	.0532	.1275	.2493	.4119
	12			.0001	.0009	.0051	.0196	.0565	.1308	.2517
	13				.0002	.0013	.0060	.0210	.0580	.1316
	14					.0003	.0015	.0065	.0214	.0577
	15						.0003	.0016	.0064	.0207
	16							.0003	.0015	.0059
	17								.0003	.0013
	18									.0002

Table 1 Cumulative Binomial Probabilites – continued

	$p =$	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50
$n = 50$	$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	.9948	.9997	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	2	.9662	.9971	.9998	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	3	.8883	.9858	.9987	.9999	1.0000	1.0000	1.0000	1.0000	1.0000
	4	.7497	.9540	.9943	.9995	1.0000	1.0000	1.0000	1.0000	1.0000
	5	.5688	.8879	.9815	.9979	.9998	1.0000	1.0000	1.0000	1.0000
	6	.3839	.7806	.9520	.9930	.9993	.9999	1.0000	1.0000	1.0000
	7	.2298	.6387	.8966	.9806	.9975	.9998	1.0000	1.0000	1.0000
	8	.1221	.4812	.8096	.9547	.9927	.9992	.9999	1.0000	1.0000
	9	.0579	.3319	.6927	.9084	.9817	.9975	.9998	1.0000	1.0000
	10	.0245	.2089	.5563	.8363	.9598	.9933	.9992	.9999	1.0000
	11	.0094	.1199	.4164	.7378	.9211	.9840	.9978	.9998	1.0000
	12	.0032	.0628	.2893	.6184	.8610	.9658	.9943	.9994	1.0000
	13	.0010	.0301	.1861	.4890	.7771	.9339	.9867	.9982	.9998
	14	.0003	.0132	.1106	.3630	.6721	.8837	.9720	.9955	.9995
	15	.0001	.0053	.0607	.2519	.5532	.8122	.9460	.9896	.9987
	16		.0019	.0308	.1631	.4308	.7199	.9045	.9780	.9967
	17		.0007	.0144	.0983	.3161	.6111	.8439	.9573	.9923
	18		.0002	.0063	.0551	.2178	.4940	.7631	.9235	.9836
	19		.0001	.0025	.0287	.1406	.3784	.6644	.8727	.9675
	20			.0009	.0139	.0848	.2736	.5535	.8026	.9405
	21			.0003	.0063	.0478	.1861	.4390	.7138	.8987
	22			.0001	.0026	.0251	.1187	.3299	.6100	.8389
	23				.0010	.0123	.0710	.2340	.4981	.7601
	24				.0004	.0056	.0396	.1562	.3866	.6641
	25				.0001	.0024	.0207	.0978	.2840	.5561
	26					.0009	.0100	.0573	.1966	.4439
	27					.0003	.0045	.0314	.1279	.3359
	28					.0001	.0019	.0160	.0780	.2399
	29						.0007	.0076	.0444	.1611
	30						.0003	.0034	.0235	.1013
	31						.0001	.0014	.0116	.0595
	32							.0005	.0053	.0325
	33							.0002	.0022	.0164
	34							.0001	.0009	.0077
	35								.0003	.0033
	36								.0001	.0013
	37									.0005
	38									.0002

Table 1 gives binomial probabilities only for a limited range of values of n and p since, in practice, either the more compact tabulation of the Poisson distribution (Table 2) or that of the Normal distribution (Table 3) can usually be used to give an adequate approximation.

As a reasonable working rule:

(i) use the Poisson approximation if $p < 0.1$, putting $m = np$

(ii) use the Normal approximation if $0.1 \leq p \leq 0.9$ and $np > 5$, putting $\mu = np$ and $\sigma = \sqrt{np(1-p)}$.

(iii) use the Poisson approximation if $p > 0.9$, putting $m = n(1-p)$ and working in terms of 'failures'.

Note: For values of $p > 0.5$, work in terms of 'failures' which will have probability $q\ (= 1-p)$.

Example: What is the probability that 40 or more seeds will germinate out of 50 if the germination rate is 70%? Since the probability of 'success' is greater than 0.5, the table can not be used directly; however, 40 or more successes is the same as 10 or fewer 'failures'. The probability of 10 or fewer 'failures' = 1 – probability of 11 or more 'failures' = 1 – 0.9211 = 0.0789.

Table 1 Cumulative Binomial Probabilities – continued

	p =	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50
n = 100	r = 0	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	2	.9997	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	3	.9981	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	4	.9922	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	5	.9763	.9996	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	6	.9424	.9984	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	7	.8828	.9953	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	8	.7939	.9878	.9997	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	9	.6791	.9725	.9991	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	10	.5487	.9449	.9977	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
	11	.4168	.9006	.9943	.9999	1.0000	1.0000	1.0000	1.0000	1.0000
	12	.2970	.8365	.9874	.9996	1.0000	1.0000	1.0000	1.0000	1.0000
	13	.1982	.7527	.9747	.9990	1.0000	1.0000	1.0000	1.0000	1.0000
	14	.1239	.6526	.9531	.9975	.9999	1.0000	1.0000	1.0000	1.0000
	15	.0726	.5428	.9196	.9946	.9998	1.0000	1.0000	1.0000	1.0000
	16	.0399	.4317	.8715	.9889	.9996	1.0000	1.0000	1.0000	1.0000
	17	.0206	.3275	.8077	.9789	.9990	1.0000	1.0000	1.0000	1.0000
	18	.0100	.2367	.7288	.9624	.9978	.9999	1.0000	1.0000	1.0000
	19	.0046	.1628	.6379	.9370	.9955	.9999	1.0000	1.0000	1.0000
	20	.0020	.1065	.5398	.9005	.9911	.9997	1.0000	1.0000	1.0000
	21	.0008	.0663	.4405	.8512	.9835	.9992	1.0000	1.0000	1.0000
	22	.0003	.0393	.3460	.7886	.9712	.9983	1.0000	1.0000	1.0000
	23	.0001	.0221	.2611	.7136	.9521	.9966	.9999	1.0000	1.0000
	24		.0119	.1891	.6289	.9245	.9934	.9997	1.0000	1.0000
	25		.0061	.1314	.5383	.8864	.9879	.9994	1.0000	1.0000
	26		.0030	.0875	.4465	.8369	.9789	.9988	1.0000	1.0000
	27		.0014	.0558	.3583	.7756	.9649	.9976	.9999	1.0000
	28		.0006	.0342	.2776	.7036	.9442	.9954	.9998	1.0000
	29		.0003	.0200	.2075	.6232	.9152	.9916	.9996	1.0000
	30		.0001	.0112	.1495	.5377	.8764	.9852	.9992	1.0000
	31			.0061	.1038	.4509	.8270	.9752	.9985	1.0000
	32			.0031	.0693	.3669	.7669	.9602	.9970	.9999
	33			.0016	.0446	.2893	.6971	.9385	.9945	.9998
	34			.0007	.0276	.2207	.6197	.9087	.9902	.9996
	35			.0003	.0164	.1629	.5376	.8697	.9834	.9991
	36			.0001	.0094	.1161	.4542	.8205	.9728	.9982
	37			.0001	.0052	.0799	.3731	.7614	.9571	.9967
	38				.0027	.0530	.2976	.6932	.9349	.9940
	39				.0014	.0340	.2301	.6178	.9049	.9895
	40				.0007	.0210	.1724	.5379	.8657	.9824
	41				.0003	.0125	.1250	.4567	.8169	.9716
	42				.0001	.0072	.0877	.3775	.7585	.9557
	43				.0001	.0040	.0594	.3033	.6913	.9334
	44					.0021	.0389	.2365	.6172	.9033
	45					.0011	.0246	.1789	.5387	.8644
	46					.0005	.0150	.1311	.4587	.8159
	47					.0003	.0088	.0930	.3804	.7579
	48					.0001	.0050	.0638	.3069	.6914
	49					.0001	.0027	.0423	.2404	.6178
	50						.0015	.0271	.1827	.5398
	51						.0007	.0168	.1346	.4602
	52						.0004	.0100	.0960	.3822
	53						.0002	.0058	.0662	.3086
	54						.0001	.0032	.0441	.2421
	55							.0017	.0284	.1841
	56							.0009	.0176	.1356
	57							.0004	.0106	.0967
	58							.0002	.0061	.0666
	59							.0001	.0034	.0443
	60								.0018	.0284
	61								.0009	.0176
	62								.0005	.0105
	63								.0002	.0060
	64								.0001	.0033
	65									.0018
	66									.0009
	67									.0004
	68									.0002
	69									.0001

Table 2 Cumulative Poisson Probabilities

The table gives the probability that *r or more* random events are contained in an interval when the average number of such events per interval is m, i.e.

$$\sum_{x=r}^{\infty} e^{-m} \frac{m^x}{x!}$$

Where there is no entry for a particular pair of values of r and m, this indicates that the appropriate probability is less than 0.000 05. Similarly, except for the case $r = 0$ when the entry is exact, a tabulated value of 1.0000 represents a probability greater than 0.999 95.

m =	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.0952	.1813	.2592	.3297	.3935	.4512	.5034	.5507	.5934	.6321
2	.0047	.0175	.0369	.0616	.0902	.1219	.1558	.1912	.2275	.2642
3	.0002	.0011	.0036	.0079	.0144	.0231	.0341	.0474	.0629	.0803
4		.0001	.0003	.0008	.0018	.0034	.0058	.0091	.0135	.0190
5				.0001	.0002	.0004	.0008	.0014	.0023	.0037
6							.0001	.0002	.0003	.0006
7										.0001

m =	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.6671	.6988	.7275	.7534	.7769	.7981	.8173	.8347	.8504	.8647
2	.3010	.3374	.3732	.4082	.4422	.4751	.5068	.5372	.5663	.5940
3	.0996	.1205	.1429	.1665	.1912	.2166	.2428	.2694	.2963	.3233
4	.0257	.0338	.0431	.0537	.0656	.0788	.0932	.1087	.1253	.1429
5	.0054	.0077	.0107	.0143	.0186	.0237	.0296	.0364	.0441	.0527
6	.0010	.0015	.0022	.0032	.0045	.0060	.0080	.0104	0132	.0166
7	.0001	.0003	.0004	.0006	.0009	.0013	.0019	.0026	.0034	.0045
8			.0001	.0001	.0002	.0003	.0004	.0006	.0008	.0011
9							.0001	.0001	.0002	.0002

m =	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.8775	.8892	.8997	.9093	.9179	.9257	.9328	.9392	.9450	.9502
2	.6204	.6454	.6691	.6916	.7127	.7326	.7513	.7689	.7854	.8009
3	.3504	.3773	.4040	.4303	.4562	.4816	.5064	.5305	.5540	.5768
4	.1614	.1806	.2007	.2213	.2424	.2640	.2859	.3081	.3304	.3528
5	.0621	.0725	.0838	.0959	.1088	.1226	.1371	.1523	.1682	.1847
6	.0204	.0249	.0300	.0357	.0420	.0490	.0567	.0651	.0742	.0839
7	.0059	.0075	.0094	.0116	.0142	.0172	.0206	.0244	.0287	.0335
8	.0015	.0020	.0026	.0033	.0042	.0053	.0066	.0081	.0099	.0119
9	.0003	.0005	.0006	.0009	.0011	.0015	.0019	.0024	.0031	.0038
10	.0001	.0001	.0001	.0002	.0003	.0004	.0005	.0007	.0009	.0011
11					.0001	.0001	.0001	.0002	.0002	.0003
12									.0001	.0001

Table 2 Cumulative Poisson Probabilities – continued

m =	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.9550	.9592	.9631	.9666	.9698	.9727	.9753	.9776	.9798	.9817
2	.8153	.8288	.8414	.8532	.8641	.8743	.8838	.8926	.9008	.9084
3	.5988	.6201	.6406	.6603	.6792	.6973	.7146	.7311	.7469	.7619
4	.3752	.3975	.4197	.4416	.4634	.4848	.5058	.5265	.5468	.5665
5	.2018	.2194	.2374	.2558	.2746	.2936	.3128	.3322	.3516	.3712
6	.0943	.1054	.1171	.1295	.1424	.1559	.1699	.1844	.1994	.2149
7	.0388	.0446	.0510	.0579	.0653	.0733	.0818	.0909	.1005	.1107
8	.0142	.0168	.0198	.0231	.0267	.0308	.0352	.0401	.0454	.0511
9	.0047	.0057	.0069	.0083	.0099	.0117	.0137	.0160	.0185	.0214
10	.0014	.0018	.0022	.0027	.0033	.0040	.0048	.0058	.0069	.0081
11	.0004	.0005	.0006	.0008	.0010	.0013	.0016	.0019	.0023	.0028
12	.0001	.0001	.0002	.0002	.0003	.0004	.0005	.0006	.0007	.0009
13				.0001	.0001	.0001	.0001	.0002	.0002	.0003
14									.0001	.0001

m =	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.9834	.9850	.9864	.9877	.9889	.9899	.9909	.9918	.9926	.9933
2	.9155	.9220	.9281	.9337	.9389	.9437	.9482	.9523	.9561	.9596
3	.7762	.7898	.8026	.8149	.8264	.8374	.8477	.8575	.8667	.8753
4	.5858	.6046	.6228	.6406	.6577	.6743	.6903	.7058	.7207	.7350
5	.3907	.4102	.4296	.4488	.4679	.4868	.5054	.5237	.5418	.5595
6	.2307	.2469	.2633	.2801	.2971	.3142	.3316	.3490	.3665	.3840
7	.1214	.1325	.1442	.1564	.1689	.1820	.1954	.2092	.2233	.2378
8	.0573	.0639	.0710	.0786	.0866	.0951	.1040	.1133	.1231	.1334
9	.0245	.0279	.0317	.0358	.0403	.0451	.0503	.0558	.0618	.0681
10	.0095	.0111	.0129	.0149	.0171	.0195	.0222	.0251	.0283	.0318
11	.0034	.0041	.0048	.0057	.0067	.0078	.0090	.0104	.0120	.0137
12	.0011	.0014	.0017	.0020	.0024	.0029	.0034	.0040	.0047	.0055
13	.0003	.0004	.0005	.0007	.0008	.0010	.0012	.0014	.0017	.0020
14	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005	.0006	.0007
15				.0001	.0001	.0001	.0001	.0001	.0002	.0002
16									.0001	.0001

m =	5.2	5.4	5.6	5.8	6.0	6.2	6.4	6.6	6.8	7.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.9945	.9955	.9963	.9970	.9975	.9980	.9983	.9986	.9989	.9991
2	.9658	.9711	.9756	.9794	.9826	.9854	.9877	.9897	.9913	.9927
3	.8912	.9052	.9176	.9285	.9380	.9464	.9537	.9600	.9656	.9704
4	.7619	.7867	.8094	.8300	.8488	.8658	.8811	.8948	.9072	.9182
5	.5939	.6267	.6579	.6873	.7149	.7408	.7649	.7873	.8080	.8270
6	.4191	.4539	.4881	.5217	.5543	.5859	.6163	.6453	.6730	.6993
7	.2676	.2983	.3297	.3616	.3937	.4258	.4577	.4892	.5201	.5503
8	.1551	.1783	.2030	.2290	.2560	.2840	.3127	.3419	.3715	.4013
9	.0819	.0974	.1143	.1328	.1528	.1741	.1967	.2204	.2452	.2709
10	.0397	.0488	.0591	.0708	.0839	.0984	.1142	.1314	.1498	.1695
11	.0177	.0225	.0282	.0349	.0426	.0514	.0614	.0726	.0849	.0985
12	.0073	.0096	.0125	.0160	.0201	.0250	.0307	.0373	.0448	.0534
13	.0028	.0038	.0051	.0068	.0088	.0113	.0143	.0179	.0221	.0270
14	.0010	.0014	.0020	.0027	.0036	.0048	.0063	.0080	.0102	.0128
15	.0003	.0005	.0007	.0010	.0014	.0019	.0026	.0034	.0044	.0057
16	.0001	.0002	.0002	.0004	.0005	.0007	.0010	.0014	.0018	.0024
17		.0001	.0001	.0001	.0002	.0003	.0004	.0005	.0007	.0010
18					.0001	.0001	.0001	.0002	.0003	.0004
19								.0001	.0001	.0001

Table 2 Cumulative Poisson Probabilities – continued

m =	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
r = 0	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.9993	.9994	.9995	.9996	.9997	.9997	.9998	.9998	.9998	.9999
2	.9939	.9949	.9957	.9964	.9970	.9975	.9979	.9982	.9985	.9988
3	.9745	.9781	.9812	.9839	.9862	.9882	.9900	.9914	.9927	.9938
4	.9281	.9368	.9446	.9515	.9576	.9630	.9677	.9719	.9756	.9788
5	.8445	.8605	.8751	.8883	.9004	.9113	.9211	.9299	.9379	.9450
6	.7241	.7474	.7693	.7897	.8088	.8264	.8427	.8578	.8716	.8843
7	.5796	.6080	.6354	.6616	.6866	.7104	.7330	.7543	.7744	.7932
8	.4311	.4607	.4900	.5188	.5470	.5746	.6013	.6272	.6522	.6761
9	.2973	.3243	.3518	.3796	.4075	.4353	.4631	.4906	.5177	.5443
10	.1904	.2123	.2351	.2589	.2834	.3085	.3341	.3600	.3863	.4126
11	.1133	.1293	.1465	.1648	.1841	.2045	.2257	.2478	.2706	.2940
12	.0629	.0735	.0852	.0980	.1119	.1269	.1429	.1600	.1780	.1970
13	.0327	.0391	.0464	.0546	.0638	.0739	.0850	.0971	.1102	.1242
14	.0159	.0195	.0238	.0286	.0342	.0405	.0476	.0555	.0642	.0739
15	.0073	.0092	.0114	.0141	.0173	.0209	.0251	.0299	.0353	.0415
16	.0031	.0041	.0052	.0066	.0082	.0102	.0125	.0152	.0184	.0220
17	.0013	.0017	.0022	.0029	.0037	.0047	.0059	.0074	.0091	.0111
18	.0005	.0007	.0009	.0012	.0016	.0021	.0027	.0034	.0043	.0053
19	.0002	.0003	.0004	.0005	.0006	.0009	.0011	.0015	.0019	.0024
20	.0001	.0001	.0001	.0002	.0003	.0003	.0005	.0006	.0008	.0011
21				.0001	.0001	.0001	.0002	.0002	.0003	.0004
22							.0001	.0001	.0001	.0002
23										.0001

m =	9.2	9.4	9.6	9.8	10.0	11.0	12.0	13.0	14.0	15.0
r = 0	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	.9999	.9999	.9999	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2	.9990	.9991	.9993	.9994	.9995	.9998	.9999	1.0000	1.0000	1.0000
3	.9947	.9955	.9962	.9967	.9972	.9988	.9995	.9998	.9999	1.0000
4	.9816	.9840	.9862	.9880	.9897	.9951	.9977	.9990	.9995	.9998
5	.9514	.9571	.9622	.9667	.9707	.9849	.9924	.9963	.9982	.9991
6	.8959	.9065	.9162	.9250	.9329	.9625	.9797	.9893	.9945	.9972
7	.8108	.8273	.8426	.8567	.8699	.9214	.9542	.9741	.9858	.9924
8	.6990	.7208	.7416	.7612	.7798	.8568	.9105	.9460	.9684	.9820
9	.5704	.5958	.6204	.6442	.6672	.7680	.8450	.9002	.9379	.9626
10	.4389	.4651	.4911	.5168	.5421	.6595	.7576	.8342	.8906	.9301
11	.3180	.3424	.3671	.3920	.4170	.5401	.6528	.7483	.8243	.8815
12	.2168	.2374	.2588	.2807	.3032	.4207	.5384	.6468	.7400	.8152
13	.1393	.1552	.1721	.1899	.2084	.3113	.4240	.5369	.6415	.7324
14	.0844	.0958	.1081	.1214	.1355	.2187	.3185	.4270	.5356	.6368
15	.0483	.0559	.0643	.0735	.0835	.1460	.2280	.3249	.4296	.5343
16	.0262	.0309	.0362	.0421	.0487	.0926	.1556	.2364	.3306	.4319
17	.0135	.0162	.0194	.0230	.0270	.0559	.1013	.1645	.2441	.3359
18	.0066	.0081	.0098	.0119	.0143	.0322	.0630	.1095	.1728	.2511
19	.0031	.0038	.0048	.0059	.0072	.0177	.0374	.0698	.1174	.1805
20	.0014	.0017	.0022	.0028	.0035	.0093	.0213	.0427	.0765	.1248
21	.0006	.0008	.0010	.0012	.0016	.0047	.0116	.0250	.0479	.0830
22	.0002	.0003	.0004	.0005	.0007	.0023	.0061	.0141	.0288	.0531
23	.0001	.0001	.0002	.0002	.0003	.0010	.0030	.0076	.0167	.0327
24			.0001	.0001	.0001	.0005	.0015	.0040	.0093	.0195
25						.0002	.0007	.0020	.0050	.0122
26						.0001	.0003	.0010	.0026	.0062
27							.0001	.0005	.0013	.0033
28							.0001	.0002	.0006	.0017
29								.0001	.0003	.0009
30									.0001	.0004
31									.0001	.0002
32										.0001

Table 2 Cumulative Poisson Probabilities – continued

$m =$	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0
$r = 0$	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
5	.9996	.9998	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6	.9986	.9993	.9997	.9998	.9999	1.0000	1.0000	1.0000	1.0000	1.0000
7	.9960	.9979	.9990	.9995	.9997	.9999	.9999	1.0000	1.0000	1.0000
8	.9900	.9946	.9971	.9985	.9992	.9996	.9998	.9999	1.0000	1.0000
9	.9780	.9874	.9929	.9961	.9979	.9989	.9994	.9997	.9998	.9999
10	.9567	.9739	.9846	.9911	.9950	.9972	.9985	.9992	.9996	.9998
11	.9226	.9509	.9696	.9817	.9892	.9937	.9965	.9980	.9989	.9994
12	.8730	.9153	.9451	.9653	.9786	.9871	.9924	.9956	.9975	.9986
13	.8069	.8650	.9083	.9394	.9610	.9755	.9849	.9909	.9946	.9969
14	.7255	.7991	.8574	.9016	.9339	.9566	.9722	.9826	.9893	.9935
15	.6325	.7192	.7919	.8503	.8951	.9284	.9523	.9689	.9802	.9876
16	.5333	.6285	.7133	.7852	.8435	.8889	.9231	.9480	.9656	.9777
17	.4340	.5323	.6249	.7080	.7789	.8371	.8830	.9179	.9437	.9623
18	.3407	.4360	.5314	.6216	.7030	.7730	.8310	.8772	.9129	.9395
19	.2577	.3450	.4378	.5305	.6186	.6983	.7675	.8252	.8717	.9080
20	.1878	.2637	.3491	.4394	.5297	.6157	.6940	.7623	.8197	.8664
21	.1318	.1945	.2693	.3528	.4409	.5290	.6131	.6899	.7574	.8145
22	.0892	.1385	.2009	.2745	.3563	.4423	.5284	.6106	.6861	.7527
23	.0582	.0953	.1449	.2069	.2794	.3595	.4436	.5277	.6083	.6825
24	.0367	.0633	.1011	.1510	.2125	.2840	.3626	.4449	.5272	.6061
25	.0223	.0406	.0683	.1067	.1568	.2178	.2883	.3654	.4460	.5266
26	.0131	.0252	.0446	.0731	.1122	.1623	.2229	.2923	.3681	.4471
27	.0075	.0152	.0282	.0486	.0779	.1174	.1676	.2277	.2962	.3706
28	.0041	.0088	.0173	.0313	.0525	.0825	.1225	.1726	.2323	.2998
29	.0022	.0050	.0103	.0195	.0343	.0564	.0871	.1274	.1775	.2366
30	.0011	.0027	.0059	.0118	.0218	.0374	.0602	.0915	.1321	.1821
31	.0006	.0014	.0033	.0070	.0135	.0242	.0405	.0640	.0958	.1367
32	.0003	.0007	.0018	.0040	.0081	.0152	.0265	.0436	.0678	.1001
33	.0001	.0004	.0010	.0022	.0047	.0093	.0169	.0289	.0467	.0715
34	.0001	.0002	.0005	.0012	.0027	.0055	.0105	.0187	.0314	.0498
35		.0001	.0002	.0006	.0015	.0032	.0064	.0118	.0206	.0338
36			.0001	.0003	.0008	.0018	.0038	.0073	.0132	.0225
37			.0001	.0002	.0004	.0010	.0022	.0044	.0082	.0146
38				.0001	.0002	.0005	.0012	.0026	.0050	.0092
39					.0001	.0003	.0007	.0015	.0030	.0057
40					.0001	.0001	.0004	.0008	.0017	.0034
41						.0001	.0002	.0004	.0010	.0020
42							.0001	.0002	.0005	.0012
43								.0001	.0003	.0007
44								.0001	.0002	.0004
45									.0001	.0002
46										.0001

Table 2 Cumulative Poisson Probabilities – continued

m =	26.0	27.0	28.0	29.0	30.0	32.0	34.0	36.0	38.0	40.0
r = 9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10	.9999	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11	.9997	.9998	.9999	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
12	.9992	.9996	.9998	.9999	.9999	1.0000	1.0000	1.0000	1.0000	1.0000
13	.9982	.9990	.9994	.9997	.9998	1.0000	1.0000	1.0000	1.0000	1.0000
14	.9962	.9978	.9987	.9993	.9996	.9999	1.0000	1.0000	1.0000	1.0000
15	.9924	.9954	.9973	.9984	.9991	.9997	.9999	1.0000	1.0000	1.0000
16	.9858	.9912	.9946	.9967	.9981	.9993	.9998	.9999	1.0000	1.0000
17	.9752	.9840	.9899	.9937	.9961	.9986	.9995	.9998	1.0000	1.0000
18	.9580	.9726	.9821	.9885	.9927	.9972	.9990	.9997	.9999	1.0000
19	.9354	.9555	.9700	.9801	.9871	.9948	.9980	.9993	.9998	.9999
20	.9032	.9313	.9522	.9674	.9781	.9907	.9963	.9986	.9995	.9998
21	.8613	.8985	.9273	.9489	.9647	.9841	.9932	.9973	.9990	.9996
22	.8095	.8564	.8940	.9233	.9456	.9740	.9884	.9951	.9981	.9993
23	.7483	.8048	.8517	.8896	.9194	.9594	.9809	.9915	.9965	.9986
24	.6791	.7441	.8002	.8471	.8854	.9390	.9698	.9859	.9938	.9974
25	.6041	.6758	.7401	.7958	.8428	.9119	.9540	.9776	.9897	.9955
26	.5261	.6021	.6728	.7363	.7916	.8772	.9326	.9655	.9834	.9924
27	.4481	.5256	.6003	.6699	.7327	.8344	.9047	.9487	.9741	.9877
28	.3730	.4491	.5251	.5986	.6671	.7838	.8694	.9264	.9611	.9807
29	.3033	.3753	.4500	.5247	.5969	.7259	.8267	.8977	.9435	.9706
30	.2407	.3065	.3774	.4508	.5243	.6620	.7765	.8621	.9204	.9568
31	.1866	.2447	.3097	.3794	.4516	.5939	.7196	.8194	.8911	.9383
32	.1411	.1908	.2485	.3126	.3814	.5235	.6573	.7697	.8552	.9145
33	.1042	.1454	.1949	.2521	.3155	.4532	.5911	.7139	.8125	.8847
34	.0751	.1082	.1495	.1989	.2556	.3850	.5228	.6530	.7635	.8486
35	.0528	.0787	.1121	.1535	.2027	.3208	.4546	.5885	.7086	.8061
36	.0363	.0559	.0822	.1159	.1574	.2621	.3883	.5222	.6490	.7576
37	.0244	.0388	.0589	.0856	.1196	.2099	.3256	.4558	.5862	.7037
38	.0160	.0263	.0413	.0619	.0890	.1648	.2681	.3913	.5216	.6453
39	.0103	.0175	.0283	.0438	.0648	.1268	.2166	.3301	.4570	.5840
40	.0064	.0113	.0190	.0303	.0463	.0956	.1717	.2737	.3941	.5210
41	.0039	.0072	.0125	.0205	.0323	.0707	.1336	.2229	.3343	.4581
42	.0024	.0045	.0080	.0136	.0221	.0512	.1019	.1783	.2789	.3967
43	.0014	.0027	.0050	.0089	.0148	.0364	.0763	.1401	.2288	.3382
44	.0008	.0016	.0031	.0056	.0097	.0253	.0561	.1081	.1845	.2838
45	.0004	.0009	.0019	.0035	.0063	.0173	.0404	.0819	.1462	.2343
46	.0002	.0005	.0011	.0022	.0040	.0116	.0286	.0609	.1139	.1903
47	.0001	.0003	.0006	.0013	.0025	.0076	.0199	.0445	.0872	.1521
48	.0001	.0002	.0004	.0008	.0015	.0049	.0136	.0320	.0657	.1196
49		.0001	.0002	.0004	.0009	.0031	.0091	.0225	.0486	.0925
50			.0001	.0002	.0005	.0019	.0060	.0156	.0353	.0703
51			.0001	.0001	.0003	.0012	.0039	.0106	.0253	.0526
52				.0001	.0002	.0007	.0024	.0071	.0178	.0387
53					.0001	.0004	.0015	.0047	.0123	.0281
54					.0001	.0002	.0009	.0030	.0084	.0200
55						.0001	.0006	.0019	.0056	.0140
56						.0001	.0003	.0012	.0037	.0097
57							.0002	.0007	.0024	.0066
58							.0001	.0005	.0015	.0044
59							.0001	.0003	.0010	.0029
60								.0002	.0006	.0019
61								.0001	.0004	.0012
62								.0001	.0002	.0008
63									.0001	.0005
64									.0001	.0003
65										.0002
66										.0001
67										.0001

For values of m greater than 30, use the table of areas under the Normal curve (Table 3) to obtain approximate Poisson probabilities, putting $\mu = m$ and $\sigma = \sqrt{m}$.

Table 3 Areas in Upper Tail of the Normal Distribution

The function tabulated is $1 - \Phi(z)$ where $\Phi(z)$ is the cumulative distribution function of a standardised Normal variable, z.

Thus $1 - \Phi(z) = \dfrac{1}{\sqrt{2\pi}} \displaystyle\int_z^\infty e^{-z^2/2}$ is the probability that a standardised Normal variate selected at random will be greater than a value of $z \left(= \dfrac{x - \mu}{\sigma} \right)$



$\frac{x-\mu}{\sigma}$	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641
0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483
0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681
1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
2.0	.02275	.02222	.02169	.02118	.02068	.02018	.01970	.01923	.01876	.01831
2.1	.01786	.01743	.01700	.01659	.01618	.01578	.01539	.01500	.01463	.01426
2.2	.01390	.01355	.01321	.01287	.01255	.01222	.01191	.01160	.01130	.01101
2.3	.01072	.01044	.01017	.00990	.00964	.00939	.00914	.00889	.00866	.00842
2.4	.00820	.00798	.00776	.00755	.00734	.00714	.00695	.00676	.00657	.00639
2.5	.00621	.00604	.00587	.00570	.00554	.00539	.00523	.00508	.00494	.00480
2.6	.00466	.00453	.00440	.00427	.00415	.00402	.00391	.00379	.00368	.00357
2.7	.00347	.00336	.00326	.00317	.00307	.00298	.00289	.00280	.00272	.00264
2.8	.00256	.00248	.00240	.00233	.00226	.00219	.00212	.00205	.00199	.00193
2.9	.00187	.00181	.00175	.00169	.00164	.00159	.00154	.00149	.00144	.00139
3.0	.00135	.00131	.00126	.00122	.00118	.00114	.00111	.00107	.00104	.00100
3.1	.00097	.00094	.00090	.00087	.00084	.00082	.00079	.00076	.00074	.00071
3.2	.00069	.00066	.00064	.00062	.00060	.00058	.00056	.00054	.00052	.00050
3.3	.00048	.00047	.00045	.00043	.00042	.00040	.00039	.00038	.00036	.00035
3.4	.00034	.00032	.00031	.00030	.00029	.00028	.00027	.00026	.00025	.00024
3.5	.00023	.00022	.00022	.00021	.00020	.00019	.00019	.00018	.00017	.00017
3.6	.00016	.00015	.00015	.00014	.00014	.00013	.00013	.00012	.00012	.00011
3.7	.000108	.000104	.000100	.000096	.000092	.000088	.000085	.000082	.000078	.000075
3.8	.000072	.000069	.000067	.000064	.000062	.000059	.000057	.000054	.000052	.000050
3.9	.000048	.000046	.000044	.000042	.000041	.000039	.000037	.000036	.000034	.000033
4.0	.000032									

$5.0 \rightarrow 0.000\ 000\ 286\ 7$ $\quad$ $5.5 \rightarrow 0.000\ 000\ 019\ 0$ $\quad$ $6.0 \rightarrow 0.000\ 000\ 001\ 0$

Table 7 Percentage Points of the t Distribution

The table gives the value of $t_{\alpha,\nu}$ – the 100α percentage point of the t distribution for ν degrees of freedom.

The values of t are obtained by solution of the equation:

$$\alpha = \Gamma[\tfrac{1}{2}(\nu+1)][\Gamma(\tfrac{1}{2}\nu)]^{-1}\,(\nu\pi)^{-1/2}\int_t^{\infty}(1+x^2/\nu)^{-(\nu+1)/2}\,dx$$

Note: The tabulation is for one tail only, that is, for positive values of t.
For $|t|$ the column headings for α should be doubled.



$\alpha =$	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
$\nu = 1$	3.078	6.314	12.706	31.821	63.657	318.31	636.62
2	1.886	2.920	4.303	6.965	9.925	22.326	31.598
3	1.638	2.353	3.182	4.541	5.841	10.213	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.767
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.090	3.291

This table is taken from Table III of Fisher & Yates: *Statistical Tables for Biological, Agricultural and Medical Research*, reprinted by permission of Addison Wesley Longman Ltd. Also from Table 12 of *Biometrika Tables for Statisticians*, Volume 1, by permission of Oxford University Press and the Biometrika Trustees.

Table 8 Percentage Points of the χ^2 Distribution

Table of $\chi^2_{\alpha,\nu}$ – the 100α percentage point of the χ^2 distribution for ν degrees of freedom.



$\alpha =$	.995	.99	.98	.975	.95	.90	.80	.75	.70	.50
$\nu = 1$	$.0^4393$	$.0^3157$	$.0^3628$	$.0^3982$	.00393	.0158	.0642	.102	.148	.455
2	.0100	.0201	.0404	.0506	.103	.211	.446	.575	.713	1.386
3	.0717	.115	.185	.216	.352	.584	1.005	1.213	1.424	2.366
4	.207	.297	.429	.484	.711	1.064	1.649	1.923	2.195	3.357
5	.412	.554	.752	.831	1.145	1.610	2.343	2.675	3.000	4.351
6	.676	.872	1.134	1.237	1.635	2.204	3.070	3.455	3.828	5.348
7	.989	1.239	1.564	1.690	2.167	2.833	3.822	4.255	4.671	6.346
8	1.344	1.646	2.032	2.180	2.733	3.490	4.594	5.071	5.527	7.344
9	1.735	2.088	2.532	2.700	3.325	4.168	5.380	5.899	6.393	8.343
10	2.156	2.558	3.059	3.247	3.940	4.865	6.179	6.737	7.267	9.342
11	2.603	3.053	3.609	3.816	4.575	5.578	6.989	7.584	8.148	10.341
12	3.074	3.571	4.178	4.404	5.226	6.304	7.807	8.438	9.034	11.340
13	3.565	4.107	4.765	5.009	5.892	7.042	8.634	9.299	9.926	12.340
14	4.075	4.660	5.368	5.629	6.571	7.790	9.467	10.165	10.821	13.339
15	4.601	5.229	5.985	6.262	7.261	8.547	10.307	11.036	11.721	14.339
16	5.142	5.812	6.614	6.908	7.962	9.312	11.152	11.912	12.624	15.338
17	5.697	6.408	7.255	7.564	8.672	10.085	12.002	12.792	13.531	16.338
18	6.265	7.015	7.906	8.231	9.390	10.865	12.857	13.675	14.440	17.338
19	6.844	7.633	8.567	8.907	10.117	11.651	13.716	14.562	15.352	18.338
20	7.434	8.260	9.237	9.591	10.851	12.443	14.578	15.452	16.266	19.337
21	8.034	8.897	9.915	10.283	11.591	13.240	15.445	16.344	17.182	20.337
22	8.643	9.542	10.600	10.982	12.338	14.041	16.314	17.240	18.101	21.337
23	9.260	10.196	11.293	11.688	13.091	14.848	17.187	18.137	19.021	22.337
24	9.886	10.856	11.992	12.401	13.848	15.659	18.062	19.037	19.943	23.337
25	10.520	11.524	12.697	13.120	14.611	16.473	18.940	19.939	20.867	24.337
26	11.160	12.198	13.409	13.844	15.379	17.292	19.820	20.843	21.792	25.336
27	11.808	12.879	14.125	14.573	16.151	18.114	20.703	21.749	22.719	26.336
28	12.461	13.565	14.847	15.308	16.928	18.939	21.588	22.657	23.647	27.336
29	13.121	14.256	15.574	16.047	17.708	19.768	22.475	23.567	24.577	28.336
30	13.787	14.953	16.306	16.791	18.493	20.599	23.364	24.478	25.508	29.336
40	20.706	22.164	23.838	24.433	26.509	29.051	32.345	33.660	34.872	39.335
50	27.991	29.707	31.664	32.357	34.764	37.689	41.449	42.942	44.313	49.335
60	35.535	37.485	39.699	40.482	43.188	46.459	50.641	52.294	53.809	59.335
70	43.275	45.442	47.893	48.758	51.739	55.329	59.898	61.698	63.346	69.334
80	51.171	53.539	56.213	57.153	60.391	64.278	69.207	71.145	72.915	79.334
90	59.196	61.754	64.634	65.646	69.126	73.291	78.558	80.625	82.511	89.334
100	67.327	70.065	73.142	74.222	77.929	82.358	87.945	90.133	92.129	99.334

For values of $\nu > 30$, approximate values of χ^2 may be obtained from the expression $\nu\left[1-\frac{2}{9\nu}\pm\frac{x}{\sigma}\sqrt{\frac{2}{9\nu}}\right]^3$ where $\frac{x}{\sigma}$ is the normal deviate cutting off the corresponding tails of a normal distribution. If $\frac{x}{\sigma}$ is taken at the 0.02 level, so that 0.01 of the normal distribution is in each tail, the expression yields χ^2 at the 0.99 and 0.01 points.

For very large values of ν, it is sufficiently accurate to compute $\sqrt{2\chi^2}$, the distribution of which is approximately normal around a mean of $\sqrt{2\nu-1}$ and with a standard deviation of 1.

Table taken from Table IV of Fisher and Yates: *Statistical Tables for Biological, Agricultural and Medical Research*, reprinted by permission of Addison Wesley Longman Ltd, and from Table 8 of *Biometrika Tables for Statisticians*, Vol. 1, by permission of Oxford Uuiversity Press and the Biometrika Trustees.

Table 8 Percentage Points of the χ^2 Distribution – continued

.30	.25	.20	.10	.05	.025	.02	.01	.005	.001	$= \alpha$
1.074	1.323	1.642	2.706	3.841	5.024	5.412	6.635	7.879	10.827	$\nu = 1$
2.408	2.773	3.219	4.605	5.991	7.378	7.824	9.210	10.597	13.815	2
3.665	4.108	4.642	6.251	7.815	9.348	9.837	11.345	12.838	16.268	3
4.878	5.385	5.989	7.779	9.488	11.143	11.668	13.277	14.860	18.465	4
6.064	6.626	7.289	9.236	11.070	12.832	13.388	15.086	16.750	20.517	5
7.231	7.841	8.558	10.645	12.592	14.449	15.033	16.812	18.548	22.457	6
8.383	9.037	9.803	12.017	14.067	16.013	16.622	18.475	20.278	24.322	7
9.524	10.219	11.030	13.362	15.507	17.535	18.168	20.090	21.955	26.125	8
10.656	11.389	12.242	14.684	16.919	19.023	19.679	21.666	23.589	27.877	9
11.781	12.549	13.442	15.987	18.307	20.483	21.161	23.209	25.188	29.588	10
12.899	13.701	14.631	17.275	19.675	21.920	22.618	24.725	26.757	31.264	11
14.011	14.845	15.812	18.549	21.026	23.337	24.054	26.217	28.300	32.909	12
15.119	15.984	16.985	19.812	22.362	24.736	25.472	27.688	29.819	34.528	13
16.222	17.117	18.151	21.064	23.685	26.119	26.873	29.141	31.319	36.123	14
17.322	18.245	19.311	22.307	24.996	27.488	28.259	30.578	32.801	37.697	15
18.418	19.369	20.465	23.542	26.296	28.845	29.633	32.000	34.267	39.252	16
19.511	20.489	21.615	24.769	27.587	30.191	30.995	33.409	35.718	40.790	17
20.601	21.605	22.760	25.989	28.869	31.526	32.346	34.805	37.156	42.312	18
21.689	22.718	23.900	27.204	30.144	32.852	33.687	36.191	38.582	43.820	19
22.775	23.828	25.038	28.412	31.410	34.170	35.020	37.566	39.997	45.315	20
23.858	24.935	26.171	29.615	32.671	35.479	36.343	38.932	41.401	46.797	21
24.939	26.039	27.301	30.813	33.924	36.781	37.659	40.289	42.796	48.268	22
26.018	27.141	28.429	32.007	35.172	38.076	38.968	41.638	44.181	49.728	23
27.096	28.241	29.553	33.196	36.415	39.364	40.270	42.980	45.558	51.179	24
28.172	29.339	30.675	34.382	37.652	40.646	41.566	44.314	46.928	52.620	25
29.246	30.434	31.795	35.563	38.885	41.923	42.856	45.642	48.290	54.052	26
30.319	31.528	32.912	36.741	40.113	43.194	44.140	46.963	49.645	55.476	27
31.391	32.620	34.027	37.916	41.337	44.461	45.419	48.278	50.993	56.893	28
32.461	33.711	35.139	39.087	42.557	45.722	46.693	49.588	52.336	58.302	29
33.530	34.800	36.250	40.256	43.773	46.979	47.962	50.892	53.672	59.703	30
44.165	45.616	47.269	51.805	55.759	59.342	60.436	63.691	66.766	73.402	40
54.723	56.334	58.164	63.167	67.505	71.420	72.613	76.154	79.490	86.661	50
65.227	66.981	68.972	74.397	79.082	83.298	84.580	88.379	91.952	99.607	60
75.689	77.577	79.715	85.527	90.531	95.023	96.388	100.425	104.215	112.317	70
86.120	88.130	90.405	96.578	101.880	106.629	108.069	112.329	116.321	124.839	80
96.524	98.650	101.054	107.565	113.145	118.136	119.648	124.116	128.299	137.208	90
106.906	109.141	111.667	118.498	124.342	129.561	131.142	135.807	140.170	149.449	100

Table 9 Percentage Points of the F Distribution

The table gives the values of $F_{\alpha;\nu_1,\nu_2}$ the 100α percentage point of the F distribution having ν_1 degrees of freedom in the numerator and ν_2 degrees of freedom in the denominator. For each pair of values of ν_1 and ν_2, $F_{\alpha;\nu_1,\nu_2}$ is tabulated for $\alpha = 0.05$, 0.025, 0.01, 0.001, the 0.025 values being bracketed.

The lower percentage points of the distribution may be obtained from the relation:

$F_{1-\alpha;\nu_1,\nu_2} = {}^1/F_{\alpha;\nu_2,\nu_1}$

Example: $F_{.95,12,8} = {}^1/F_{.05,8,12} = {}^1/_{2.85} = \underline{0.351}$



ν_2 \ ν_1	1	2	3	4	5	6	7	8	10	12	24	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	241.9	243.9	249.0	254.3
	(648)	(800)	(864)	(900)	(922)	(937)	(948)	(957)	(969)	(977)	(997)	(1018)
	4052	5000	5403	5625	5764	5859	5928	5981	6056	6106	6235	6366
	4053*	5000*	5405*	5625*	5764*	5859*	5929*	5981*	6056*	6107*	6235*	6366*
2	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.5	19.5
	(38.5)	(39.0)	(39.2)	(39.2)	(39.3)	(39.3)	(39.4)	(39.4)	(39.4)	(39.4)	(39.5)	(39.5)
	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4	99.4	99.5	99.5
	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	999.4	999.5	999.5
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.79	8.74	8.64	8.53
	(17.4)	(16.0)	(15.4)	(15.1)	(14.9)	(14.7)	(14.6)	(14.5)	(14.4)	(14.3)	(14.1)	(13.9)
	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.2	27.1	26.6	26.1
	167.0	148.5	141.1	137.1	134.6	132.8	131.5	130.6	129.2	128.3	125.9	123.5
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	5.96	5.91	5.77	5.63
	(12.22)	(10.65)	(9.98)	(9.60)	(9.36)	(9.20)	(9.07)	(8.98)	(8.84)	(8.75)	(8.51)	(8.26)
	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.5	14.4	13.9	13.5
	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.05	47.41	45.77	44.05
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.74	4.68	4.53	4.36
	(10.01)	(8.43)	(7.76)	(7.39)	(7.15)	(6.98)	(6.85)	(6.76)	(6.62)	(6.52)	(6.28)	(6.02)
	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.05	9.89	9.47	9.02
	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	26.92	26.42	25.14	23.79
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.06	4.00	3.84	3.67
	(8.81)	(7.26)	(6.60)	(6.23)	(5.99)	(5.82)	(5.70)	(5.60)	(5.46)	(5.37)	(5.12)	(4.85)
	13.74	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.87	7.72	7.31	6.88
	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.41	17.99	16.90	15.75
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.64	3.57	3.41	3.23
	(8.07	(6.54)	(5.89)	(5.52)	(5.29)	(5.12)	(4.99)	(4.90)	(4.76)	(4.67)	(4.42)	(4.14)
	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.62	6.47	6.07	5.65
	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.08	13.71	12.73	11.70
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.35	3.28	3.12	2.93
	(7.57)	(6.06)	(5.42)	(5.05)	(4.82)	(4.65)	(4.53)	(4.43)	(4.30)	(4.20)	(3.95)	(3.67)
	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.81	5.67	5.28	4.86
	25.42	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.54	11.19	10.30	9.34
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.14	3.07	2.90	2.71
	(7.21)	(5.71)	(5.08)	(4.72)	(4.48)	(4.32)	(4.20)	(4.10)	(3.96)	(3.87)	(3.61)	(3.33)
	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.26	5.11	4.73	4.31
	22.86	16.39	13.90	12.56	11.71	11.13	10.69	10.37	9.87	9.57	8.72	7.81
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	2.98	2.91	2.74	2.54
	(6.94)	(5.46)	(4.83)	(4.47)	(4.24)	(4.07)	(3.95)	(3.85)	(3.72)	(3.62)	(3.37)	(3.08)
	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.85	4.71	4.33	3.91
	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.74	8.44	7.64	6.76
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.85	2.79	2.61	2.40
	(6.72)	(5.26)	(4.63)	(4.28)	(4.04)	(3.88)	(3.76)	(3.66)	(3.53)	(3.43)	(3.17)	(2.88)
	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.54	4.40	4.02	3.60
	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	7.92	7.63	6.85	6.00
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.75	2.69	2.51	2.30
	(6.55)	(5.10)	(4.47)	(4.12)	(3.89)	(3.73)	(3.61)	(3.51)	(3.37)	(3.28)	(3.02)	(2.72)
	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.30	4.16	3.78	3.36
	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.29	7.00	6.25	5.42

* Entries marked thus must be multiplied by 100

Table 9 Percentage Points of the F Distribution - continued

ν_2 \ ν_1	1	2	3	4	5	6	7	8	10	12	24	∞
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.67	2.60	2.42	2.21
	(6.41)	(4.97)	(4.35)	(4.00)	(3.77)	(3.60)	(3.48)	(3.39)	(3.25)	(3.15)	(2.89)	(2.60)
	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.10	3.96	3.59	3.17
	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.80	6.52	5.78	4.97
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.60	2.53	2.35	2.13
	(6.30)	(4.86)	(4.24)	(3.89)	(3.66)	(3.50)	(3.38)	(3.29)	(3.15)	(3.05)	(2.79)	(2.49)
	8.86	6.51	5.56	5.04	4.70	4.46	4.28	4.14	3.94	3.80	3.43	3.00
	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.40	6.13	5.41	4.60
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.49	2.42	2.24	2.01
	(6.12)	(4.69)	(4.08)	(3.73)	(3.50)	(3.34)	(3.22)	(3.12)	(2.99)	(2.89)	(2.63)	(2.32)
	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.69	3.55	3.18	2.75
	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.81	5.55	4.85	4.06
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.41	2.34	2.15	1.92
	(5.98)	(4.56)	(3.95)	(3.61)	(3.38)	(3.22)	(3.10)	(3.01)	(2.87)	(2.77)	(2.50)	(2.19)
	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.51	3.37	3.00	2.57
	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.39	5.13	4.45	3.67
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.35	2.28	2.08	1.84
	(5.87)	(4.46)	(3.86)	(3.51)	(3.29)	(3.13)	(3.01)	(2.91)	(2.77)	(2.68)	(2.41)	(2.09)
	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.37	3.23	2.86	2.42
	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.08	4.82	4.15	3.38
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.30	2.23	2.03	1.78
	(5.79)	(4.38)	(3.78)	(3.44)	(3.22)	(3.05)	(2.93)	(2.84)	(2.70)	(2.60)	(2.33)	(2.00)
	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.26	3.12	2.75	2.31
	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.83	4.58	3.92	3.15
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.25	2.18	1.98	1.73
	(5.72)	(4.32)	(3.72	(3.38)	(3.15)	(2.99)	(2.87)	(2.78)	(2.64)	(2.54)	(2.27)	(1.94)
	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.17	3.03	2.66	2.21
	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.64	4.39	3.74	2.97
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.22	2.15	1.95	1.69
	(5.66)	(4.27)	(3.67)	(3.33)	(3.10)	(2.94)	(2.82)	(2.73)	(2.59)	(2.49)	(2.22)	(1.88)
	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.09	2.96	2.58	2.13
	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.48	4.24	3.59	2.82
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.19	2.12	1.91	1.65
	(5.61)	(4.22)	(3.63)	(3.29)	(3.06)	(2.90)	(2.78)	(2.69)	(2.55)	(2.45)	(2.17)	(1.83)
	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.03	2.90	2.52	2.06
	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.35	4.11	3.46	2.69
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.16	2.09	1.89	1.62
	(5.57)	(4.18)	(3.59)	(3.25)	(3.03)	(2.87)	(2.75)	(2.65)	(2.51)	(2.41)	(2.14)	(1.79)
	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	2.98	2.84	2.47	2.01
	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.24	4.00	3.36	2.59
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.08	2.00	1.79	1.51
	(5.42)	(4.05)	(3.46)	(3.13)	(2.90)	(2.74)	(2.62)	(2.53)	(2.39)	(2.29)	(2.01)	(1.64)
	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.80	2.66	2.29	1.80
	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	3.87	3.64	3.01	2.23
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	1.99	1.92	1.70	1.39
	(5.29)	(3.93)	(3.34)	(3.01)	(2.79)	(2.63)	(2.51)	(2.41)	(2.27)	(2.17)	(1.88)	(1.48)
	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.63	2.50	2.12	1.60
	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.54	3.32	2.69	1.89
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.91	1.83	1.61	1.25
	(5.15)	(3.80)	(3.23)	(2.89)	(2.67)	(2.52)	(2.39)	(2.30)	(2.16)	(2.05)	(1.76)	(1.31)
	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.47	2.34	1.95	1.38
	11.38	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.24	3.02	2.40	1.54
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.83	1.75	1.52	1.00
	(5.02)	(3.69)	(3.12)	(2.79)	(2.57)	(2.41)	(2.29)	(2.19)	(2.05)	(1.94)	(1.64)	(1.00)
	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.32	2.18	1.79	1.00
	10.83	6.91	5.42	4.62	4.10	3.74	3.47	3.27	2.96	2.74	2.13	1.00

This table is taken from Table V of Fisher & Yates: *Statistical Tables for Biological, Agricultural and Medical Research*, reprinted by permission of Addison Wesley Longman Ltd and also from Table 18 of *Biometrika Tables for Statisticians*, Volume 1, by permission of Oxford University Press and the Biometrika Trustees.