

Continuous Random variables

- Previously we have been studying discrete random variables, such as the Binomial and the Poisson random variables.
- Now we turn our attention to continuous random variables.
- Recall that a continuous random variable is one which takes an infinite number of possible values, rather than just a countable number of distinct values.
- Continuous random variables are usually measurements.
- Examples include height, weight, the amount of sugar in an orange, the time required to run a mile.

Continuous Random Variable

A continuous random variable is one which takes an infinite number of possible values. Continuous random variables are usually measurements. Examples include height, weight, the amount of sugar in an orange, the time required to run a mile.

In this module, we will look at random variables from the following distributions

- Continuous uniform probability distribution
- Exponential probability distribution
- Normal probability distribution

Before this, we will look at some important concepts.

Remarks: This is for continuous distributions only.


- The probability that a continuous random variable will take an exact value is infinitely small. We will usually treat it as if it was zero.
- When we write probabilities for continuous random variables in mathematical notation, we often retain the equality component (i.e. the "...or equal to.."). For example, we would write expressions $P(X \leq 2)$ or $P(X \geq 5)$.
- Because the probability of an exact value is almost zero, these two expressions are equivalent to $P(X < 2)$ or $P(X > 5)$.
- Also, the complement of $P(X \geq k)$ can be written as $P(X < k)$.

Mathematical Preliminaries

- Integration is not part of the syllabus, and it is assumed that students are not familiar with how to compute definite integrals.
- However, it is useful to know what the purpose of definite integrals are, because we will be using the results derived from definite integrals.
- It is assumed that students are familiar with functions.

Definite Integral

- Definite integrals are used to compute the “*area under curves*”.
- Definite integrals are defined by a lower and upper limit.
- The area under the curve between $X=1$ and $X=2$ is depicted in the previous slide.
- By computing the definite integral, we are able to determine a value for this area.
- Probability can be represented as an area under a curve.



Probability Density Function

- In probability theory, a ***probability density function*** (PDF) (or “density” for short) of a continuous random variable is a function that describes the relative likelihood for this random variable to occur at a given point.
- The PDF for a continuous random variable X is often denoted $f(x)$.
- The probability density function can be integrated to obtain the probability that the random variable takes a value in a given interval.
- The probability for the random variable to fall within a particular interval is given by the integral of this variable’s density over the region.
- The probability density function is non-negative everywhere, and its integral over the entire space is equal to one.

Density Curves

- A plot of the PDF is referred to as a '*density curve*'.
- A density curve that is always on or above the horizontal axis and has total area underneath equal to one.
- Area under the curve in a range of values indicates the proportion of values in that range.
- Density curves come in a variety of shapes, but the normal distribution's bell-shaped densities are perhaps the most commonly encountered.
- Remember the density is only an approximation, but it simplifies analysis and is generally accurate enough for practical use.


The Cumulative Distribution Function

Recall:

- The *cumulative distribution function* (CDF), (or just distribution function), describes the probability that a continuous random variable X with a given probability distribution will be found at a value less than or equal to x .

$$F(x) = P(X \leq x)$$

- Intuitively, it is the “area so far” function of the probability distribution.



Cumulative Distribution Function $P(Z \leq 1)$

Here the random variable is called Z (we will see why later)