

PostgreSQL Tables for Dragonite bot

1. dict

- user defined dictionary that is guild exclusive
- def is the definition of the word
- date is the date the word was defined
- id is the discord id of the member that defined the word
- guildid is the server id where the word was defined

	word text	def text	date text	id bigint	guildid bigint
1	re:zero	mine	July 20...	1332424192	96842991647
2	el wiwi	https:/...	July 20...	1332424192	10905422848
3	anime ...	https:/...	July 20...	1332424192	10905422848
4	bro	https:/...	July 20...	1332424192	10905422848
5	wink	<a:iroh...	July 20...	1332424192	10905422848
6	skitty	https:/...	July 20...	1332424192	10905422848
7	identity		July 21...	1332424192	96842991647
8	<a:char...	charm...	July 21...	1332424192	10905422848
9	charm...	<a:cha...	July 21...	1332424192	10905422848
10	test	https:/...	July 21...	1332424192	10905422848
11	duralu...	https:/...	July 21...	1332424192	10905422848
12






2. guilds

- contains the prefix used for each guild

	guild_id bigint	prefix text
1	952061480961	,
2	740905422848	.
3	796842991647	.
4	103802652701	.

3. Message

- for sending remind messages to users
- more information in message.py under the remind command

	Data Output	Explain	Messages	Notifications	
	 id bigint	 msg text[]	 nrm boolean	 archive text[]	 blocks bigint[]
1	1394505728	{}	false	{"Satella#4...	{}
2	3112254464	{}	false	{"Satella#4...	{}
3	5164555798	{}	false	{"Satella#4...	{}
4	7582756874	{}	false	{"Satella#4...	{}
5	3079126528	{}	false	{"Satella#4...	{}
6	5457443328	{}	false	{"Satella#4...	{}
7	1696666624	{}	false	{"Satella#4...	{}
8	1332424192	{}	false	{"Satella#4...	{}
9	5621551104	{}	false	{"Satella#4...	{}
10	3815613571	{}	false	{"間。 #896...	{}
11	2720721920	{}	false	{"Satella#4...	{}
12	3865555136	{}	false	{"Satella#4...	{}

4. TCG

- userid is the discord id of the user
- pid is the pokemon id of the card
- amount is how many cards the user owns of that pokemon

	Data Output	Explain	Messages	Notifications
	userid bigint	pid integer	amount integer	
1	1332424192	78	1	
2	1332424192	691	1	
3	1332424192	610	1	
4	1332424192	192	1	
5	1332424192	242	1	
6	3112254464	711	1	
7	1332424192	66	1	
8	1332424192	540	1	
9	1332424192	85	1	
10	1332424192	722	1	
11	1332424192	786	1	


5. Trainer

For catching other discord members

-trainer is the discord member id




-mons 1 through 3 is the party of the discord member id

-guildid is the server of the discord member who has mons 1 through 3 in their party

Data Output		Explain	Messages	Notifications	
	trainer bigint	mon1 bigint	mon2 bigint	mon3 bigint	guild bigint
1	8089197578	[null]	[null]	[null]	905422848
2	9414416384	[null]	[null]	[null]	905422848
3	7892803585	[null]	[null]	[null]	905422848
4	7524334592	[null]	[null]	[null]	905422848
5	8813983745	[null]	[null]	[null]	905422848
6	3112254464	[null]	[null]	[null]	905422848
7	2720721920	[null]	[null]	[null]	842991647
8	0555825162	[null]	[null]	[null]	905422848
9	8079126528	[null]	[null]	[null]	905422848

6. tusage

-Only stores the number of times a reminder was sent. This means 48 reminders have been sent. When a reminder is sent, the bot informs the user the reminder message their message is associated with.

	Data Output	Explain	Messages	Notifications
	 cmd text	 usage bigint	 id bigint	
1	rm	48	[null]	

7. users

- Stores the bag of a user, gald, command usage (usage), level
- gald is money currency
- pball are pokeballs
- gball are great balls
- uball are ultra balls
- mballs are master balls

[illegible]