llert

Project Report November 30, 2018

Luke Duhe
JJ Juarez
Drake Lambert
Kevin Phan
Sam Miller
Tristan Miller
Timothy Ratliff
Steven Vondenstein
William Woodfin

Contents

1		abase Design		
	1.1	Introduction		
	1.2	ER Diagram		
	1.3	Identified Constraints		
	1.4	Assumptions About the Domain		
	1.5	Database Design Process		
	1.6	Ollert's tables		
2	Database Implementation			
	2.1	Create Table Statements		
	2.2	Insert Statements		
	2.3	Data manipulation statements		
3	Inde	ex		

1 Database Design

1.1 Introduction

1.2 ER Diagram

1.3 Identified Constraints

- Every application user must have both a username and a password
- Usernames must be unique
- Every board must have a title and must be associated with an existing owner
- Every comment must have an owner
- Every comment must have a time and text
- Every comment must be associated with an existing task
- Every list must have a title and must be associated with an existing board
- Every task must be associated with an existing list
- Every entity in every table has a unique id

1.4 Assumptions About the Domain

• Users should only have access to the boards they are members of

1.5 Database Design Process

1.6 Ollert's tables

1.6.1 Functional Dependencies

1.6.2 Primary Keys

- ApplicationUser
 - ApplicationUser.Id
- Board
 - Board.Id
- BoardMember
 - none
- List
 - List.Id

- Task
 - Task. Id
- TaskAssignee
 - none
- \bullet Comment
 - Comment.Id

1.6.3 Foreign Keys

- \bullet Board
 - $-\,$ Application User.Id
- BoardMember
 - Board.Id
 - ApplicationUser.Id
- List
 - Board.Id
- Task
 - List.Id
- \bullet TaskAssignee
 - Task. Id
 - ApplicationUser.Id
- Comment
 - Task. Id
 - ApplicationUser.Id

2 Database Implementation

2.1 Create Table Statements

```
create table ApplicationUser(
   Id char(32),
   Username varchar(100) not null,
   Passwordhash varchar(100) not null,
   primary key ( Id )
  );
```

Listing 1: ApplicationUser Table Creation Statement

```
create table Board(
    Id char(32),
    Title varchar(100) not null,
    OwnerId char(32),
    primary key ( id ),
    foreign key ( OwnerId ) references ApplicationUser( Id )
);
```

Listing 2: Board Table Creation Statement

```
create table BoardMember(
BoardId char(32),
MemberId char(32),
foreign key ( BoardId ) references Board( Id ),
foreign key ( MemberId ) references ApplicationUser( Id )
);
```

Listing 3: BoardMember Table Creation Statement

```
create table List(
   Id char(32),
   Title varchar(100) not null,
   BoardPosition int not null,
   BoardId char(32),
   primary key ( id ),
   foreign key ( BoardId ) references Board( Id )
);
```

Listing 4: List Table Creation Statement

```
create table Task(
Id char(32),
Title varchar(100) not null,
Descriptor varchar(500) not null,
DueDate datetimeoffset,
ListId char(32),
primary key (id),
```

```
s foreign key ( ListId ) references List( Id )
9 )
```

Listing 5: Task Table Creation Statement

```
create table TaskAssignee(
TaskId char(32),
AssigneeId char(32),
foreign key ( TaskId ) references Task( Id ),
foreign key ( AssigneeId ) references ApplicationUser( Id )

AssigneeId )
```

Listing 6: TaskAssignee Table Creation Statement

```
create table Comment(
    Id char(32),
    TimeCreated datetimeoffset not null,
    MessageText varchar(100) not null,
    TaskId char(32),
    OwnerId char(32),
    primary key ( id ),
    foreign key ( TaskId ) references Task( Id ),
    foreign key ( OwnerId ) references ApplicationUser( Id )
    )
```

Listing 7: Comment Table Creation Statement

2.2 Insert Statements

```
insert into ApplicationUser values ("19843875-6077-49", "Walter
Rogers", "168
E5F6A717237FB2232A8AFE2DAAE3F8D582C5D4CC0EAA268F05F420F1EC421")
;

insert into ApplicationUser values ("372a9ad5-4952-44", "Jean
Bryant", "
DAB12D7BB613EAC0304D9917738729FB37B60EBB1FB59FC9493ED64733CCE3BA");
```

Listing 8: ApplicationUser Insert Statements

Listing 9: Board Insert Statements

```
insert into BoardMember values ("fdd8f8a8-0d53-4f", " 19843875-6077-49");
```

```
insert into BoardMember values ("bbdd7100-cd10-41", "372a9ad5-4952-44");

Listing 10: BoardMember Insert Statements

insert into List values ("64251244-40f5-45", "Admin Website", 2, "bbdd7100-cd10-41");

insert into List values ("a583557a-3d83-4a", "Art Design", 0, "
```

Listing 11: List Insert Statements

```
insert into Task values ("e01479d6-6019-4a", "Database Design", "
    Design a robust database schema for storing all the data in our
    app.", "20180120 09:00:00 +10:00", "0e72d679-da23-41");

insert into Task values ("d46993c0-ce64-46", "Story Design", "
    Write a fun story for the game.", "20180620 09:00:00 +10:00", "
    a583557a-3d83-4a");
```

Listing 12: Task Insert Statements

Listing 13: TaskAssignee Insert Statements

Listing 14: Comment Insert Statements

- 2.3 Data manipulation statements
- 2.3.1 Select statements

 $62376 \,\mathrm{bd0} - 6 \,\mathrm{ecc} - 4 \,\mathrm{f"}$);

- 2.3.2 Other Statements
- 2.3.3 Update statements

3 Index

Listings

2	Board Table Creation Statement
3	BoardMember Table Creation Statement
4	List Table Creation Statement
5	Task Table Creation Statement
6	TaskAssignee Table Creation Statement
7	Comment Table Creation Statement
8	ApplicationUser Insert Statements
9	Board Insert Statements
10	BoardMember Insert Statements
11	List Insert Statements
12	Task Insert Statements
13	TaskAssignee Insert Statements
14	Comment Insert Statements