

Лабораторная работа 5

Тема: обучение на основе временных различий.

Среда: `CartPole-v1` из Gymnasium. Для табличных методов непрерывное состояние дискретизируется по корзинам.

```
In [1]: import importlib.util
import subprocess
import sys

def ensure(package, import_name=None):
    import_name = import_name or package
    if importlib.util.find_spec(import_name) is None:
        subprocess.check_call([sys.executable, '-m', 'pip', 'install', '-q',
                                package])

for package, import_name in [('numpy', 'numpy'), ('matplotlib', 'matplotlib')]:
    ensure(package, import_name)

import time
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
import gymnasium as gym

ENV_NAME = 'CartPole-v1'
RANDOM_STATE = 42
```

```
In [2]: bins = [
    np.linspace(-2.4, 2.4, 3)[1:-1],
    np.linspace(-3.0, 3.0, 3)[1:-1],
    np.linspace(-0.2095, 0.2095, 9)[1:-1],
    np.linspace(-3.0, 3.0, 9)[1:-1],
]
state_shape = tuple(len(b) + 1 for b in bins)
n_actions = 2

def discretize_observation(obs):
    clipped = np.clip(obs, [-2.4, -3.0, -0.2095, -3.0], [2.4, 3.0, 0.2095, 3.0])
    return tuple(int(np.digitize(clipped[i], bins[i])) for i in range(4))

def epsilon_greedy(q_values, state, epsilon, rng):
    if rng.random() < epsilon:
        return int(rng.integers(n_actions))
    return int(np.argmax(q_values[state]))

def moving_average(values, window=25):
```

```

values = np.asarray(values, dtype=float)
if len(values) < window:
    return values
kernel = np.ones(window) / window
return np.convolve(values, kernel, mode='valid')

state_shape, np.prod(state_shape)

```

Out[2]: ((2, 2, 8, 8), np.int64(256))

```

In [3]: def train_sarsa(episodes=1500, alpha=0.18, gamma=0.99):
    env = gym.make(ENV_NAME)
    rng = np.random.default_rng(RANDOM_STATE)
    q = np.zeros(state_shape + (n_actions,))
    rewards = []
    started = time.perf_counter()

    for episode in range(episodes):
        obs, _ = env.reset(seed=1000 + episode)
        state = discretize_observation(obs)
        epsilon = max(0.02, np.exp(-episode / 500))
        action = epsilon_greedy(q, state, epsilon, rng)
        total_reward = 0.0

        for _ in range(500):
            next_obs, reward, terminated, truncated, _ = env.step(action)
            done = terminated or truncated
            next_state = discretize_observation(next_obs)
            next_action = epsilon_greedy(q, next_state, epsilon, rng)
            target = reward if done else reward + gamma * q[next_state + (next_action,)]
            q[state + (action,)] += alpha * (target - q[state + (action,)])
            state, action = next_state, next_action
            total_reward += reward
            if done:
                break
        rewards.append(total_reward)

    env.close()
    return {'name': 'SARSA', 'q': q, 'rewards': rewards, 'time_sec': time.perf_counter() - started}

```

```

In [4]: def train_q_learning(episodes=1500, alpha=0.18, gamma=0.99):
    env = gym.make(ENV_NAME)
    rng = np.random.default_rng(RANDOM_STATE + 1)
    q = np.zeros(state_shape + (n_actions,))
    rewards = []
    started = time.perf_counter()

    for episode in range(episodes):
        obs, _ = env.reset(seed=2000 + episode)
        state = discretize_observation(obs)
        epsilon = max(0.02, np.exp(-episode / 500))
        total_reward = 0.0

        for _ in range(500):
            action = epsilon_greedy(q, state, epsilon, rng)

```

```

        next_obs, reward, terminated, truncated, _ = env.step(action)
        done = terminated or truncated
        next_state = discretize_observation(next_obs)
        target = reward if done else reward + gamma * np.max(q[next_state],)
        q[state + (action,)] += alpha * (target - q[state + (action,)])
        state = next_state
        total_reward += reward
        if done:
            break
    rewards.append(total_reward)

env.close()
return {'name': 'Q-learning', 'q': q, 'rewards': rewards, 'time_sec': time}

```

```

In [5]: def train_double_q_learning(epochs=1500, alpha=0.18, gamma=0.99):
    env = gym.make(ENV_NAME)
    rng = np.random.default_rng(RANDOM_STATE + 2)
    q1 = np.zeros(state_shape + (n_actions,))
    q2 = np.zeros_like(q1)
    rewards = []
    started = time.perf_counter()

    for episode in range(epochs):
        obs, _ = env.reset(seed=3000 + episode)
        state = discretize_observation(obs)
        epsilon = max(0.02, np.exp(-episode / 500))
        total_reward = 0.0

        for _ in range(500):
            action = epsilon_greedy(q1 + q2, state, epsilon, rng)
            next_obs, reward, terminated, truncated, _ = env.step(action)
            done = terminated or truncated
            next_state = discretize_observation(next_obs)

            if rng.random() < 0.5:
                best = int(np.argmax(q1[next_state]))
                target = reward if done else reward + gamma * q2[next_state, best]
                q1[state + (action,)] += alpha * (target - q1[state + (action, best)])
            else:
                best = int(np.argmax(q2[next_state]))
                target = reward if done else reward + gamma * q1[next_state, best]
                q2[state + (action,)] += alpha * (target - q2[state + (action, best)])

            state = next_state
            total_reward += reward
            if done:
                break
        rewards.append(total_reward)

    env.close()
    return {'name': 'Double Q-learning', 'q': q1 + q2, 'rewards': rewards, 'time_sec': time}

```

```

In [6]: results = [train_sarsa(), train_q_learning(), train_double_q_learning()]
summary = []
for result in results:

```

```

rewards = np.array(result['rewards'])
summary.append({
    'algorithm': result['name'],
    'mean_reward_last_50': rewards[-50:].mean(),
    'best_reward': rewards.max(),
    'time_sec': result['time_sec'],
})

import pandas as pd
pd.DataFrame(summary).round(2)

```

Out [6]:


	algorithm	mean_reward_last_50	best_reward	time_sec
0	SARSA	207.34	500.0	3.68
1	Q-learning	212.44	500.0	3.72
2	Double Q-learning	282.86	500.0	3.30

In [7]:

```

fig, ax = plt.subplots(figsize=(8, 4))
for result in results:
    ma = moving_average(result['rewards'], window=25)
    ax.plot(np.arange(len(ma)), ma, label=result['name'])
ax.set_xlabel('Эпизод')
ax.set_ylabel('Средняя награда, окно 25')
ax.set_title('Сравнение TD-алгоритмов')
ax.legend()
plt.show()

```



In [8]:

```

def evaluate_policy(q_values, episodes=20):
    env = gym.make(ENV_NAME)
    rewards = []
    for episode in range(episodes):
        obs, _ = env.reset(seed=5000 + episode)
        state = discretize_observation(obs)

```

```

total = 0.0
for _ in range(500):
    action = int(np.argmax(q_values[state]))
    obs, reward, terminated, truncated, _ = env.step(action)
    state = discretize_observation(obs)
    total += reward
    if terminated or truncated:
        break
    rewards.append(total)
env.close()
return np.mean(rewards), np.std(rewards)

evaluation = []
for result in results:
    mean_score, std_score = evaluate_policy(result['q'])
    evaluation.append({'algorithm': result['name'], 'eval_mean': mean_score,

pd.DataFrame(evaluation).round(2)

```

Out[8]:

	algorithm	eval_mean	eval_std
0	SARSA	125.75	19.83
1	Q-learning	293.95	71.72
2	Double Q-learning	199.80	148.55