

---

**Ardelean Octavian**  
**30432**

---

**Wedding Planner App**  
**Use-Case Model**

**Version <1.0>**

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_BookService.docx	

## Revision History

Date	Version	Description	Author
<30/MAR/2019>	<1.0>	Initial Use-Case Model	Ardelean Octavian Ioan

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_BookService.docx	

## Table of Contents

1. Use-Cases Identification	4
2. UML Use-Case Diagrams	5

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_BookService.docx	

# Use-Case Model

## 1. Use-Cases Identification

**Use case:** Book a service

**Level:** user goal

**Primary actor:** Person looking to organize a wedding

**Main success scenario:**

1. The user opens the application
2. The system prompts the user to log in
3. The user writes his credentials and presses login.
4. The system accepts his credentials.
5. The user is redirected to the home page.
6. The user clicks on "Browse Services".
7. The system displays services from its database
8. The user selects a desired service.
9. The user selects an available date.
10. The user books the service for the desired date.
11. The user waits for the confirmation.
12. The database updates the service.

**Extensions:**

- 3'. The system rejects the users credentials.
- 11'. If the user does not receive a confirmation, a message will be displayed.

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_BookService.docx	

## 2. UML Use-Case Diagrams

