# $Hjerne\_FET\_PET\_Stat\_LM\_6.MlAdult\_PET6$

30. maj 2013

## Indhold

1				
	1.1	Routine	1	
	1.2	Scan	1	
<b>2</b>	$\mathbf{AC}$	CT Brain	1	
	2.1	Routine	1	
	2.2	Scan	1	
	2.3	Recons	2	
		2.3.1 Recon 1	2	
3	Pau	${f se}$	2	
4	PE	Γ Brain	<b>2</b>	
	4.1		2	
	4.2	Scan	2	
	4.3	Recons	3	
		4.3.1 Recon 1	3	

## 1 Topogram

#### 1.1 Routine

mA: 35kV: 120

Topogram length: 256 mmTube position: Lateral

#### 1.2 Scan

mA: 35kV: 120Delay: 4s

Topogram length: 256 mmDirection: CraniocaudalTube position: Lateral

• API: None

• Kernel: 20s standar

• Window: Topogram Head

## 2 AC CT Brain

#### 2.1 Routine

• Eff. mAs: 30

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

CTDlvol: 4.71218mGyScan time: 11.230 s

Delay: 4.000 sSlice: 3.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

#### 2.2 Scan

• Quality ref. mAs: 380

• Eff. mAs: 30

• kV: 120

Scan time: 11.230 sRotation time: 1.000 s

Delay: 4.000 sSlice: 3.00 mmPitch: 1.2000000

• Direction: Caudocranial

#### 2.3 Recons

#### 2.3.1 Recon 1

• Series description: AC CT

• Slice: 3.00

• Kernel: H19s PET very smooth

Window: CerebrumExtended FoV: Off

FoV: 300Center X: 0Center Y: 0Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

Image order: CaudocranialRecon increment: 3.000

• No. of images: 74

## 3 Pause

## 4 PET Brain

#### 4.1 Routine

Isotope: F-18Pharm.: FET

• Inj. Dose: 1 MegaBequerels

• Scan mode: List mode

• Scan range: Match CT FOV

• No. of beds: 1

• Scan duration/bed: 20 Minutes

#### 4.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: List mode

 $\bullet\,$  Sinogram mode: Trues

• Input trigger signal: None

LLD (keV): 435ULD (keV): 650

### 4.3 Recons

#### 4.3.1 Recon 1

• Series description: PET FET Brain corrected

Recon range (bed): -1 to -1
Output image type: NoRecon
Recon method: Iterative3D

Iterations: 6Subsets: 16Image size: 336

• Zoom: 3

Filter: GaussianFWHM (mm): 3Offset X: 0 mmOffset Y: 0 mm

• Attenuation correction: On (1)

• Scatter correction: On

Match CT slice location: OnSave intermediate data: Off