3_PET_AC_LM_FET_Brain.Adult_PET4

17. november 2012

Indhold

| 1 | Topogram 1 | | | | |
|----------|------------|---------------|---|--|--|
| | 1.1 | Routine | 1 | | |
| | 1.2 | Scan |] | | |
| 2 | Lav | dosis CT | 1 | | |
| | 2.1 | Routine | 1 | | |
| | 2.2 | Scan | 2 | | |
| | 2.3 | Recons | 2 | | |
| | | 2.3.1 Recon 1 | 2 | | |
| | | 2.3.2 Recon 2 | • | | |
| 3 | Pau | ${f se}$ | 4 | | |
| 4 | PE | Γ Brain LM | 4 | | |
| | 4.1 | Routine | 4 | | |
| | 4.2 | Scan | 4 | | |
| | 4.3 | Recons | 1 | | |
| | | 4.3.1 Recon 1 | 1 | | |
| | | 4.3.2 Recon 2 | 1 | | |
| | | 4.3.3 Recon 3 | 6 | | |

1 Topogram

1.1 Routine

• mA: 35

• kV: 120

• Topogram length: 256 mm

• Tube position: Lateral

1.2 Scan

• mA: 35

• kV: 120

• Delay: 4s

• Topogram length: 256 mm

• Direction: Craniocaudal

• Tube position: Lateral

• API: API

• Kernel: 20

• Window: Topogram

2 Lavdosis CT

2.1 Routine

• Eff. mAs: 30

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

• CTDlvol: 5.124mGy

• Scan time: 26.200 s

• Delay: 2.000 s

• Slice: 3 mm

 \bullet No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 350

• Eff. mAs: 30

• kV: 120

 \bullet Scan time: 26.200 s

• Rotation time: 1.000 s

• Delay: 2.000 s

• Slice: 3 mm

• Pitch: 1.50

• Direction: Caudocranial

2.3 Recons

2.3.1 Recon 1

• Series description: tmp Lavdosis CT RTD

 \bullet Slice: 5

• Kernel: H19s

• Window: Cerebrum

• Extended FoV: Off

• FoV: 300

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 5.000

• No. of images: 45

2.3.2 Recon 2

• Series description: AC Lavdosis CT

• Slice: 3

• Kernel: H19s

• Window: Cerebrum

• Extended FoV: Off

• FoV: 300

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 3.000

• No. of images: 74

3 Pause

4 PET Brain LM

4.1 Routine

• Isotope: F-18

• Pharm.: FET

• Inj. Dose: 185000000.0 Bequerels

• Inj. date (date/month - year): 19/12 - 2011

• Inj. time: 15:31:35

• Scan mode: List mode

• Scan range: Match CT FOV

• No. of beds: Not given. Check recon range

• Scan duration/bed: 20.000000 Minutes

4.2 Scan

• Autoload: Off

• Rebinner LUT: N/A

• Scan output: List mode

• Sinogram mode: false

• Input trigger signal: None

• LLD (keV): N/A

• ULD (keV): N/A

4.3 Recons

4.3.1 Recon 1

- Series description: FET stat 1 mm
- Recon range (bed): Automatic/All/dunno
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 12
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 1.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

4.3.2 Recon 2

- Series description: FET stat 5 mm
- Recon range (bed): Automatic/All/dunno
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 12

- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 5.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

4.3.3 Recon 3

- Series description: FET stat 4Fdyn 5 mm
- Recon range (bed): Automatic/All/dunno
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 12
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 5.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off