# 21\_PET\_AC\_Brain\_LM\_ACI.MlAdult\_PET5

27. februar 2013

# Indhold

1	Top	ogram
	1.1	Routine
	1.2	Scan
2	$\mathbf{CT}$	Brain
	2.1	Routine
	2.2	Scan
	2.3	Recons
		2.3.1 Recon 1
		2.3.2 Recon 2
3	Pau	se
4	PE	Γ Brain 1
	4.1	Routine
	4.2	Scan
	4.3	Recons
		4.3.1 Recon 1

## 1 Topogram

## 1.1 Routine

• mA: 35

• kV: 120

• Topogram length: 256 mm

• Tube position: Lateral

#### 1.2 Scan

• mA: 35

• kV: 120

• Delay: 4s

• Topogram length: 256 mm

• Direction: Craniocaudal

• Tube position: Lateral

• API: None

• Kernel: 80s shar

• Window: Topogram Body

## 2 CT Brain

## 2.1 Routine

• Eff. mAs: 55

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 3.71345mGy

• Scan time: 18.670 s

• Delay: 4.000 s

• Slice: 5.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

## 2.2 Scan

• Quality ref. mAs: 55

• Eff. mAs: 55

• kV: 120

 $\bullet$  Scan time: 18.670 s

• Rotation time: 0.500 s

• Delay: 4.000 s

• Slice: 5.00 mm

• Pitch: 0.8000000

• Direction: Craniocaudal

## 2.3 Recons

#### 2.3.1 Recon 1

• Series description: AC CT efov 700

• Slice: 5.00

• Kernel: B19f PET very smooth

• Window: Cerebrum

• Extended FoV: On

• FoV: 700

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 274

#### 2.3.2 Recon 2

• Series description: AC CT fov 500

• Slice: 5.00

• Kernel: B19f PET very smooth

• Window: Cerebrum

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 274

## 3 Pause

## 4 PET Brain 1

### 4.1 Routine

- Isotope: F-18
- Pharm.: Florbetaben
- Inj. Dose: 300 MegaBequerels
- Scan mode: List mode
- Scan range: Match CT FOV
- No. of beds: 1
- Scan duration/bed: 20 Minutes

### 4.2 Scan

- Autoload: On
- Rebinner LUT: Off
- Scan output: List mode
- Sinogram mode: Trues
- Input trigger signal: None
- LLD (keV): 435
- ULD (keV): 650

#### 4.3 Recons

#### 4.3.1 Recon 1

- Series description: PET Brain 1 Corrected
- Recon range (bed): -1 to -1
- Output image type: NoRecon

• Recon method: Iterative

 $\bullet$  Iterations: 4

• Subsets: 14

• Image size: 128

• Zoom: 2

• Filter: Gaussian

• FWHM (mm): 5

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: On (1)

• Scatter correction: On

• Match CT slice location: On

• Save intermediate data: Off