# $4\_PET\_CT\_WB\_FDG\_Terapi\_IV\_Breathold.Adult\_PET4$

23. januar 2013

## Indhold

| 1 | <b>Top</b> 1.1 1.2       | gram   1     Routine   1     Scan   1  |
|---|--------------------------|--|
| 2 | Pre: 2.1 2.2 2.3         | Ionitoring 1   Routine 1   Scan 2   Recons 2   2.3.1 Recon 1 2   |
| 3 | Moi<br>3.1<br>3.2<br>3.3 | toring 3   Routine 3   Scan 4   Recons 4   3.3.1 Recon 1 4   |
| 4 | WB<br>4.1<br>4.2<br>4.3  | CT 5   Routine 5   Scan 5   Recons 6   4.3.1 Recon 1 6   4.3.2 Recon 2 6   4.3.3 Recon 3 7   4.3.4 Recon 4 8   4.3.5 Recon 5 8 |
| 5 | Pau                      | e  |
| 6 | <b>PE</b> 76.1 6.2 6.3   | WB 9   Routine 9   Scan 9   Recons 10   3.3.1 Recon 1 10   3.3.2 Recon 2 11  |
| 7 | Pau                      | e 11   |
| 8 | <b>CT</b> 8.1 8.2 8.3    | Sounge 11   Routine 12   Scan 12   Recons 12   3.3.1 Recong 1  |

|    |                         | 8.3.2  | Recon 2 | <br> |   |     | <br>    |   | <br>  |   |   |   |   |   |   |   |   |   |       | 13 |
|----|-------------------------|--------|---------|------|---|-----|---------|---|-------|---|---|---|---|---|---|---|---|---|-------|----|
|    |                         | 8.3.3  | Recon 3 | <br> |   |     | <br>    |   | <br>  |   |   |   |   |   |   |   |   |   |       | 14 |
| 9  | Pau                     | se     |         |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 14 |
| 10 | $\mathbf{PE}\mathbf{I}$ | Lung   | ge      |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 14 |
|    | 10.1                    | Routin | ne      | <br> |   |     | <br>    |   | <br>  |   |   |   |   |   |   |   |   |   |       | 14 |
|    | 10.2                    | Scan   |         | <br> |   |     | <br>    |   | <br>  |   |   |   |   |   |   |   |   |   |       | 15 |
|    |                         |        | S       |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 15 |
|    |                         | 10.3.1 | Recon 1 | <br> |   |     | <br>    |   | <br>  |   |   |   |   |   |   |   |   |   |       | 15 |
|    |                         |        | Recon 2 |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 16 |
|    |                         |        | Recon 3 |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 17 |
| 11 | Pau                     | se     |         |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 17 |
| 12 | PET                     | Lung   | ξe      |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 17 |
|    |                         | _      | ,<br>1e | <br> |   |     | <br>    |   | <br>  |   |   |   |   |   |   |   |   |   |       | 17 |
|    |                         |        |         |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 18 |
|    | 12.3                    |        | S       |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 18 |
|    |                         |        | Recon 1 |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 18 |
|    |                         |        | Recon 2 |      |   |     |         |   |       |   |   |   |   |   |   |   |   |   |       | 19 |
|    |                         |        | Recon 3 | •    | • | - ' | <br>. • | • | <br>• | • | • | • | • | • | • | • | • | • | <br>• | 20 |

## 1 Topogram

## 1.1 Routine

- mA: 35
- kV: 120
- Topogram length: 1024 mm
- Tube position: Top

#### 1.2 Scan

- mA: 35
- kV: 120
- Delay: 4s
- Topogram length: 1024 mm
- Direction: Craniocaudal
- Tube position: Top
- API: API
- Kernel: 80
- Window: Topogram

## 2 PreMonitoring

### 2.1 Routine

- Eff. mAs: 20
- kV: 120
- CARE Dose4D: Off
- CareDoseType: CareDoseAEC
- CTDlvol: 1.186mGy

• Scan time: 0.500 s

• Delay: 2.000 s

• Slice: 10 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

## 2.2 Scan

• Quality ref. mAs: 225

• Eff. mAs: 20

• kV: 120

 $\bullet$  Scan time: 0.500 s

• Rotation time: 0.500 s

• Delay: 2.000 s

• Slice: 10 mm

• Pitch: 0.00

• Direction: Craniocaudal

### 2.3 Recons

#### 2.3.1 Recon 1

• Series description: PreMonitoring 10.0 eFoV

• Slice: 10

• Kernel: B19s

• Window: Abdomen

• Extended FoV: On

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 10.000

• No. of images: 1

## 3 Monitoring

### 3.1 Routine

• Eff. mAs: 20

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

• CTDlvol: 35.58mGy

 $\bullet$  Scan time: 0.500 s

• Delay: 10.000 s

• Slice: 10 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

## 3.2 Scan

• Quality ref. mAs: 225

• Eff. mAs: 20

• kV: 120

 $\bullet$  Scan time: 0.500 s

 $\bullet$  Rotation time: 0.500 s

• Delay: 10.000 s

• Slice: 10 mm

• Pitch: 0.00

• Direction: Craniocaudal

### 3.3 Recons

#### 3.3.1 Recon 1

• Series description: Monitoring 10.0 eFoV

• Slice: 10

• Kernel: B19s

• Window: Abdomen

• Extended FoV: On

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 10.000

• No. of images: 30

## 4 WB CT

### 4.1 Routine

• Eff. mAs: 200

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 14.56mGy

 $\bullet$  Scan time: 32.530 s

• Delay: 4.000 s

• Slice: 2 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

#### 4.2 Scan

• Quality ref. mAs: 200

• Eff. mAs: 200

• kV: 120

• Scan time: 32.530 s

• Rotation time: 0.500 s

 $\bullet$  Delay: 4.000 s

• Slice: 2 mm

• Pitch: 0.80

• Direction: Craniocaudal

### 4.3 Recons

#### 4.3.1 Recon 1

- Series description: tmp WB CT RTD
- Slice: 4
- Kernel: B19f
- Window: Abdomen
- Extended FoV: Off
- FoV: 500
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 4.000
- No. of images: 245

#### 4.3.2 Recon 2

- Series description: AC CT 2 mm
- Slice: 2
- Kernel: B19f
- Window: Abdomen
- Extended FoV: On
- FoV: 780
- Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

#### 4.3.3 Recon 3

• Series description: CT WB 2.0 B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

#### 4.3.4 Recon 4

• Series description: CT WB 2.0 cor B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 977

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: 3D

• Recon Axis: Coronal

• Image order: AP

• Recon increment: 2.000

• No. of images: 251

#### 4.3.5 Recon 5

• Series description: CT WB 2.0 sag B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 977

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: 3D

• Recon Axis: Sagittal

• Image order: LeftToRight

• Recon increment: 2.000

• No. of images: 489

## 5 Pause

## 6 PET WB

### 6.1 Routine

• Isotope: F-18

• Pharm.: Fluorodeoxyglucose

• Inj. Dose: 265000000 Bequerels

• Scan mode: Sinogram

• Scan range: Do not match CT FOV

• No. of beds: Not given. Check recon range

• Scan duration/bed: 2.000000 Minutes

#### 6.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: Sinogram

• Sinogram mode: false

• Input trigger signal: None

- LLD (keV): n/a
- ULD (keV): n/a

## 6.3 Recons

#### 6.3.1 Recon 1

- Series description: PET WB Image check HD
- Recon range (bed): 1 to 7
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 2
- Subsets: 12
- Image size: 200
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 6.3.2 Recon 2

- Series description: PET WB Corr TrueX+TOF 2 mm
- Recon range (bed): 1 to 7
- Output image type: Corrected
- Recon method: TrueXTOF
- Iterations: 2
- Subsets: 21
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 2.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

## 7 Pause

## 8 CT Lunge

#### 8.1 Routine

- Eff. mAs: 225
- kV: 120
- CARE Dose4D: On
- CareDoseType: CareDoseAEC

• CTDlvol: 17.1mGy

 $\bullet$  Scan time: 0.970 s

• Delay: 10.000 s

• Slice: 3 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

### 8.2 Scan

• Quality ref. mAs: 225

• Eff. mAs: 225

• kV: 120

• Scan time: 0.970 s

• Rotation time: 0.500 s

• Delay: 10.000 s

• Slice: 3 mm

• Pitch: 1.40

• Direction: Caudocranial

#### 8.3 Recons

#### 8.3.1 Recon 1

• Series description: tmp CT Lunge RTD

• Slice: 5

• Kernel: B18f

• Window: Mediastinum

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 5.000

• No. of images: 1

#### 8.3.2 Recon 2

• Series description: CT Lunge 3.0 eFoV

• Slice: 3

• Kernel: B18f

• Window: Mediastinum

• Extended FoV: On

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 1

#### 8.3.3 Recon 3

• Series description: CT CT Lunge 3.0 B70f

• Slice: 3

• Kernel: B70f

• Window: Lung

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 1

## 9 Pause

## 10 PET Lunge

#### 10.1 Routine

• Isotope: F-18

• Pharm.: Fluorodeoxyglucose

 $\bullet\,$  Inj. Dose: 300000000 Bequerels

• Scan mode: Sinogram

• Scan range: Do not match CT FOV

- $\bullet\,$  No. of beds: Not given. Check recon range
- Scan duration/bed: 20.000000 Seconds

#### 10.2 Scan

- Autoload: Off
- Rebinner LUT: Off
- Scan output: Sinogram
- Sinogram mode: false
- Input trigger signal: None
- LLD (keV): n/a
- ULD (keV): n/a

#### 10.3 Recons

#### 10.3.1 Recon 1

- Series description: PET Lunge Iterativ
- Recon range (bed): 1 to 1
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 8
- Image size: 200
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm

- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 10.3.2 Recon 2

- Series description: PET Lunge TrueX+TOF
- Recon range (bed): 1 to 1
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 3
- Subsets: 24
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 10.3.3 Recon 3

• Series description: PET Lunge OSEM

• Recon range (bed): 1 to 1

• Output image type: Corrected

• Recon method: Iterative3D

• Iterations: 4

• Subsets: 8

• Image size: 256

• Zoom: 1

• Filter: Gaussian

• FWHM (mm): 4.000000

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: Off ()

• Scatter correction: On

• Match CT slice location: On

• Save intermediate data: Off

## 11 Pause

## 12 PET Lunge

#### 12.1 Routine

• Isotope: F-18

• Pharm.: Fluorodeoxyglucose

• Inj. Dose: 300000000 Bequerels

• Scan mode: Sinogram

- Scan range: Do not match CT FOV
- No. of beds: Not given. Check recon range
- Scan duration/bed: 20.000000 Seconds

#### 12.2 Scan

- Autoload: Off
- Rebinner LUT: Off
- Scan output: Sinogram
- Sinogram mode: false
- Input trigger signal: None
- LLD (keV): n/a
- ULD (keV): n/a

#### 12.3 Recons

#### 12.3.1 Recon 1

- Series description: PET Lunge Iterativ
- Recon range (bed): 1 to 1
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 8
- Image size: 200
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm

- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 12.3.2 Recon 2

- Series description: PET Lunge TrueX+TOF
- Recon range (bed): 1 to 1
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 3
- Subsets: 24
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 12.3.3 Recon 3

• Series description: PET Lunge OSEM

• Recon range (bed): 1 to 1

• Output image type: Corrected

• Recon method: Iterative3D

• Iterations: 4

• Subsets: 8

• Image size: 256

• Zoom: 1

• Filter: Gaussian

• FWHM (mm): 4.000000

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: Off ()

• Scatter correction: On

• Match CT slice location: On

• Save intermediate data: Off