$4_5_PET_CT_HIV_RT_KAR.Adult$

22. oktober 2012

Indhold

1	Top 1.1 1.2	ogram Routine Scan					
2	CT 2.1 2.2 2.3	uden IV Routine Scan Recons 2.3.1 Recon 1 2.3.2 Recon 2 2.3.3 Recon 3 2.3.4 Recon 4	 		 	 	
3	Pau	ıse					5
4	PE 7.4.1 4.2 4.3		 	 	 	 	
5	Pau	ise					8
6	Pre 6.1 6.2 6.3	Monitoring Routine	 	 	 	 	9
7	Mo: 7.1 7.2 7.3	Routine	 	 	 	 	10
8	CT 8.1 8.2 8.3	med IV Routine Scan Recons	 	 	 		12

8.3.2	Recon 2																		13
8.3.3	Recon 3																		14
8.3.4	Recon 4																		14
8.3.5	Recon 5																		15
8.3.6	Recon 6		_				_			_								_	16

1 Topogram

1.1 Routine

- mA: 35
- kV: 120
- Topogram length: 1024 mm
- Tube position: Top

1.2 Scan

- mA: 35
- kV: 120
- Delay: 4s
- Topogram length: 1024 mm
- Direction: Craniocaudal
- Tube position: Top
- API: API
- Kernel: 80
- Window: Topogram

2 CT uden IV

2.1 Routine

- Eff. mAs: 170
- kV: 120
- CARE Dose4D: On
- CareDoseType: CareDoseAEC
- \bullet CTDlvol: 12.376mGy

• Scan time: 20.290 s

• Delay: 2.000 s

• Slice: 2 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 170

• Eff. mAs: 170

• kV: 120

 \bullet Scan time: 20.290 s

• Rotation time: 0.500 s

• Delay: 2.000 s

• Slice: 2 mm

• Pitch: 0.80

• Direction: Craniocaudal

2.3 Recons

2.3.1 Recon 1

• Series description: tmp CT uden IV RTD

• Slice: 4

• Kernel: B19f

• Window: Abdomen

• Extended FoV: false

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 4.000

• No. of images: 151

2.3.2 Recon 2

• Series description: AC CT 2.0

• Slice: 2

• Kernel: B19f

• Window: Abdomen

• Extended FoV: true

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 301

2.3.3 Recon 3

 \bullet Series description: CT uden IV 2.0 B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: false

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 301

2.3.4 Recon 4

• Series description: CT uden IV 1.

• Slice: 1.5

• Kernel: B26f

• Window: CT

• Extended FoV: false

• FoV: 172

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 0.700

• No. of images: 219

3 Pause

4 PET

4.1 Routine

• Isotope: F-18

• Pharm.: Fluorodeoxyglucose

• Inj. Dose: 1000000.000000 Bequerels

• Inj. date (date/month - year): 16/07 - 2012

• Inj. time: 10:58:43

• Scan mode: Sinogram

• Scan range: Match CT FOV

• No. of beds: Not given. Check recon range

• Scan duration/bed: 3.000000 Minutes

4.2 Scan

• Autoload: true

• Rebinner LUT: N/A

• Scan output: Sinogram

- Sinogram mode: false
- Input trigger signal: None
- LLD (keV): N/A
- ULD (keV): N/A

4.3 Recons

4.3.1 Recon 1

- Series description: PET WB Image check HD
- Recon range (bed): 1 to 4
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 2
- Subsets: 12
- Image size: 200
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: true
- Match CT slice location: true
- Save intermediate data: false

4.3.2 Recon 2

- Series description: PET Corr TrueX+TOF 2 mm
- Recon range (bed): 1 to 4
- Output image type: Corrected
- Recon method: TrueXTOF
- Iterations: 2
- Subsets: 21
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 2.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: true
- Match CT slice location: true
- Save intermediate data: false

4.3.3 Recon 3

- Series description: PET Corr 512 5i24s z2f2 noTOF noPSF PE
- Recon range (bed): 1 to 4
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 5
- Subsets: 24
- Image size: 512

• Zoom: 2.000000

• Filter: Gaussian

• FWHM (mm): 2.000000

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: On (1)

• Scatter correction: true

• Match CT slice location: true

• Save intermediate data: false

5 Pause

6 PreMonitoring

6.1 Routine

• Eff. mAs: 20

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

• CTDlvol: 1.186mGy

 \bullet Scan time: 0.500 s

• Delay: 10.000 s

• Slice: 10 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

6.2 Scan

• Quality ref. mAs: 120

• Eff. mAs: 20

• kV: 120

 \bullet Scan time: 0.500 s

 \bullet Rotation time: 0.500 s

• Delay: 10.000 s

• Slice: 10 mm

• Pitch: 0.00

• Direction: Craniocaudal

6.3 Recons

6.3.1 Recon 1

• Series description: PreMonitoring 10.0 eFoV

• Slice: 10

• Kernel: B30s

• Window: Abdomen

• Extended FoV: true

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 10.000

• No. of images: 1

7 Monitoring

7.1 Routine

• Eff. mAs: 20

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

• CTDlvol: 35.58mGy

 \bullet Scan time: 0.500 s

• Delay: 10.000 s

• Slice: 10 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

7.2 Scan

• Quality ref. mAs: 120

• Eff. mAs: 20

• kV: 120

 \bullet Scan time: 0.500 s

• Rotation time: 0.500 s

 \bullet Delay: 10.000 s

• Slice: 10 mm

• Pitch: 0.00

• Direction: Craniocaudal

7.3 Recons

7.3.1 Recon 1

• Series description: Monitoring 10.0 eFoV

• Slice: 10

• Kernel: B30s

• Window: Abdomen

• Extended FoV: true

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 10.000

• No. of images: 30

8 CT med IV

8.1 Routine

• Eff. mAs: 119

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

 \bullet CTDlvol: 8.67533mGy

• Scan time: 13.890 s

• Delay: 10.000 s

• Slice: 2 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

8.2 Scan

• Quality ref. mAs: 119

• Eff. mAs: 119

• kV: 120

 \bullet Scan time: 13.890 s

• Rotation time: 0.500 s

• Delay: 10.000 s

• Slice: 2 mm

• Pitch: 1.20

• Direction: Craniocaudal

8.3 Recons

8.3.1 Recon 1

• Series description: tmp CT med IV RTD

• Slice: 4

• Kernel: B30f

• Window: Abdomen

• Extended FoV: false

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 4.000

• No. of images: 151

8.3.2 Recon 2

• Series description: CT med IV 2.0 B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: false

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 302

8.3.3 Recon 3

 \bullet Series description: CT med IV 2.0

• Slice: 2

• Kernel: B26f

• Window: CT

• Extended FoV: false

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 302

8.3.4 Recon 4

• Series description: CT med IV 2.0 cor

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: false

• FoV: 753

• Center X: 0

• Center Y: 0

- Mirroring: None
- Extended CT scale: Standard
- Recon job: 3D
- Recon Axis: Coronal
- Image order: AP
- Recon increment: 2.000
- No. of images: 168

8.3.5 Recon 5

- Series description: CT med IV 2.0 sag
- Slice: 2
- Kernel: B30f
- Window: Abdomen
- Extended FoV: false
- FoV: 753
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: 3D
- Recon Axis: Sagittal
- ullet Image order: LeftToRight
- Recon increment: 2.000
- No. of images: 251

8.3.6 Recon 6

 \bullet Series description: CT med IV 1.5

• Slice: 1.5

• Kernel: B26f

• Window: CT

• Extended FoV: false

• FoV: 165

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 0.700

• No. of images: 218