$Hjerne_Dotatoc_PET_LM_6.MlAdult_PET6$

30. maj 2013

Indhold

1	Topogram	1
	1.1 Routine	1
	1.2 Scan]
2	CT Brain	1
	2.1 Routine	1
	2.2 Scan	1
	2.3 Recons	2
	2.3.1 Recon 1	2
3	Pause	2
4	PET Brain	2
	4.1 Routine	2
	4.2 Scan	2
	4.3 Recons	
	4.3.1 Recon 1	3

1 Topogram

1.1 Routine

mA: 35kV: 120

Topogram length: 256 mmTube position: Lateral

1.2 Scan

mA: 35kV: 120Delay: 4s

Topogram length: 256 mmDirection: CraniocaudalTube position: Lateral

• API: None

• Kernel: 20s standar

• Window: Topogram Head

2 CT Brain

2.1 Routine

• Eff. mAs: 30

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

CTDlvol: 4.71218mGyScan time: 11.230 s

Delay: 4.000 sSlice: 3.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 380

• Eff. mAs: 30

• kV: 120

Scan time: 11.230 sRotation time: 1.000 s

Delay: 4.000 sSlice: 3.00 mmPitch: 1.2000000

• Direction: Caudocranial

2.3 Recons

2.3.1 Recon 1

• Series description: AC CT

• Slice: 3.00

• Kernel: H19s PET very smooth

Window: CerebrumExtended FoV: Off

FoV: 300Center X: 0Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

Image order: CaudocranialRecon increment: 3.000

• No. of images: 74

3 Pause

4 PET Brain

4.1 Routine

Isotope: Ga-68Pharm.: Dotatoc

• Inj. Dose: 1 MegaBequerels

• Scan mode: List mode

• Scan range: Match CT FOV

• No. of beds: 1

• Scan duration/bed: 15 Minutes

4.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: List mode

• Sinogram mode: Trues

• Input trigger signal: None

LLD (keV): 435ULD (keV): 650

4.3 Recons

4.3.1 Recon 1

• Series description: PET Brain corrected 3 mm Zoom 3

Recon range (bed): -1 to -1
Output image type: NoRecon
Recon method: Iterative3D

Iterations: 6Subsets: 16Image size: 336

• Zoom: 3

Filter: GaussianFWHM (mm): 3Offset X: 0 mmOffset Y: 0 mm

• Attenuation correction: On (1)

• Scatter correction: On

Match CT slice location: OnSave intermediate data: Off