$8_PET_Cardiac_18F_FDG_LM_Resp_Gating.MlAdult_PET6$

7. marts 2013

Indhold

1	1 1 0 1			
	1.1	Routine	1	
	1.2	Scan	1	
2	Lav	CT Card	1	
	2.1	Routine	1	
	2.2	Scan	1	
	2.3	Recons	2	
		2.3.1 Recon 1	2	
3	Pau	ase	2	
4	PET	Γ Card LM	2	
	4.1	Routine	2	
	4.2	Scan	2	
	4.3	Recons	3	
		4.3.1 Recon 1	3	

1 Topogram

1.1 Routine

mA: 35kV: 120

• Topogram length: 512 mm

• Tube position: Top

1.2 Scan

mA: 35kV: 120Delay: 4s

Topogram length: 512 mmDirection: Craniocaudal

• Tube position: Top

API: NoneKernel: 80s shar

• Window: Topogram Body

2 Lav CT Card

2.1 Routine

• Eff. mAs: 11

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

CTDlvol: 0.7414mGy
Scan time: 3.360 s

Delay: 4.000 sSlice: 3.00 mm

 \bullet No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 170

• Eff. mAs: 11

• kV: 120

Scan time: 3.360 sRotation time: 0.500 s

Delay: 4.000 sSlice: 3.00 mmPitch: 1.5000000

• Direction: Craniocaudal

2.3 Recons

2.3.1 Recon 1

• Series description: AC CT FDG

• Slice: 3.00

• Kernel: B18f very smooth

Window: AbdomenExtended FoV: On

FoV: 700Center X: 0Center Y: 0Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

Image order: CraniocaudalRecon increment: 2.000No. of images: 111

3 Pause

4 PET Card LM

4.1 Routine

Isotope: F-18Pharm.: FDG

• Inj. Dose: 300 MegaBequerels

• Scan mode: List mode

• Scan range: Match CT FOV

• No. of beds: 1

• Scan duration/bed: 15 Minutes

4.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: List mode

• Sinogram mode: Trues

• Input trigger signal: Resp

LLD (keV): 435ULD (keV): 650

4.3 Recons

4.3.1 Recon 1

• Series description: PET Card FDG

Recon range (bed): -1 to -1Output image type: NoRecon

• Recon method: Iterative

Iterations: 4 Subsets: 8

• Image size: 168

• Zoom: 2.2

Filter: GaussianFWHM (mm): 10Offset X: 3 mmOffset Y: 0 mm

• Attenuation correction: On (1)

• Scatter correction: On

Match CT slice location: On Save intermediate data: Off