$WB_FDG_PET_CT_IV_Lunge_5.MlAdult$

27. september 2012

Indhold

| 1 | Top | 1 .0 | | | | | | | | | | | | | | | 1 | | | | | | | | | |
|----------|--------|--------|---------|--|--|--|--|--|--|--|--|--|---|--|---|---|---|--|--|------|---|---|--|---|--|---|
| | 1.1 | Routin | e | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | 1.2 | Scan . | | | | | | | | | | | • | | • | | | | | • | • | • | | • | | 1 |
| 2 | CT WB | | | | | | | | | | | | | | | 1 | | | | | | | | | | |
| | 2.1 | Routin | e | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | 2.2 | Scan . | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | 2.3 | Recon | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | 2.3.1 | Recon 1 | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | 2.3.2 | Recon 2 | | | | | | | | | | | | | | | | | | | | | | | 3 |
| 3 | Pau | ıse | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| 4 | PET WB | | | | | | | | | | | | | | | 4 | | | | | | | | | | |
| | 4.1 | Routin | e | | | | | | | | | | | | | | | | | | | | | | | 4 |
| | 4.2 | Scan . | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| | 4.3 | Recon | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| | | 4.3.1 | Recon 1 | | | | | | | | | | | | | | | | | | | | | | | 5 |
| | | 4.3.2 | Recon 2 | | | | | | | | | | | | | | | | | | | | | | | 5 |

1 Topogram

1.1 Routine

- mA: 35
- kV: 120
- Topogram length: 1536 mm
- Tube position: Top

1.2 Scan

- mA: 35
- kV: 120
- Delay: 8s
- Topogram length: 1536 mm
- Direction: Craniocaudal
- Tube position: Top
- API: API 32
- Kernel: T80s sharp
- Window: Topogram Body

2 CT WB

2.1 Routine

- Eff. mAs: 100
- kV: 12
- CARE Dose4D: On
- CTDlvol: 8.26mGy
- Scan time: 1.4000000 s

• Delay: 8.000 s

• Slice: 5.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 100 grader

2.2 Scan

• Quality ref. mAs: 100

• Eff. mAs: 100

• kV: 120

• Scan time: 12.140 s

• Rotation time: 0.500 s

• Delay: 8.000 s

• Slice: 0.6 mm

• Pitch: 1.4000000

• Direction: Craniocaudal

2.3 Recon

2.3.1 Recon 1

• Series description: CT Lunge 3.0 B19f

• Slice: 5.00

• Kernel: "B19f PET very smooth"

• Window: "Mediastinum"

• Extended FoV: Off

• FoV: 440

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 127

2.3.2 Recon 2

• Series description: CT Lung 2.0 B70f

• Slice: 2.00

• Kernel: "B70f very sharp"

• Window: "Lung"

• Extended FoV: Off

• FoV: 440

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 1.500

• No. of images: 254

3 Pause

4 PET WB

4.1 Routine

• Isotope: F-18

• Pharm.: FDG

• Inj. Dose: 400 MegaBequerels

 $\bullet\,$ Inj. date (date/month - year): 23/03 - 2011

• Inj. time: 13:04:00

• Scan mode: Sinogram

• Scan range: Match CT FOV

• No. of beds: 1

• Scan duration/bed: 150 PtSecond

4.2 Scan

• Autoload: Off

• Rebinner LUT: Off

• Scan output: Sinogram

• Sinogram mode: Trues

• Input trigger signal: None

• LLD (keV): 435

• ULD (keV): 650

4.3 Recon

4.3.1 Recon 1

- Series description: PET WB Image check
- Recon range (bed): ups..
- Output image type: Corrected
- Recon method: Iterative
- Iterations: 4
- Subsets: 8
- Image size: 168
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

4.3.2 Recon 2

- Series description: PET WB Corr True X 2 mm
- Recon range (bed): ups..
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 3
- Subsets: 21

• Image size: 336

• Zoom: 1

• Filter: Gaussian

• FWHM (mm): 2

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: Off (1)

• Scatter correction: On

• Match CT slice location: On

• Save intermediate data: Off