# $PET\_CT\_WB\_U25\_kg\_med\_IV\_Delay.MlChild\_PET6$

7. marts 2013

# Indhold

1	Topogram 1				
	1.1	Routine	L		
	1.2	Scan	Ĺ		
2	$\mathbf{CT}$	$\overline{ m WB}$	L		
	2.1	Routine	L		
	2.2	Scan	L		
	2.3	Recons	2		
		2.3.1 Recon 1	2		
		2.3.2 Recon 2	2		
		2.3.3 Recon 3	2		
		2.3.4 Recon 4	}		
3	Pau	se 3	}		
4	PET	WB	3		
	4.1	Routine	3		
	4.2	Scan	3		
	4.3	Recons	1		
		4.3.1 Recon 1	1		
		4.3.2 Recon 2	1		

# 1 Topogram

## 1.1 Routine

mA: 35kV: 120

• Topogram length: 0 mm

• Tube position: Top

## 1.2 Scan

mA: 35kV: 120Delay: 4s

Topogram length: 0 mmDirection: Craniocaudal

• Tube position: Top

API: NoneKernel: 80s shar

• Window: Topogram Body

## 2 CT WB

#### 2.1 Routine

• Eff. mAs: 35

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 2.36017mGy

• Scan time: 7.280 s

Delay: 50.000 sSlice: 3.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

 $\bullet$  Tilt: 0.0 grader

## 2.2 Scan

• Quality ref. mAs: 35

• Eff. mAs: 35

• kV: 120

Scan time: 7.280 sRotation time: 0.500 s

Delay: 50.000 sSlice: 3.00 mmPitch: 1.4000000

• Direction: Craniocaudal

### 2.3 Recons

#### 2.3.1 Recon 1

• Series description: AC CT

• Slice: 3.00

• Kernel: B19f PET very smooth

Window: AbdomenExtended FoV: On

FoV: 700Center X: 0Center Y: 0Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

Image order: CraniocaudalRecon increment: 3.000

• No. of images: 174

#### 2.3.2 Recon 2

• Series description: CT WB 3.0 B30f

• Slice: 3.00

• Kernel: B30f medium smooth

Window: AbdomenExtended FoV: Off

FoV: 500Center X: 0Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 174

## 2.3.3 Recon 3

• Series description: CT WB 3.0 SPO cor

• Slice: 3.00

• Kernel: B30f medium smooth

Window: AbdomenExtended FoV: Off

- FoV: 521
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: 3D
- Recon Axis: Coronal
- Image order: AP
- Recon increment: 3.000
- No. of images: 167

## 2.3.4 Recon 4

- Series description: CT WB 3.0 SPO sag
- Slice: 3.00
- Kernel: B30f medium smooth
- Window: Abdomen
- Extended FoV: Off
- FoV: 521
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: 3D
- Recon Axis: Sagittal
- Image order: LeftToRight
- Recon increment: 3.000
- No. of images: 174

# 3 Pause

## 4 PET WB

#### 4.1 Routine

- Isotope: F-18
- Pharm.: FDG
- Inj. Dose: 200 MegaBequerels
- Scan mode: Sinogram
- Scan range: Match CT FOV
- No. of beds: 1
- Scan duration/bed: 3 Minutes

#### 4.2 Scan

• Autoload: On

- Rebinner LUT: Off
- Scan output: Sinogram
- Sinogram mode: Trues
- Input trigger signal: None
- LLD (keV): 435
- ULD (keV): 650

#### 4.3 Recons

#### 4.3.1 Recon 1

- Series description: PET Image check
- Recon range (bed): -1 to -1
- Output image type: Corrected
- Recon method: Iterative
- Iterations: 4
- Subsets: 8
- Image size: 168
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 4.3.2 Recon 2

- Series description: PET WB True X 2 mm
- Recon range (bed): -1 to -1
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 2
- Subsets: 21
- Image size: 336
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 2
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On

• Save intermediate data: Off