$4_PET_CT_LM_FET_Brain_Terapi_stat.Adult_PET4$

17. november 2012

Indhold

Top	ogram
1.1	Routine
1.2	Scan
CT	Brain
2.1	Routine
2.2	Scan
2.3	Recons
	2.3.1 Recon 1
	2.3.2 Recon 2
	2.3.3 Recon 3
	2.3.4 Recon 4
Pau	se
PE	Γ Brain LM
4.1	Routine
4.2	Scan
4.3	Recons
	4.3.1 Recon 1
	4.3.2 Recon 2
	1.1 1.2 CT 2.1 2.2 2.3 Pau

1 Topogram

1.1 Routine

• mA: 35

• kV: 120

• Topogram length: 256 mm

• Tube position: Lateral

1.2 Scan

• mA: 35

• kV: 120

• Delay: 4s

• Topogram length: 256 mm

• Direction: Craniocaudal

• Tube position: Lateral

• API: API

• Kernel: 20

• Window: Topogram

2 CT Brain

2.1 Routine

• Eff. mAs: 340

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

 \bullet CTDlvol: 58.072mGy

• Scan time: 48.120 s

• Delay: 2.000 s

• Slice: 1 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 350

• Eff. mAs: 340

• kV: 120

 \bullet Scan time: 48.120 s

• Rotation time: 1.000 s

• Delay: 2.000 s

• Slice: 1 mm

• Pitch: 0.80

• Direction: Caudocranial

2.3 Recons

2.3.1 Recon 1

• Series description: tmp CT Brain RTD

 \bullet Slice: 5

• Kernel: H19s

• Window: Cerebrum

• Extended FoV: Off

• FoV: 300

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 5.000

• No. of images: 45

2.3.2 Recon 2

• Series description: AC CT 1mm Brain

• Slice: 1

• Kernel: H19s

• Window: Cerebrum

• Extended FoV: Off

• FoV: 300

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 1.000

• No. of images: 224

2.3.3 Recon 3

• Series description: CT Brain 1.0 H31s

• Slice: 1

• Kernel: H31s

• Window: Cerebrum

• Extended FoV: Off

• FoV: 250

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 1.000

• No. of images: 224

2.3.4 Recon 4

• Series description: CT Brain 3.0 H31s

• Slice: 3

• Kernel: H31s

• Window: Cerebrum

• Extended FoV: Off

• FoV: 250

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 3.000

• No. of images: 75

3 Pause

4 PET Brain LM

4.1 Routine

• Isotope: F-18

• Pharm.: FET

• Inj. Dose: 205000000.000000 Bequerels

• Inj. date (date/month - year): 19/09 - 2012

• Inj. time: 12:54:04

• Scan mode: List mode

• Scan range: Match CT FOV

• No. of beds: Not given. Check recon range

• Scan duration/bed: 20.000000 Minutes

4.2 Scan

• Autoload: Off

• Rebinner LUT: N/A

• Scan output: List mode

- Sinogram mode: false
- Input trigger signal: None
- LLD (keV): N/A
- ULD (keV): N/A

4.3 Recons

4.3.1 Recon 1

- Series description: FET stat 20-40min 5mm CT3mm
- Recon range (bed): Automatic/All/dunno
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 12
- Image size: 400
- Zoom: 2.500000
- Filter: Gaussian
- FWHM (mm): 5.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (3)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

4.3.2 Recon 2

- \bullet Series description: FET stat 25-35min 5mm CT3mm
- Recon range (bed): Automatic/All/dunno
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 12
- Image size: 400
- Zoom: 2.500000
- Filter: Gaussian
- FWHM (mm): 5.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (3)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off