




**SAFU Audit**  
SMART CONTRACT AUDITING

# METAPOKEMONS

## SMART CONTRACT AUDIT



March 28, 2022



# INTRODUCTION

<b>Client</b>	Metapokemons (PKM)
<b>Language</b>	Solidity
<b>Contract Address</b>	0x02c58C7822ce4fD6CE9f6C73A5c65A28962E8479
<b>Decimals</b>	18
<b>Supply</b>	100,000,000
<b>Platform</b>	Binance Smart Chain
<b>Compiler</b>	v0.8.0+commit.c7dfd78e
<b>Optimization</b>	Yes, with 200 runs
<b>Website</b>	<a href="https://metapokemonsclash.com/">https://metapokemonsclash.com/</a>
<b>Telegram</b>	<a href="https://t.me/+Gb-uCFwnkKpjMzBk">https://t.me/+Gb-uCFwnkKpjMzBk</a>
<b>Twitter</b>	<a href="https://twitter.com/MetaPokemons">https://twitter.com/MetaPokemons</a>

## Description

MetaPokémons will offer you the chance to become the best Pokémon master in the Metaverse. Catch your own Pokémons, train them, evolve them, fight against other pokemons trainers on arenas. All MetaPokémons live on the blockchain so players have full control of their assets. All gameplay interactions on MetaPokémons are processed on-chain transparently.

# TABLE OF CONTENTS

## 01 INTRODUCTION

---

Introduction	02
Approach	04
Risk classification	05

## 02 ABSTRACT

---

Abstract	06
----------	----

## 03 VULNERABILITIES TEST

---

Vulnerabilities Test	07
----------------------	----

## 04 MANUAL ANALYSIS

---

Manual analysis	09
Contract Inspection	10
Inheritance Tree	12
Important Snippets	13
Good Practices	14

## 05 WEBSITE

---

Website Audit	15
---------------	----

## 06 CONCLUSIONS

---

Disclaimer	16
Audit Results	17
Score	18
Summary	19

# Approach

---



## Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

---



## Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.


---



## Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
  - Back-doors
  - Vulnerability
  - Accuracy
  - Readability
- 



## Tools

- Remix IDE
- MythX, Mytrhl
- SWC Registry
- Open Zeppelin Code Analyzer
- Solidity Code Complier

# RISK CLASSIFICATION

---

## CRITICAL

---

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

## MEDIUM

---

Issues on this level could potentially bring problems and should eventually be fixed.

## MINOR

---

Issues on this level are minor details and warning that can remain unfixed but would be better fixed at some point in the future

## INFORMATIONAL

---

Information level is to offer suggestions for improvement of efficacy or security for features with a risk free factor.

# ABSTRACT

---

Fees	Ownership	Mint function
Buy Fees: 0% Sell Fees: 0% <small>*at audit time</small>	Owned	No mint
Owner can set fees	Max Tx amount	Pause
Owner can set fees up to: 19% (Sell) 9% (buy)	Owner can't set max Tx amount	Owner can't pause trading

# Vulnerabilities Test

SWC ID	Description	
<b>SWC-100</b>	Function Default Visibility	<b>Passed</b>
<b>SWC-101</b>	Integer Overflow and Underflow	<b>Passed</b>
<b>SWC-102</b>	Outdated Compiler Version	<b>Passed</b>
<b>SWC-103</b>	FloatingPragma	<b>Minor</b>
<b>SWC-104</b>	Unchecked Call Return Value	<b>Passed</b>
<b>SWC-105</b>	Unprotected Ether Withdrawal	<b>Passed</b>
<b>SWC-106</b>	Unprotected SELF-DESTRUCT Instruction	<b>Passed</b>
<b>SWC-107</b>	Re-entrancy	<b>Passed</b>
<b>SWC-108</b>	State Variable Default Visibility	<b>Passed</b>
<b>SWC-109</b>	Uninitialized Storage Pointer	<b>Passed</b>
<b>SWC-110</b>	Assert Violation	<b>Passed</b>
<b>SWC-111</b>	Use of Deprecated Solidity Functions	<b>Passed</b>
<b>SWC-112</b>	Delegate Call to Untrusted Callee	<b>Passed</b>
<b>SWC-113</b>	DoS with Failed Call	<b>Passed</b>
<b>SWC-114</b>	Transaction Order Dependence	<b>Passed</b>
<b>SWC-115</b>	Authorization through tx.origin	<b>Passed</b>

<b>SWC-116</b>	Block values as a proxy for time	<b>Passed</b>
<b>SWC-117</b>	Signature Malleability	<b>Passed</b>
<b>SWC-118</b>	Incorrect Constructor Name	<b>Passed</b>
<b>SWC-119</b>	Shadowing State Variables	<b>Passed</b>
<b>SWC-120</b>	Weak Sources of Randomness from Chain Attributes	<b>Passed</b>
<b>SWC-121</b>	Missing Protection against Signature Replay Attacks	<b>Passed</b>
<b>SWC-122</b>	Lack of Proper Signature Verification	<b>Passed</b>
<b>SWC-123</b>	Requirement Violation	<b>Passed</b>
<b>SWC-124</b>	Write to Arbitrary Storage Location	<b>Passed</b>
<b>SWC-125</b>	Incorrect Inheritance Order	<b>Passed</b>
<b>SWC-126</b>	Insufficient Gas Griefing	<b>Passed</b>
<b>SWC-127</b>	Arbitrary Jump with Function Type Variable	<b>Passed</b>
<b>SWC-128</b>	DoS With Block Gas Limit	<b>Passed</b>
<b>SWC-129</b>	Typographical Error	<b>Passed</b>
<b>SWC-130</b>	Right-To-Left-Override control character (U+202E)	<b>Passed</b>
<b>SWC-131</b>	Presence of unused variables	<b>Passed</b>
<b>SWC-132</b>	Unexpected Ether balance	<b>Passed</b>
<b>SWC-133</b>	Hash Collisions With Multiple Variable Length Arguments	<b>Passed</b>
<b>SWC-134</b>	Message call with the hardcoded gas amount	<b>Passed</b>
<b>SWC-135</b>	Code With No Effects (Irrelevant/Dead Code)	<b>Passed</b>
<b>SWC-136</b>	Unencrypted Private Data On-Chain	<b>Passed</b>

# MANUAL ANALYSIS

The contract is verified to check if functions do and work as they should and malicious code is not inserted.

	Tested	Result
<b>Transfer</b>	Yes	<b>Passed</b>
<b>Total Supply</b>	Yes	<b>Passed</b>
<b>Buy Back</b>	Yes	<b>N/A</b>
<b>Burn</b>	Yes	<b>N/A</b>
<b>Mint</b>	Yes	<b>N/A</b>
<b>Rebase</b>	Yes	<b>N/A</b>
<b>Pause</b>	Yes	<b>N/A</b>
<b>Blacklist</b>	Yes	<b>Passed</b>
<b>Lock</b>	Yes	<b>N/A</b>
<b>Max Transaction</b>	Yes	<b>N/A</b>
<b>Transfer Ownership</b>	Yes	<b>Passed</b>
<b>Renounce Ownership</b>	Yes	<b>Passed</b>

MANUAL AUDIT

# CONTRACT INSPECTION



```
| **Context** | Implementation | ||| | |
| L | _msgSender | Internal 🔒 | |||
| L | _msgData | Internal 🔑 | |||
|||||
| **Ownable** | Implementation | Context |||
| L | <Constructor> | Public ! | ○ | NO! |
| L | owner | Public ! | | NO! |
| L | renounceOwnership | Public ! | ○ | onlyOwner |
| L | transferOwnership | Public ! | ○ | onlyOwner |
| L | _transferOwnership | Internal 🔒 | ○ | |
|||||
| **ERC20** | Interface | |||
| L | totalSupply | External ! | | NO! |
| L | balanceOf | External ! | | NO! |
| L | transfer | External ! | ○ | NO! |
| L | allowance | External ! | | NO! |
| L | approve | External ! | ○ | NO! |
| L | transferFrom | External ! | ○ | NO! |
|||||
| **ERC20Metadata** | Interface | IERC20 |||
| L | name | External ! | | NO! |
| L | symbol | External ! | | NO! |
| L | decimals | External ! | | NO! |
|||||
| **ERC20** | Implementation | Context, IERC20, IERC20Metadata |||
| L | <Constructor> | Public ! | ○ | NO! |
| L | name | Public ! | | NO! |
| L | symbol | Public ! | | NO! |
| L | decimals | Public ! | | NO! |
| L | totalSupply | Public ! | | NO! |
| L | balanceOf | Public ! | | NO! |
| L | transfer | Public ! | ○ | NO! |
| L | allowance | Public ! | | NO! |
| L | approve | Public ! | ○ | NO! |
| L | transferFrom | Public ! | ○ | NO! |
| L | increaseAllowance | Public ! | ○ | NO! |
| L | decreaseAllowance | Public ! | ○ | NO! |
| L | _transfer | Internal 🔒 | ○ | |||
```


```

| L | _mint | Internal 🔒 | ○ | ||
| L | _burn | Internal 🔒 | ○ | ||
| L | _approve | Internal 🔒 | ○ | ||
| L | _beforeTokenTransfer | Internal 🔒 | ○ | ||
| L | _afterTokenTransfer | Internal 🔒 | ○ | ||
|||||
| **Metapokemons** | Implementation | ERC20, Ownable |||
| L | <Constructor> | Public ! | ○ | ERC20 |
| L | deposit | Public ! | ○ | NO! |
| L | setBlacklist | External ! | ○ | onlyOwner |
| L | setCooldownForTrades | External ! | ○ | onlyOwner |
| L | setLiquidityPoolStatus | External ! | ○ | onlyOwner |
| L | setMarketingPool | External ! | ○ | onlyOwner |
| L | setTaxes | External ! | ○ | onlyOwner |
| L | getTaxes | External ! | | NO! |
| L | setWhitelist | External ! | ○ | onlyOwner |
| L | updateDepositWallet | External ! | ○ | onlyOwner |
| L | updateRewardWallet | External ! | ○ | onlyOwner |
| L | updateRewardWalletLimit | External ! | ○ | onlyOwner |
| L | _transfer | Internal 🔒 | ○ | ||
| L | _beforeTokenTransfer | Internal 🔒 | ○ | ||

```

Symbol	Meaning
○	Function can modify state
\$	Function is payable
🔒	Private function
🔓	Internal function
NO!	Function has no modifier

# INHERITANCE TREE



Inheritance is a feature of the object-oriented programming language. It is a way of extending the functionality of a program, used to separate the code, reduces the dependency, and increases the re-usability of the existing code. Solidity supports inheritance between smart contracts, where multiple contracts can be inherited into a single contract.

# Important Snippets



## Owner can't change taxes above 19% sell tax, 9% buy tax

```
function setTaxes(uint8 _sellTax, uint8 _buyTax, uint8 _transferTax) external onlyOwner {
    require(_sellTax < 20);
    require(_buyTax < 10);
    require(_transferTax < 10);
    sellTax = _sellTax;
    buyTax = _buyTax;
    transferTax = _transferTax;
    emit changeTax(_sellTax,_buyTax,_transferTax);
}
```

## Blacklisted wallets are not permitted to transfer their tokens

```
function setBlacklist(address _wallet, bool _status) external onlyOwner {
    isBlacklist[_wallet]= _status;
    emit changeBlacklist(_wallet, _status);
}
```

## Cooldown between trades can't be set higher than 255 minutes

```
function setCooldownForTrades(uint8 _tradeCooldown) external onlyOwner {
    tradeCooldown = _tradeCooldown;
    emit changeCooldown(_tradeCooldown);
}
```

## GOOD PRACTICES ✓

---

- The owner cannot stop or pause the smart contract
- The owner cannot set the fees above 19%-sell & 9%-buy
- The owner cannot set max Tx
- The owner cannot mint new tokens after deployment

SafuAudit



# WEBSITE



<b>Website</b>	<a href="https://metapokemonsclash.com/">https://metapokemonsclash.com/</a>
<b>Domain Registry</b>	<a href="http://www.openprovider.com">http://www.openprovider.com</a>
<b>Domain Expiry Date</b>	2021-12-15
<b>Response Code</b>	200
<b>SSL Checker and HTTPS Test</b>	Passed
<b>Deprecated HTML tags</b>	Passed
<b>Robots.txt</b>	Informative
<b>Sitemap Test</b>	Informative
<b>SEO Friendly URL</b>	Passed
<b>Responsive Test</b>	Passed
<b>JS Error Test</b>	Passed
<b>Console Errors Test</b>	Minor
<b>Site Loading Speed Test</b>	4.42 seconds - Passed
<b>HTTP2 Test</b>	Passed
<b>Safe Browsing Test</b>	Passed

# DISCLAIMER

---

SafuAudit.com is not a financial institution and the information provided on this website does not constitute investment advice, financial advice, trading advice or any other sort of advice. You should not treat any of the website's content as such. Investing in crypto assets carries a high level of risk and does not hold guarantees for not sustaining financial loss due to their volatility.

## Accuracy of Information

SafuAudit will strive to ensure accuracy of information listed on this website although it will not hold any responsibility for any missing or wrong information. SafuAudit provides all information as is. You understand that you are using any and all information available here at your own risk. Any use or reliance on our content and services is solely at your own risk and discretion.

The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project.

While we have used all the information available to us for this straightforward investigation, you should not rely on this report only – we recommend proceeding with several independent audits. Be aware that smart contracts deployed on a blockchain aren't secured enough against external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, SafuAudit does not guarantee the explicit security of the audited smart contract. The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

# AUDIT RESULTS

---

## CRITICAL

---

No critical severity issues have been found.

## MEDIUM

---

No medium severity issues have been found.

## MINOR

---


- A floating pragma is set. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

## INFORMATIONAL

---

The standard audit model does not offer suggestions and consulting for improvements of efficacy.

# SCORE




Final Score: 96.6

# SUMMARY

---

## Top 10 holders



Rank	Address	Quantity (Token)	Percentage
1	0x53599540bdc64e10405a6b40bd120c9963c8f44a	100,000,000	100.0000%

## Conclusion

---

Project MetaPokemons does not contain any severe issues or risk characteristics.

SafuAudit has tested the security based on manual and automated tests.  
Please note that we don't offer any warranties for business model.



**SafuAudit.com**

