







<u>Stage</u>
Stage(); virtual ~Stage(); virtual void Initailizer() = 0; virtual void Update(float fTime) = 0; virtual void LateUpdate(float fTime) = 0; virtual void Render(HDC mDC) = 0; virtual void Free() = 0;

<u>SingleStage : Stage</u>
SingleStage(); virtual ~SingleStage(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;

<u>UserMapStage : Stage</u>	<u>RelayRaceStage : Stage</u>
UserMapStage(); virtual ~UserMapStage(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;	RelayRaceStage(); virtual ~RelayRaceStage(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;

<u>Object</u>
Object(); virtual ~Object(); virtual void Initailizer() = 0; virtual void Update(float fTime) = 0; virtual void LateUpdate(float fTime) = 0; virtual void Render(HDC mDC) = 0; virtual void Free() = 0; SetPosRect(); GetPosRect(); SetCenterPos(); GetCenterPos(); ResetPosRect(); SetRidius(); GetRidius(); SetDead(); 변수 bool m_bDead{}; RECT m_POSRECT{}; POINT m_CenterPos{}; float m_fRidius{};

<u>MiniMapUI : Object</u>
MiniMapUI(); virtual ~MiniMapUI(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;

<u>OtherPlayer : Object</u>
OtherPlayer(); virtual ~OtherPlayer(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;

<u>PlayerNumUI : Object</u>
PlayerNumUI(); virtual ~PlayerNumUI(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;

<u>PlayerNumUI : Object</u>
PlayerNumUI(); virtual ~PlayerNumUI(); virtual void Initailizer() override; virtual void Update(float fTime) override; virtual void LateUpdate(float fTime) override; virtual void Render(HDC mDC) override; virtual void Free() override;




<u>TimerManager</u>
GetInstance();
DestoryInstance();
GetDeltaTime();
GetFPS();
Reset();
Tick();
GetTotalTime();

<u>MapManager</u>
GetInstance();
DestoryInstance();
MapShow();
MapLoad();
MapStage();

<u>NetworkManager</u>
GetInstance();
DestoryInstance();
initialize_Client();
sendPacket();
recvPacket();
UpdatePacket();
Shutdown();

<u>UIManager</u>
GetInstance();
DestoryInstance();
MiniMapUpdate();
MiniMapShow();
ScoreBoardShow();
TimerShow();
UserNumShow();

<u>전역 핸들러 함수</u>
MovePacket_s2c
LoginAcceptPacket_s2c
MapNamesPacket_s2c
MapLoadPacket_s2c
RoomEnterAcceptPacket_s2c
RoomStartPacket_s2c
MapUploadDonePacket_s2c
MapRoomEndPacket_s2c



패킷

Client => Server

PacketManager
std::unordered_map<PacketType, func(> Handlers; RegisterHandler(type, func()); Handle(type,session);

Sever => Client

PacketManager
std::unordered_map<PacketType, func(> Handlers; RegisterHandler(type, func()); Handle(type);

MovePacket
long long size; PacketType type float x,y; int id float rotate int cameraID; Player_State player_state; float minMapPercentage;

MapNamesPacket
long long size; PacketType type std::array<char[30], 10> mapNames

MapLoadPacket
long long size; PacketType type char[30] mapNames vector<char> mapData;

LoginAcceptPacket
long long size; type int id

RoomEnterAcceptPacket
long long size; PacketType type
RoomStartPacket
long long size; PacketType type

MovePacket
long long size; PacketType type float x,y; float rotate Player_State player_state; float x,y;

LoginReqeustPacket
long long size; type

LogoutPacket
long long size; PacketType type

MapLoadRequestPacket
long long size; PacketType type char[30] mapName

RoomEnterPacket
long long size; PacketType type int roomID;

MapUploadPacket
long long size; PacketType type char[30] mapName; vector<char> mapData;

MapUploadDonePacket
long long size;
PacketType type

RoomEndPacket
long long size;
PacketType type
int roomID;
int winUserID
float ElapsedTime

RoomLeavePacket
long long size;
PacketType type
int roomID;

PacketType(enum class)
MovePacket_s2c
MovePacket_c2s
LoginRequestPacket_c2s
LoginAcceptPacket_s2c
LogoutPacket_c2s
MapNamesPacket_s2c
MapLoadRequestPacket_c2s
MapLoadPacket_s2c
RoomEnterPacket_c2s
RoomEnterAcceptPacket_s2c
RoomStartPacket_s2c
MapUploadPacket_c2s
MapUploadDonePacket_s2c
MapRoomLeavePacket_c2s
MapRoomEndPacket_s2c