Machine Telemetry — Daily Report

Report Date: 2026-04-18 | Machines: CNC_01, CNC_02, PUMP_03, CONVEYOR_04

CNC_01

250 readings | 05:30 – 05:38 | Faults: 0

6-Hour Aggregation

Period	Readings	Avg Temp (°C)	Avg Vib (mm/s)	Avg RPM	Avg Current (A)	Faults
00:00 – 06:00	250	72.2	2.0	1477	12.9	0
06:00 – 12:00	0	—	—	—	—	0
12:00 – 18:00	0	—	—	—	—	0
18:00 – 24:00	0	—	—	—	—	0

Fault / Deviated Readings

No fault readings recorded.

Sensor Graphs (red dot/line = fault reading)









Anomaly Table

No significant anomalies.

Summary

CNC_01 operated normally throughout 2026-04-18. All readings returned a healthy status — no faults detected.

CNC_02

250 readings | 05:30 – 05:38 | Faults: 77

6-Hour Aggregation

Period	Readings	Avg Temp (°C)	Avg Vib (mm/s)	Avg RPM	Avg Current (A)	Faults
00:00 – 06:00	250	89.2	1.6	1468	17.8	! 77
06:00 – 12:00	0	—	—	—	—	0
12:00 – 18:00	0	—	—	—	—	0
18:00 – 24:00	0	—	—	—	—	0

Fault / Deviated Readings

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:31	118.7	1.5	1440	23.6	fault	75 / 100
05:31	130.0	1.5	1445	27.9	fault	75 / 100
05:31	130.0	1.5	1443	30.0	fault	75 / 100
05:31	130.0	1.6	1444	30.0	fault	75 / 100
05:31	130.0	1.6	1439	30.0	fault	75 / 100
05:31	130.0	1.6	1450	30.0	fault	75 / 100
05:31	130.0	1.6	1451	30.0	fault	75 / 100
05:31	130.0	1.6	1443	30.0	fault	75 / 100
05:31	128.5	1.6	1437	29.7	fault	75 / 100
05:31	126.3	1.6	1448	29.1	fault	75 / 100
05:31	124.1	1.6	1444	28.4	fault	75 / 100
05:31	121.7	1.6	1438	27.7	fault	75 / 100
05:31	119.4	1.6	1428	27.1	fault	75 / 100
05:31	117.8	1.6	1426	26.5	fault	75 / 100
05:31	115.6	1.7	1433	26.2	fault	75 / 100
05:31	114.3	1.7	1434	25.8	fault	75 / 100
05:31	112.8	1.7	1425	25.0	fault	75 / 100
05:31	111.0	1.6	1420	24.4	fault	75 / 100
05:31	109.3	1.6	1413	24.0	warning	40 / 100
05:31	107.7	1.6	1406	23.5	warning	40 / 100
05:31	106.1	1.6	1406	23.1	warning	40 / 100
05:31	104.2	1.6	1411	22.7	warning	40 / 100
05:31	102.3	1.5	1413	22.3	warning	40 / 100
05:31	100.4	1.4	1406	21.8	warning	40 / 100
05:31	99.1	1.4	1422	21.6	warning	40 / 100
05:31	97.8	1.3	1430	21.0	warning	40 / 100
05:31	97.3	1.3	1448	20.6	warning	40 / 100
05:31	96.1	1.3	1455	20.2	warning	40 / 100
05:31	95.0	1.4	1464	19.7	warning	40 / 100
05:32	108.0	1.7	1482	20.3	warning	40 / 100
05:32	128.2	1.7	1480	25.6	fault	75 / 100
05:32	130.0	1.7	1484	28.4	fault	75 / 100
05:32	130.0	1.8	1482	30.0	fault	75 / 100

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:32	130.0	1.8	1483	30.0	fault	75 / 100
05:32	130.0	1.7	1495	30.0	fault	75 / 100
05:32	130.0	1.8	1486	30.0	fault	75 / 100
05:32	130.0	1.7	1477	30.0	fault	75 / 100
05:32	130.0	1.8	1483	30.0	fault	75 / 100
05:32	128.8	1.8	1476	29.6	fault	75 / 100
05:32	126.9	1.8	1480	28.8	fault	75 / 100
05:33	125.1	1.8	1475	28.1	fault	75 / 100
05:33	124.2	1.9	1475	27.7	fault	75 / 100
05:33	123.4	1.9	1470	27.3	fault	75 / 100
05:36	122.2	1.8	1467	27.1	fault	75 / 100
05:36	120.7	1.8	1472	26.9	fault	75 / 100
05:36	119.7	1.8	1480	26.7	fault	75 / 100
05:36	118.6	1.9	1478	26.4	fault	75 / 100
05:37	117.8	1.9	1482	26.1	fault	75 / 100
05:37	116.5	1.9	1486	25.7	fault	75 / 100
05:37	115.3	1.9	1481	25.5	fault	75 / 100
05:37	114.1	1.8	1483	25.3	fault	75 / 100
05:37	113.3	1.8	1478	25.1	fault	75 / 100
05:37	112.5	1.9	1473	24.8	fault	75 / 100
05:37	111.5	1.9	1473	24.4	fault	75 / 100
05:37	110.5	1.9	1466	24.1	fault	75 / 100
05:37	109.9	1.9	1467	24.0	warning	40 / 100
05:37	109.2	1.9	1466	23.7	warning	40 / 100
05:37	108.7	1.9	1459	23.5	warning	40 / 100
05:37	107.8	1.9	1454	23.3	warning	40 / 100
05:37	107.2	1.9	1462	23.1	warning	40 / 100
05:37	106.5	1.8	1462	22.7	warning	40 / 100
05:37	105.9	1.8	1463	22.6	warning	40 / 100
05:37	104.9	1.8	1470	22.4	warning	40 / 100
05:37	103.8	1.8	1472	22.2	warning	40 / 100
05:37	103.0	1.8	1477	21.9	warning	40 / 100
05:37	102.6	1.8	1470	21.6	warning	40 / 100
05:37	101.8	1.8	1463	21.3	warning	40 / 100
05:37	101.0	1.8	1462	21.0	warning	40 / 100
05:37	100.4	1.7	1468	20.9	warning	40 / 100
05:37	99.5	1.8	1468	20.8	warning	40 / 100
05:37	99.2	1.7	1469	20.5	warning	40 / 100
05:37	98.9	1.7	1464	20.3	warning	40 / 100
05:37	98.0	1.7	1472	20.2	warning	40 / 100
05:37	97.6	1.6	1480	19.9	warning	40 / 100
05:37	96.8	1.6	1472	19.7	warning	40 / 100
05:37	96.3	1.7	1474	19.4	warning	40 / 100
05:37	95.4	1.6	1472	19.2	warning	40 / 100

Sensor Graphs (red dot/line = fault reading)









Anomaly Table

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk
05:31	118.7	1.5	1440	23.6	fault	75 / 100
05:31	130.0	1.5	1445	27.9	fault	75 / 100
05:31	130.0	1.5	1443	30.0	fault	75 / 100
05:31	130.0	1.6	1444	30.0	fault	75 / 100
05:31	130.0	1.6	1439	30.0	fault	75 / 100
05:31	130.0	1.6	1450	30.0	fault	75 / 100
05:31	130.0	1.6	1451	30.0	fault	75 / 100
05:31	130.0	1.6	1443	30.0	fault	75 / 100
05:31	128.5	1.6	1437	29.7	fault	75 / 100
05:31	126.3	1.6	1448	29.1	fault	75 / 100
05:31	124.1	1.6	1444	28.4	fault	75 / 100
05:31	121.7	1.6	1438	27.7	fault	75 / 100
05:31	119.4	1.6	1428	27.1	fault	75 / 100
05:31	117.8	1.6	1426	26.5	fault	75 / 100
05:31	115.6	1.7	1433	26.2	fault	75 / 100
05:31	114.3	1.7	1434	25.8	fault	75 / 100
05:31	112.8	1.7	1425	25.0	fault	75 / 100
05:31	111.0	1.6	1420	24.4	fault	75 / 100
05:32	128.2	1.7	1480	25.6	fault	75 / 100
05:32	130.0	1.7	1484	28.4	fault	75 / 100
05:32	130.0	1.8	1482	30.0	fault	75 / 100
05:32	130.0	1.8	1483	30.0	fault	75 / 100
05:32	130.0	1.7	1495	30.0	fault	75 / 100
05:32	130.0	1.8	1486	30.0	fault	75 / 100
05:32	130.0	1.7	1477	30.0	fault	75 / 100
05:32	130.0	1.8	1483	30.0	fault	75 / 100
05:32	128.8	1.8	1476	29.6	fault	75 / 100
05:32	126.9	1.8	1480	28.8	fault	75 / 100
05:33	125.1	1.8	1475	28.1	fault	75 / 100
05:33	124.2	1.9	1475	27.7	fault	75 / 100
05:33	123.4	1.9	1470	27.3	fault	75 / 100
05:36	122.2	1.8	1467	27.1	fault	75 / 100
05:36	120.7	1.8	1472	26.9	fault	75 / 100
05:36	119.7	1.8	1480	26.7	fault	75 / 100
05:36	118.6	1.9	1478	26.4	fault	75 / 100
05:37	117.8	1.9	1482	26.1	fault	75 / 100
05:37	116.5	1.9	1486	25.7	fault	75 / 100
05:37	115.3	1.9	1481	25.5	fault	75 / 100
05:37	114.1	1.8	1483	25.3	fault	75 / 100
05:37	113.3	1.8	1478	25.1	fault	75 / 100
05:37	112.5	1.9	1473	24.8	fault	75 / 100
05:37	111.5	1.9	1473	24.4	fault	75 / 100
05:37	110.5	1.9	1466	24.1	fault	75 / 100

Summary

CNC_02 recorded 77 fault reading(s) on 2026-04-18, between 05:31 and 05:37. Peak risk score: 75 / 100. 43 high-severity anomaly(ies) require attention.

PUMP_03

250 readings | 05:30 – 05:38 | Faults: 223

6-Hour Aggregation

Period	Readings	Avg Temp (°C)	Avg Vib (mm/s)	Avg RPM	Avg Current (A)	Faults
00:00 – 06:00	250	54.8	8.1	2953	20.6	! 223
06:00 – 12:00	0	—	—	—	—	0
12:00 – 18:00	0	—	—	—	—	0
18:00 – 24:00	0	—	—	—	—	0

Fault / Deviated Readings

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:30	53.0	9.3	2946	21.4	warning	40 / 100
05:30	53.1	9.1	2950	21.4	warning	40 / 100
05:30	53.1	8.8	2945	21.1	warning	40 / 100
05:30	53.1	11.8	2949	22.1	warning	40 / 100
05:30	53.7	11.4	2945	21.9	warning	40 / 100
05:30	53.7	11.0	2932	21.8	warning	40 / 100
05:30	53.5	10.7	2937	21.6	warning	40 / 100
05:30	53.4	10.4	2935	21.7	warning	40 / 100
05:30	53.4	10.1	2929	21.5	warning	40 / 100
05:30	53.3	9.8	2937	21.2	warning	40 / 100
05:30	52.9	9.5	2941	20.9	warning	40 / 100
05:30	52.5	9.3	2943	20.8	warning	40 / 100
05:30	52.7	9.0	2952	20.9	warning	40 / 100
05:30	53.2	8.8	2958	21.0	warning	40 / 100
05:30	52.8	8.5	2955	20.9	warning	40 / 100
05:30	52.6	8.3	2956	21.0	warning	40 / 100
05:30	52.7	8.0	2952	20.9	warning	40 / 100
05:30	52.6	7.7	2946	20.9	warning	40 / 100
05:30	52.4	7.5	2943	21.0	warning	40 / 100
05:30	52.2	7.2	2947	20.9	warning	40 / 100
05:30	52.3	7.0	2951	20.7	warning	40 / 100
05:30	52.2	6.8	2955	20.7	warning	40 / 100
05:30	51.7	6.7	2957	20.4	warning	40 / 100
05:30	51.4	6.5	2963	20.3	warning	40 / 100
05:30	51.7	8.4	2960	21.6	warning	40 / 100
05:31	52.2	8.2	2969	21.4	warning	40 / 100
05:31	52.9	11.1	2961	22.7	warning	40 / 100
05:31	53.0	10.7	2969	22.3	warning	40 / 100
05:31	53.2	11.8	2974	22.9	warning	40 / 100
05:31	52.9	11.3	2970	22.8	warning	40 / 100
05:31	52.8	11.8	2974	23.1	warning	40 / 100
05:31	53.1	11.4	2965	22.9	warning	40 / 100
05:31	53.2	11.1	2963	22.6	warning	40 / 100

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:31	53.5	10.8	2959	22.5	warning	40 / 100
05:31	53.6	10.5	2963	22.3	warning	40 / 100
05:31	53.6	10.2	2964	22.0	warning	40 / 100
05:31	53.2	12.0	2970	22.8	warning	40 / 100
05:31	53.3	11.6	2981	22.6	warning	40 / 100
05:31	53.3	11.3	2980	22.4	warning	40 / 100
05:31	52.8	10.8	2978	22.1	warning	40 / 100
05:31	53.0	10.6	2991	21.9	warning	40 / 100
05:31	53.3	10.2	2991	21.8	warning	40 / 100
05:31	53.4	9.8	2989	21.4	warning	40 / 100
05:31	53.4	9.6	2993	21.2	warning	40 / 100
05:31	53.9	9.3	2988	20.9	warning	40 / 100
05:31	53.9	9.0	2974	20.6	warning	40 / 100
05:31	53.8	8.7	2974	20.4	warning	40 / 100
05:31	54.5	8.5	2981	20.4	warning	40 / 100
05:31	54.6	8.3	2982	20.2	warning	40 / 100
05:31	54.4	8.0	2972	20.3	warning	40 / 100
05:31	54.5	7.8	2980	20.0	warning	40 / 100
05:31	54.9	7.5	2986	19.9	warning	40 / 100
05:31	54.4	7.3	2990	19.7	warning	40 / 100
05:31	54.8	7.1	2985	19.9	warning	40 / 100
05:31	54.5	6.8	2991	19.8	warning	40 / 100
05:31	53.9	6.7	2990	19.7	warning	40 / 100
05:31	53.5	6.5	2987	19.7	warning	40 / 100
05:31	53.6	6.3	2972	19.7	warning	40 / 100
05:31	54.1	6.1	2973	19.8	warning	40 / 100
05:31	53.8	6.0	2985	19.5	warning	40 / 100
05:31	53.8	5.8	2990	19.3	warning	40 / 100
05:31	54.2	5.7	2985	19.4	warning	40 / 100
05:31	54.5	5.5	2986	19.5	warning	40 / 100
05:31	55.1	5.5	2984	19.4	warning	40 / 100
05:31	55.3	5.3	2976	19.3	warning	40 / 100
05:31	55.4	5.2	2972	19.3	warning	40 / 100
05:31	55.7	5.1	2974	19.2	warning	40 / 100
05:31	56.1	9.4	2983	19.4	warning	40 / 100
05:31	55.9	9.2	2986	19.2	warning	40 / 100
05:31	55.4	8.8	2989	19.2	warning	40 / 100
05:31	55.3	8.6	2983	19.2	warning	40 / 100
05:31	55.0	11.8	2977	20.1	warning	40 / 100
05:31	54.3	12.0	2963	21.3	warning	40 / 100
05:31	53.9	11.7	2972	21.0	warning	40 / 100
05:31	53.9	11.8	2970	22.1	warning	40 / 100
05:31	53.5	11.4	2968	22.0	warning	40 / 100
05:31	53.7	11.1	2959	21.8	warning	40 / 100

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:31	53.4	10.7	2954	21.7	warning	40 / 100
05:31	53.1	10.3	2948	21.5	warning	40 / 100
05:32	53.0	10.0	2944	21.1	warning	40 / 100
05:32	53.2	9.7	2932	20.9	warning	40 / 100
05:32	53.1	9.4	2927	20.8	warning	40 / 100
05:32	53.3	9.2	2934	20.6	warning	40 / 100
05:32	53.7	8.9	2942	20.4	warning	40 / 100
05:32	53.8	8.6	2931	20.5	warning	40 / 100
05:32	53.6	8.5	2919	20.2	warning	40 / 100
05:32	53.7	8.2	2916	20.2	warning	40 / 100
05:32	53.4	8.0	2923	20.4	warning	40 / 100
05:32	53.3	7.8	2926	20.4	warning	40 / 100
05:32	53.5	7.7	2919	20.2	warning	40 / 100
05:32	53.1	7.4	2918	20.2	warning	40 / 100
05:32	52.8	7.2	2910	20.3	warning	40 / 100
05:32	53.0	7.1	2903	20.3	warning	40 / 100
05:32	52.8	6.8	2904	20.2	warning	40 / 100
05:32	53.2	6.7	2906	19.9	warning	40 / 100
05:32	53.4	6.6	2912	19.8	warning	40 / 100
05:32	53.8	6.4	2901	19.8	warning	40 / 100
05:32	54.2	6.3	2914	19.8	warning	40 / 100
05:32	54.0	6.1	2916	19.7	warning	40 / 100
05:32	53.6	6.0	2909	19.5	warning	40 / 100
05:32	53.4	5.8	2908	19.2	warning	40 / 100
05:32	53.0	5.7	2899	19.2	warning	40 / 100
05:32	52.7	5.7	2907	19.0	warning	40 / 100
05:32	53.3	5.5	2910	19.0	warning	40 / 100
05:32	53.5	5.4	2911	19.1	warning	40 / 100
05:32	53.1	5.3	2923	19.1	warning	40 / 100
05:32	53.1	5.2	2920	18.8	warning	40 / 100
05:32	53.5	5.1	2922	18.8	warning	40 / 100
05:32	53.0	5.0	2924	18.8	warning	40 / 100
05:32	55.0	7.0	2935	20.1	warning	40 / 100
05:32	55.2	6.8	2945	20.2	warning	40 / 100
05:32	55.5	6.6	2949	20.1	warning	40 / 100
05:32	55.1	6.4	2942	19.9	warning	40 / 100
05:32	55.2	6.2	2931	19.8	warning	40 / 100
05:32	55.3	6.2	2924	19.9	warning	40 / 100
05:32	55.2	6.0	2918	19.7	warning	40 / 100
05:32	55.2	5.9	2931	19.7	warning	40 / 100
05:33	55.4	5.7	2931	19.7	warning	40 / 100
05:33	55.3	5.6	2936	19.7	warning	40 / 100
05:33	55.0	5.5	2943	19.7	warning	40 / 100
05:36	55.2	5.5	2948	19.6	warning	40 / 100

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:36	55.0	5.4	2946	19.5	warning	40 / 100
05:36	54.8	5.3	2950	19.3	warning	40 / 100
05:36	55.2	5.3	2955	19.4	warning	40 / 100
05:37	54.9	5.3	2954	19.4	warning	40 / 100
05:37	54.9	8.8	2953	21.3	warning	40 / 100
05:37	55.2	8.7	2957	21.1	warning	40 / 100
05:37	55.6	8.6	2954	21.2	warning	40 / 100
05:37	55.5	8.4	2956	21.0	warning	40 / 100
05:37	55.6	8.3	2957	20.9	warning	40 / 100
05:37	55.6	8.2	2961	20.7	warning	40 / 100
05:37	55.7	8.0	2965	20.7	warning	40 / 100
05:37	55.8	7.9	2967	20.7	warning	40 / 100
05:37	55.8	7.8	2966	20.6	warning	40 / 100
05:37	55.4	7.6	2969	20.4	warning	40 / 100
05:37	55.4	7.5	2966	20.4	warning	40 / 100
05:37	55.1	7.3	2958	20.4	warning	40 / 100
05:37	54.8	7.3	2954	20.3	warning	40 / 100
05:37	55.2	7.1	2949	20.4	warning	40 / 100
05:37	55.3	7.0	2949	20.4	warning	40 / 100
05:37	55.4	7.0	2957	20.2	warning	40 / 100
05:37	55.5	6.9	2955	20.2	warning	40 / 100
05:37	55.6	6.8	2950	20.1	warning	40 / 100
05:37	55.2	6.7	2950	20.1	warning	40 / 100
05:37	55.5	6.6	2945	20.1	warning	40 / 100
05:37	55.6	6.6	2945	20.1	warning	40 / 100
05:37	55.7	6.5	2940	19.9	warning	40 / 100
05:37	55.9	6.5	2943	19.8	warning	40 / 100
05:37	55.9	6.3	2937	19.9	warning	40 / 100
05:37	55.7	6.3	2936	19.7	warning	40 / 100
05:37	55.5	6.2	2930	19.6	warning	40 / 100
05:37	55.6	6.2	2930	19.5	warning	40 / 100
05:37	55.5	8.1	2928	21.2	warning	40 / 100
05:37	55.4	8.0	2924	21.0	warning	40 / 100
05:37	55.6	7.9	2920	20.9	warning	40 / 100
05:37	55.4	7.8	2921	20.8	warning	40 / 100
05:37	55.6	7.7	2922	20.9	warning	40 / 100
05:37	55.7	7.6	2928	20.9	warning	40 / 100
05:37	55.7	7.5	2934	20.9	warning	40 / 100
05:37	56.0	7.4	2934	20.9	warning	40 / 100
05:37	56.1	7.3	2926	20.9	warning	40 / 100
05:37	55.9	12.0	2925	22.0	warning	40 / 100
05:37	56.2	11.8	2920	21.9	warning	40 / 100
05:37	56.2	11.7	2926	21.8	warning	40 / 100
05:37	56.2	11.5	2933	21.8	warning	40 / 100

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:37	55.9	11.3	2933	21.8	warning	40 / 100
05:37	56.2	12.0	2929	22.6	warning	40 / 100
05:37	56.4	11.8	2931	22.4	warning	40 / 100
05:37	56.4	11.5	2937	22.4	warning	40 / 100
05:37	56.5	11.4	2940	22.4	warning	40 / 100
05:37	56.8	11.2	2939	22.4	warning	40 / 100
05:37	57.1	11.0	2936	22.4	warning	40 / 100
05:37	57.3	10.8	2940	22.3	warning	40 / 100
05:37	57.3	10.7	2945	22.3	warning	40 / 100
05:37	57.0	10.5	2940	22.2	warning	40 / 100
05:37	57.3	10.4	2942	22.1	warning	40 / 100
05:37	57.4	10.3	2942	21.9	warning	40 / 100
05:37	57.7	10.1	2948	21.7	warning	40 / 100
05:37	57.6	10.0	2946	21.8	warning	40 / 100
05:37	57.9	9.9	2947	21.8	warning	40 / 100
05:37	57.9	9.7	2953	21.8	warning	40 / 100
05:37	57.9	9.5	2956	21.7	warning	40 / 100
05:37	57.7	9.4	2950	21.7	warning	40 / 100
05:37	57.4	9.2	2957	21.5	warning	40 / 100
05:38	57.2	9.0	2964	21.4	warning	40 / 100
05:38	57.3	8.9	2970	21.3	warning	40 / 100
05:38	57.1	8.8	2975	21.3	warning	40 / 100
05:38	56.7	8.6	2978	21.4	warning	40 / 100
05:38	56.9	8.5	2982	21.2	warning	40 / 100
05:38	56.7	8.4	2977	21.1	warning	40 / 100
05:38	56.6	8.3	2983	21.1	warning	40 / 100
05:38	56.8	8.2	2983	21.1	warning	40 / 100
05:38	56.8	8.1	2989	20.9	warning	40 / 100
05:38	57.0	11.5	2993	21.5	warning	40 / 100
05:38	57.0	11.3	2994	21.5	warning	40 / 100
05:38	56.9	11.1	2993	21.5	warning	40 / 100
05:38	56.5	11.0	2994	21.3	warning	40 / 100
05:38	56.4	10.8	2989	21.3	warning	40 / 100
05:38	56.0	10.7	2994	21.3	warning	40 / 100
05:38	56.3	10.5	2999	21.2	warning	40 / 100
05:38	56.1	10.3	2994	21.2	warning	40 / 100
05:38	56.2	10.1	2990	21.1	warning	40 / 100
05:38	56.3	10.0	2982	21.1	warning	40 / 100
05:38	56.2	9.8	2979	21.1	warning	40 / 100
05:38	56.1	9.7	2980	21.2	warning	40 / 100
05:38	55.8	9.5	2983	21.1	warning	40 / 100
05:38	55.8	11.8	2983	21.8	warning	40 / 100
05:38	55.9	11.6	2985	21.8	warning	40 / 100
05:38	56.1	11.4	2989	21.8	warning	40 / 100

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:38	56.4	11.2	2982	21.9	warning	40 / 100
05:38	56.1	11.0	2987	21.7	warning	40 / 100
05:38	55.7	10.9	2989	21.6	warning	40 / 100
05:38	55.7	10.7	2996	21.6	warning	40 / 100
05:38	55.3	10.5	2987	21.4	warning	40 / 100
05:38	55.0	10.4	2981	21.3	warning	40 / 100
05:38	55.1	10.2	2981	21.3	warning	40 / 100
05:38	55.5	10.0	2978	21.2	warning	40 / 100
05:38	55.6	9.8	2972	21.2	warning	40 / 100
05:38	55.5	9.7	2975	21.2	warning	40 / 100
05:38	55.1	9.5	2974	21.2	warning	40 / 100
05:38	55.1	9.3	2974	21.2	warning	40 / 100
05:38	55.2	9.2	2977	21.0	warning	40 / 100
05:38	55.4	9.0	2973	20.9	warning	40 / 100

Sensor Graphs (red dot/line = fault reading)









Anomaly Table

No significant anomalies.

Summary

PUMP_03 recorded 223 fault reading(s) on 2026-04-18, between 05:30 and 05:38. Peak risk score: 40 / 100. All faults were low-severity.

CONVEYOR_04

250 readings | 05:30 – 05:38 | Faults: 1

6-Hour Aggregation

Period	Readings	Avg Temp (°C)	Avg Vib (mm/s)	Avg RPM	Avg Current (A)	Faults
00:00 – 06:00	250	44.0	1.1	710	8.6	! 1
06:00 – 12:00	0	—	—	—	—	0
12:00 – 18:00	0	—	—	—	—	0
18:00 – 24:00	0	—	—	—	—	0

Fault / Deviated Readings

Time	Temp (°C)	Vib (mm/s)	RPM	Current (A)	Status	Risk Score
05:38	44.5	2.3	714	9.0	warning	40 / 100

Sensor Graphs (red dot/line = fault reading)









Anomaly Table

No significant anomalies.

Summary

CONVEYOR_04 recorded 1 fault reading(s) on 2026-04-18, between 05:38 and 05:38. Peak risk score: 40 / 100. All faults were low-severity.