



山东大学

SHANDONG UNIVERSITY



Typst template for Shandong University

Continuously Improving...

孙更欣

Institution

2024-12-23

Outline

1. 第一章：字体变	1	3. 第三章：页面	17
1.1 想分列显示?	2	3.1 demo 页	18
1.2 表格	3	3.2 致谢	18
1.3 数学公式	4		
2. 第二章：小组件	5		
2.1 时间轴，很简单	6		
2.2 代码块，很优雅	7		
2.3 用节点和箭头绘制图表	8		
2.4 展示框，很有趣	12		
2.5 提示框	13		
2.6 类 obsidian	14		

想分列显示?



展示 `void fn`

Second column.第二列



Figure 1: Rust logo

	Exam 1	Exam 2	Exam 3
John		A	
Mary		A	A
Robert	B	A	B

数学公式



行内公式: $a^2 + b^2 = c^2$

块级公式:

$$E = mc^2$$

$$\langle a, b \rangle = \vec{a} \cdot \vec{b}$$


$$= a_1 b_1 + a_2 b_2 + \dots a_n b_n$$

$$= \sum_{i=1}^n a_i b_i.$$

Outline

1. 第一章：字体变	1	3. 第三章：页面	17
1.1 想分列显示?	2	3.1 demo 页	18
1.2 表格	3	3.2 致谢	18
1.3 数学公式	4		
2. 第二章：小组件	5		
2.1 时间轴，很简单	6		
2.2 代码块，很优雅	7		
2.3 用节点和箭头绘制图表	8		
2.4 展示框，很有趣	12		
2.5 提示框	13		
2.6 类 obsidian	14		

时间轴，很简单



代码块，很优雅




```
pub fn main() {  
    println!("Hello, world!");  
}
```

```
pub fn main() {  
    println!("Hello, world!");  
}
```


用节点和箭头绘制图表



```
#diagram(cell-size: 15mm, $
  G edge(f, ->) edge("d", pi, ->>) & im(f) \
  G slash ker(f) edge("ur", tilde(f), "hook-->")
$)
```




用节点和箭头绘制图表 (ii)



```
#import fletcher.shapes: diamond
#set text(font: "Comic Neue", weight: 600)


#diagram(
  node-stroke: 1pt,
  edge-stroke: 1pt,
  node((0,0), [Start], corner-radius: 2pt, extrude: (0, 3)),
  edge("-|>"),
  node((0,1), align(center)[
    Hey, wait,\ this flowchart\ is a trap!
  ], shape: diamond),
  edge("d,r,u,l", "-|>", [Yes], label-pos: 0.1)
)
```



用节点和箭头绘制图表 (iii)




```
#set text(10pt)
#diagram(
  node-stroke: .1em,
  node-fill: gradient.radial(blue.lighten(80%), blue, center: (30%, 20%),
  radius: 80%),
  spacing: 4em,
  edge((-1,0), "r", "-|>", `open(path)`, label-pos: 0, label-side: center),
  node((0,0), `reading`, radius: 2em),
  edge(`read()`, "-|>"),
  node((1,0), `eof`, radius: 2em),
  edge(`close()`, "-|>"),
  node((2,0), `closed`, radius: 2em, extrude: (-2.5, 0)),
  edge((0,0), (0,0), `read()`, "--|>", bend: 130deg),
  edge((0,0), (2,0), `close()`, "-|>", bend: -40deg),
)
```



用节点和箭头绘制图表 (iv)



```
#diagram(cell-size: 15mm, $
  G edge(f, ->) edge("d", pi, ->>) & im(f) \
  G slash ker(f) edge("ur", tilde(f), "hook-->")
$)
```



展示框，很有趣



```
#showybox(  
  [Hello world!]  
)  
  
showybox(  
  frame: (  
    dash: "dashed",  
    border-color: red.darken(40%)  
  ),  
  body-style: (  
    align: center  
  ),  
  sep: (  
    dash: "dashed"  
  ),  
  shadow: (  
    offset: (x: 2pt, y: 3pt),  
    color: yellow.lighten(70%)  
  ),  
  [This is an important message!],  
  [Be careful outside. There are dangerous bananas!]  
)
```

Hello world!

This is an important message!


Be careful outside. There are
dangerous bananas!



提示框



```
#info[ This is the info clue ... ]  
#tip(title: "Best tip ever")[Check out this cool package]
```

 Info
This is the info clue ...



Best tip ever

Check out this cool package



类 obsidian



ⓘ Info

This is information

✓ Success

I' m making a note here: huge success

✓ Check

This is checked!

⚠ Warning

First warning...



类 obsidian (ii)



Note

My incredibly useful note

? Question

Question?

Example

An example make things interesting

” Quote

To be or not to be



类 obsidian (iii)



Callout

123

类 obsidian (iv)



Outline

1. 第一章：字体变	1	3. 第三章：页面	17
1.1 想分列显示?	2	3.1 demo 页	18
1.2 表格	3	3.2 致谢	18
1.3 数学公式	4		
2. 第二章：小组件	5		
2.1 时间轴，很简单	6		
2.2 代码块，很优雅	7		
2.3 用节点和箭头绘制图表	8		
2.4 展示框，很有趣	12		
2.5 提示框	13		
2.6 类 obsidian	14		

THANKS FOR ALL

敬请指正！