


Galen 自动化验证 与可核验材料

面向“学科垂类大模型与创新应用开发”评审的补充材料。报告收录可复现命令、实际测试输出、量化通过率、数据接入回执与系统生成的正式研究产物。

自动化验证通过率

采集时间：2026-09-13 20:09:02 +08:00 合计：11/11 通过



自动生成时间：2026-09-13 20:09:02 +08:00；验证工作区：Galen / galen-research-workbench。

1. 本材料证明什么

只呈现可自动复跑、可由文件和命令核验的能力证据。

评审关注点	本材料中的直接证据	核验方式
代码可执行	前端意图测试、Rust Connector 测试、生产构建	终端输出截图 + 原始命令
任务已完成	RehabGPT Connector → RehabID 时间轴 → PI 研究任务 → PDF	导入回执、完整流程视频、PDF 内部预览
量化评估	11/11 自动检查通过；各层通过率与实际运行时长	图表 + 运行日志

本册聚焦系统可直接复现的能力证据：能否正确识别意图、完成连接器导入、通过构建，并形成可预览的正式研究产物。

2. 自动化任务卡

所有任务均使用已存在的 Galen 代码、连接器与产物。

任务	输入	成功条件	实际证据
T1 · 对话驱动数据接入	自然语言：从 RehabGPT 获取指定 RehabID 记录	解析为 rehabgpt Connector 意图	Vitest 3/3
T2 · 数据治理	RehabGPT 本地 Bridge 快照	发现、预览并写入 RehabID 时间轴	Rust Connector 7/7
T3 · 可交付研究任务	导入后的对象、时间点、观测记录	PI 状态推进，并生成可预览 PDF	流程视频 + PDF
T4 · 发布可用性	完整前端工程	TypeScript 编译与 Vite 生产构建通过	Build 1/1

本次实际运行耗时

自动化检查	通过	本次耗时
前端连接器意图测试	3/3	0.60 s
Rust Connector 测试	7/7	27.32 s
生产构建	1/1	8.91 s

3. 代码 / 命令的可执行验证

下列截图来自本次生成报告前的实际执行输出。

前端连接器意图测试：验证首页和主对话都能识别“从 RehabGPT 获取…”并进入同一连接器路径。

• GALEN AUTOMATED VERIFICATION

```
RUN v2.1.9 D:/DEV/Galen-new/rust/crates/galen
```

```
src/domain/connectors.test.ts (3 tests) 3ms
```

```
Test Files 1 passed (1)
```

```
Tests 3 passed (3)
```

```
Start at 20:08:06
```

```
Duration 600ms (transform 26ms, setup 0ms, collect 27ms, tests 3ms, environment 0ms, prepare 53ms)
```

Rust Connector 测试：验证 RehabGPT Bridge 被作为命名研究数据源发现、预览和导入。

• GALEN AUTOMATED VERIFICATION

```
running 7 tests
```

```
test connectors::tests::preserves_workbench_visit_labels_for_longitudinal_analysis ... ok
```

```
test connectors::tests::latest_filter_keeps_every_module_from_the_same_timepoint ... ok
```

```
test connectors::tests::empty_assessment_backup_is_honest ... ok
```

```
test connectors::tests::discovers_the_live_bridge_snapshot_before_file_fallback ... ok
```

```
test connectors::tests::discovers_a_rehabgpt_bridge_as_a_named_research_source ... ok
```

```
test connectors::tests::previews_real_rehab_backup_shape ... ok
```

```
test connectors::tests::connector_import_builds_a_durable_rehabid_timeline ... ok
```

```
test result: ok. 7 passed; 0 failed; 0 ignored; 0 measured; 214 filtered out; finished in 0.01s
```

```
Running unittests src\bin\context_memory_probe.rs (D:\DEV\Galen-new\rust\target\debug\deps\context_memory_probe-774f12aa3334b6a8.exe)
```

```
running 0 tests
```

```
test result: ok. 0 passed; 0 failed; 0 ignored; 0 measured; 0 filtered out; finished in 0.00s
```

4. 构建通过与连接器数据回执

从代码到数据治理的中间状态均可被定位与复核。

生产构建：TypeScript 类型检查与 Vite 打包已经通过。

```

• GALEN AUTOMATED VERIFICATION

vite v5.4.21 building for production...
transforming...
  1913 modules transformed.
rendering chunks...
computing gzip size...
dist/index.html                                0.47 kB | gzip:  0.31 kB
dist/assets/pdf.worker.min-yatZIOMy.mjs      1,375.84 kB
dist/assets/index-DPHClw5S.css               143.67 kB | gzip:  22.55 kB
dist/assets/InteractiveInsightCanvas-DEGQ3_sk.js  6.56 kB | gzip:  2.89 kB
dist/assets/RehabContextPanel-DbEudMJ4.js     6.77 kB | gzip:  2.64 kB
dist/assets/EvidenceTrailPanel-D6HUYA5b.js    8.22 kB | gzip:  3.23 kB
dist/assets/DataQualityPanel-vvnOvh0S.js      9.34 kB | gzip:  4.80 kB
dist/assets/readSheetBrowser-CtC8h_Df.js      64.36 kB | gzip:  18.93 kB
dist/assets/index-D6oSqH3T.js                420.71 kB | gzip: 135.62 kB
dist/assets/ResearchDocumentCanvas-Bt6JWs1l.js 1,557.03 kB | gzip: 488.05 kB
  built in 5.32s
  
```

Galen 在正式写入前展示数据范围；确认后将对对象、时间点、数值观察写入项目级 RehabID 时间轴。

The screenshot displays the Galen web application interface. On the left, a sidebar contains navigation icons for 'G', '任务' (Tasks), '资料' (Data), '数据' (Data), '案例' (Cases), '完成' (Complete), and '设置' (Settings). The main content area is divided into two panels. The left panel, titled 'RESEARCH BRIEF 研究委托' (Research Brief / Research Commission), shows a '研究数据' (Research Data) section with a '数据已进入研究时间轴' (Data has entered the research timeline) status. It lists 12 data points (ATH-001 to ATH-012) and a '完成' (Complete) button. Below this is a '产物已生成' (Product generated) section with a text input field and a '开始推进' (Start progress) button. The right panel, titled 'REHABID DATA RECEIPT 研究数据已就位' (Research Data is ready), shows a '数据已标准化并进入当前研究的纵向时间轴' (Data is standardized and entered the longitudinal timeline of the current study) status. It lists 12 data points (ATH-001 to ATH-012) and a '当前可用评估范围' (Current available evaluation range) section. The bottom of the interface features a status bar with '消息 1' (1 message), '当前共识 0' (Current consensus 0), 'Token 11 0%' (Token 11 0%), '缓存' (Cache), '压缩' (Compress), and '正常' (Normal). The bottom right corner shows a navigation bar with '全局日志' (Global log), '版本' (Version), '证据库' (Evidence library), '代码仓库' (Code repository), '连接器' (Connector), and '产物库' (Product library).

5. 正式研究产物的可视化核验

系统并未停在“建议文本”：产物库中已出现 PDF，并可在 Galen 内部全文预览。



产物	位置 / 访问方式	用途
功能演示视频	output/connector-flow-recording/Galen-RehabID-完整队 列到正式论文-v5-高清全文预览.mp4	展示多病例 导入到正式 论文 PDF 的 完整闭环
RehabGPT 连接器 视频	output/connector-flow-recording/Galen-RehabGPT-连接 器到研究任务.webm	展示患者端 作为 Galen 数据插件的 路径
正式论文 PDF	Galen 内部成果预览 / output/pdf/	展示可打开、 可翻页的研 究交付物

6. 复现说明

评审可按下列命令自行验证，不依赖手工点击。

```
cd rust/crates/galen && npm test -- --run src/domain/connectors.test.ts
```

```
cd rust/crates/galen/src-tauri && cargo test connectors::tests
```

```
cd rust/crates/galen && npm run build
```

```
cd rust/crates/galen && node scripts/record-rehabgpt-connector.mjs
```

材料边界：本报告用于证明软件工程、连接器治理与自动化交付已可运行。关于用户体验、研究者偏好和人工判断一致性，将作为下一轮真实试用的单独报告呈现。