

# Design study project: Suicide Rates

Christian Rauch\*

Daniel Hanzer†

Roman Schneglberger‡

University of Vienna  
Faculty of Computer Science

## 1 MOTIVATION

## 2 RELATED WORK

## 3 APPROACH

## 4 IMPLEMENTATION

## 5 RESULTS

### 5.1 Scenarios of use examples

- Researching the impact of events on suicide rates

A researcher wants to view the impact on suicide rates in a country of a certain event that happened in 1985. For this, the researcher selects the country in the map view (Figure 3) and selects an appropriate time scale (Figure 2).

In the line chart (Figure 1) a slightly lower suicide rate in Canada in the year 1985 is visible.

- Researching how much / if economical factors influence the suicide rates in different countries

We select multiple European countries with CTRL + click on the map view as shown in Figure 4. In the color coded scatter plot matrix (shown in Figure 5) you can compare the correlation between various economical factors and suicide rates in the selected European countries.

- Simply comparing suicide rates in different countries

Without selecting anything, per default our visualization shows the suicide rates of all countries (with available data) in a bar chart. As you can see in Figure 6, the bar chart features color coding (identical to scatter plot matrix) and a mouse-over hint.

This default view should show the large differences in suicide rates in the various countries and encourage interest to the question "Why is that?". The user can now play around with the other charts and try to find possible explanations in economical factors.

### 5.2 Performance of the system

We designed, tested and improved our visualization to perform well with the intended use case scenarios, including but not limited to the ones detailed in 5.1.

The performance in speed is limited by our visualization tool of choice (tableau) and the size of the dataset. We discussed limiting the dataset, but that would possibly lower the functionality for a rather small usability gain and could also violate the design principle to show context.

\*e-mail: a01202875@unet.univie.ac.at

†e-mail: a01349699@unet.univie.ac.at

‡e-mail: a01127050@unet.univie.ac.at




Figure 1: Line chart showing a dip in the value of suicide rates in Canada of 1985



Figure 2: Selecting a time scale for a more detailed view

### 5.3 Feedback from evaluations

User feedback was a vital element in the design and improvement of our visualization. We improved the color coding (figures 5 and 6), implemented a scatter plot matrix instead of multiple scatter plots (or scatter plots selectable by a drop-down menu) and made a split line graph (figure 1) all based on user feedback and evaluations.

With our final visualization the only user complaint remaining is the loading time when selecting multiple countries one after another and initial difficulties to interpret the scatter plot chart.

## 6 DISCUSSION

### 6.1 Strengths and weaknesses of our visualization

**Strengths** Every graph is necessary to visualize the intended concepts - no "chart clutter". Our visualization provides a quick overview of the different suicide rates in many OECD nations per default and makes it easy to compare them, which would probably be the most common use case. For a more detailed analysis it provides the necessary tools to find possible correlations to other factors (economical and developmental).

The scatter plot matrix makes it easier, especially for advanced users, to spot correlation between the visualized data on a grand scale - the line chart on a more time based / historical scale. It can be simplified by restricting the number of countries shown.

**(Possible) Weaknesses** There are only so many factors we could incorporate into our visualization and it is not guaranteed there are correlations between these factors and suicide rates. If we included more it could lead to a too complex visualization and possibly make it even less likely for users to spot correlations as a result.

Selecting countries in the map view leads to loading times. It is not a very significant problem, but if the user wants to select many countries (for example European countries) it becomes annoying




Figure 3: Map view




Figure 4: Multiple selection on map view

pretty fast. We tried to improve the loading times, but it seems to be a problem with tableau and the size of the datasets.

The scatter plot matrix can be slightly difficult to read and interpret correctly because of its high data density. However we are confident this is the best way to visualize possible correlations between the various datasets and suicide rate among all countries and it enables the user to spot correlations on a grand scale in one graph.

## 6.2 Lessons learned

- Visualization can be a time consuming process and good time planning is necessary.
- User feedback is a vital element for visualization. The developers are very likely to overlook possible flaws and shortcomings.
- Tableau is an easy to use tool if you want your visualization to work and look exactly as the developers intended it to. If you want to do something "non-standard" with this tool, the process can become quite complicated.

## 7 SEPARATION OF TASKS: MILESTONE 4

Christian Rauch:

- "Results" section
- "Discussion" section




Figure 5: Scatter plot matrix




Figure 6: Default view of bar chart with mouse-over hint

- "Separation of Tasks" section
- LaTeX document setup and coding

Daniel Hanzer:

- Improvements and implementation of feedback in visualization (correct color coding and scatter plot matrix)

- "Motivation" section

Roman Schneglberger:

- "Related Work" section
- "Approach" section
- "Implementation" section