

Report No.	DOUS-TBT-101	Project No.	
Date		Project Name	
Vessel / Spread		Offshore Manager	

Copies of the completed Toolbox Talks shall be sent to HSEQS Department upon request.

The Toolbox Talk is a discussion meeting, hence it shall be delivered verbally by a TBT Leader.

Part 1 Project Operational Overview (Tick and discuss the area of operations as applicable)

1	Mobilisation / demobilisation	☐	9	Plough Operations / Launch & Recovery	☐
2	Vessel Transit Operations	☐	10	Trencher Operations / Launch & Recovery	☐
3	Platform 500m Zone Entry	☐	11	ROV Operations / Launch & Recovery	☐
4	Lifts – Deck	☐	12	Simultaneous Operations	☐
5	Lifts – Subsea	☐	13	Abandonment of Asset(s)	☐
6	Deck Operations	☐	14	Recovery of Asset(s)	☐
7	Cable Working Equipment	☐	15	Equipment Maintenance	☒
8	Equipment / Procedure Trials	☐	16	Other:	☐

Part 2 Specific Task (Identify what the task is that is to be performed)

General Maintenance.

Part 3 HSE Considerations & Requirements (Tick and discuss as applicable)

1	PPE	☒	14	Environmental Requirements	☒
2	Working at Height	☐	15	Over side Working	☐
3	Risk Assessment / JSA / Take 2	☐	16	Life Saving & Fire Fighting Equipment	☒
4	Lifting Operations & Lift Plans	☐	17	Boat Transfers	☐
5	Manual Handling	☐	18	First Aid – Medical Support	☒
6	Slips, Trips & Falls	☐	19	Housekeeping	☐
7	Permit to Work	☐	20	Noise / Vibration	☐
8	Electrical Work & Precautions	☐	21	Confined Spaces	☐
9	Hot Work	☐	22	COSHH	☐
10	Safety & Warning Signs	☐	23	Stored Pressure Systems	☐
11	Rescue Equipment/Plan	☐	24	HV Electrical Work	☐
12	Communication Protocols	☐	25	Spill Prevention / Containment	☐
13	Dropped Objects	☐	26	Other:	☐

Part 4 Supporting Documents – List applicable documents discussed and reviewed during TBT
(Method Statements, Task Plans, Lift Plans, COSHH RA, Drawing, MOC's, RA's/ SJA's, Storyboards, etc.)

Part 5 Emergency Arrangements

Discuss / list specific Rescue Plans, Contingency Plans as applicable

Report all BBP exposures, or potential exposures, to your supervisor immediately.

Name and contact of the assigned Medic / First Aider

Part 6 Life Saving Rules (Identify and tick applicable rules)

 Bypassing Safety Controls ☐	 Confined Space ☐	 Driving ☐	 Energy Isolation ☐	 Hot Work ☐	 Line of Fire ☐	 Safe Mechanical Lifting ☐	 Work Authorisation ☐	 Working at Height ☐
--	---	--	---	---	---	--	---	--

Part 7 Confirm and discuss the subsequent control measures implemented relevant to the Life Saving Rule

Wear impervious gloves when there is a chance of exposure to blood or body fluids.

Wear a face shield and safety goggles; use resuscitation devices when performing CPR.

Immediately wash hands and affected areas with soap and warm water; flush eyes, nose or other mucous membranes with water if exposed.

Wash down areas body fluids may have contacted with a mild solution of household water and bleach (10:1).

Part 8 TBT Discussion Topics / Notes (to include reinforcement of ACT for Safety and Stop Work Authority)**Blood Borne Pathogens**

Individuals who are infected with Hepatitis B Virus (HBV) or Human Immunodeficiency Virus (HIV) may not show symptoms and may not know they are infectious. For this reason, all human blood and body fluids should be considered as if infectious, and all precautions should be taken to avoid contact. This simple rule is known as "universal precautions."

In the workplace, bloodborne pathogens (BBP) may be transmitted when blood or other infectious body fluids come in contact with mucous membranes (your eyes, nose, mouth); non-intact skin (due to cuts, abrasions, burns, rashes, paper cuts); or by handling or touching contaminated materials or surfaces. Bloodborne pathogens are also transmitted by "injection" under the skin via a contaminated sharp object puncturing or cutting the skin causing a wound.

Hepatitis B Virus versus Human Immunodeficiency Virus:

Hepatitis B Virus is more persistent than HIV and is able to survive for at least one week in dried blood on environmental surfaces. However, HIV will not survive for more than a few minutes when exposed to room temperature air, and will usually die within seconds.

A teaspoon of infected blood may contain over one billion HBV particles, while a teaspoon of infected HIV blood contains about 15 HIV particles.

Hepatitis B Virus usually has mild symptoms which makes diagnosis difficult. HIV infections usually are not diagnosed for years and symptoms may not appear for many months or years.

Hepatitis B can be prevented with a vaccine. At the present time there is no preventive vaccine for HIV.

No cure is presently available for HBV or HIV.

If you administer first aid to an injured person in the workplace and there is a potential for contacting any body fluids, you should adhere to the following "universal precaution" guidelines:

Wear impervious gloves when there is a chance of exposure to blood or body fluids.

Wear a face shield to protect your entire face, and safety goggles to provide the most complete eye protection.

Use resuscitation devices when performing cardiopulmonary resuscitation (CPR).

Report all BBP exposures, or potential exposures to your supervisor immediately.

Immediately wash your hands and affected areas with soap and warm water.

Flush your eyes, nose or other mucous membrane areas with water, if exposed.

Wash down areas which body fluids may have been contacted with the use of a mild solution of household water and bleach (10:1).

Safety Principle: 'STOP THE JOB' if safety is compromised or you see something going wrong.

Part 9 Identify any actions from TBT and assign Responsible Person and timescale

--

Part 10 TBT Attendees					
Print Name	Sign	Print Name	Sign	Print Name	Sign
TBT Leader Name		TBT Leader Signature		Position	Date
					Time
					0000-2400

Part 11 Confirmation from TBT Leader		
Have all relevant persons involved in / affected by the task attended the TBT?	☒ Yes	☐ No
Have specific roles and responsibilities required for the task been adequately communicated and understood?	☒ Yes	☐ No
Are all control measures understood by those involved and suitably implemented?	☒ Yes	☐ No