

TASK RISK ASSESSMENT (TRA)

[illegible]

No.	Task /Activity	Hazard and Consequence		Initial Risk			Mitigating Controls	Residual Risk		
	Sequential Steps	Hazard	Consequence	Probability	Consequence Severity	Risk Rating	Measures to Reduce Risk to ALARP	Probability	Consequence Severity	Risk Rating
1	Review TRA and TBT	Miscommunication	Personnel Injury / Environmental Pollution	1	2	2	Situational awareness and proper use of PPE. Hard hats, impact gloves, cotton gloves, latex gloves, steel toed boots, safety glasses.	1	1	1
2	Prior to any task being undertaken ensure that all personnel are aware of the hazards involved.	Possible slips trips and falls. Pinch points poor body position.	Personnel Injury / Strain	2	3	6	All personnel must be aware of their surrounds and weather conditions. Use proper workplace ergonomics and manual handling techniques, i.e., Ensure proper body positioning, lift with legs, body position, and obtain second personnel when loads are over 40lbs. Use PPE that is specified in for manual handling.	2	2	4
3	Select proper tool/equipment for task and inspect before use.	Incorrect tool for the job can lead to serious injury and damage to equipment.	Personnel Injury / Equipment Damage	2	2	4	Check tools and lifting equipment for proper fit and function before use. If damaged take out of service and red tag.	1	1	1
4	Check tool/equipment for damage.	Pinch points, Damage to equipment, personal injuries.	Personnel Injury / Equipment Damage	2	2	4	Inspect lifting equipment before use. Verify If a corded tool ensure that cord is in good working condition with no wear or damaged areas, also check extension cords for no wear or damaged areas if being used. If damaged take out of service and red tag.	1	1	1
5	Utilize proper PPE for task at hand.	Eye, hand, or other injuries due to lack of proper PPE for task.	Personnel Injury / Equipment Damage	2	2	4	Utilize proper PPE for task at hand.	1	1	1
6	Inspect tools/equipment upon completion of task stow away properly and in correct location.	Tools to be put back improperly can damage equipment.	Personnel Injury / Equipment Damage	2	2	4	Inspect tool thoroughly after use to ensure no damage has occurred during usage, if damaged take out of service and Red tag.	1	1	1

7	Clean up work area	Trips, slips, falls, and dropped objects.	Personnel Injury / Equipment Damage	2	2	4	Clean up area and secure all tools, ladders if used, ropes. Make sure area is free of debris to prevent accidents.	1	1	1
TRA Approval		Name	Position		Signature		Date			
By signing, the Approver confirms that the TRA has been reviewed and considers the task acceptable to proceed with residual risk meeting the acceptance criteria of DO Risk Matrix.										

*Reference DO-HSE-FRM-140 for DeepOcean Risk Assessment Matrix (RAM) and Guidewords