



Front Bumper Impact Bar Removal and Installation


Removal Procedure




1. Hood Latch Actuator Bolt (1) » Remove [2x] (1)
2. Hood Secondary Latch Release Handle (2) » Remove



3. Intake Air Baffle Retainer (1) » Remove [10x]
4. Intake Air Splash Shield (2) » Remove




5. Front Grille Bolt (1) » Remove [4x]




6. Front Grille Retainer (1) » Release [8x]

7. Front Grille Clip (2) » Release [8x]


8. Front Grille (3) » Remove




- 9. { If equipped } Disconnect and reposition the lower shutter harness.
- 10. Disconnect the electrical connector.
- 11. Front Bumper Shutter Bolt (1) » Remove [9x]
- 12. Front Bumper Shutter (2) » Remove



- 13. Front Bumper Impact Bar Bolt (1) » Remove [4x]




14. Remove the left and right front bumper fascia support brace bolts (1).
15. Remove the 2 left and right front bumper fascia center support bolts (2).




16. With the aid of an assistant remove the fascia (1).
17. Disconnect electrical connections, if applicable.

[Installation Procedure](#)




1. Connect electrical connections, if applicable.
2. With the aid of an assistant, install the impact bar (1).




Caution: Refer to [Fastener Caution](#).

3. Front Bumper Fascia Support Brace Bolt (1) » Install and tighten — [Fastener Specifications](#)
4. Front Bumper Fascia Center Support Bolt (2) » Install and tighten [4x] — [Fastener Specifications](#)



5. Front Bumper Impact Bar Bolt (1) » Install and tighten [4x] — [Fastener Specifications](#)




6. Front Bumper Shutter (2) » Install

Caution: Refer to [Fastener Caution](#).


7. Front Bumper Shutter Bolt (1) Install and tighten [9x] — [Fastener Specifications](#)

8. Connect the electrical connector.


9. { If equipped } Connect and install the lower shutter harness.




- 10. Front Grille (3) » Install
- 11. Front Grille Clip (2) » Install [8x]
- 12. Front Grille Retainer (1) » Install [8x]



- 13. Front Grille Bolt (1) » Install and tighten [4x] — [Fastener Specifications](#)



- 14. Intake Air Splash Shield (2) » Install
- 15. Intake Air Baffle Retainer (1) » Install [10x]



- 16. Hood Secondary Latch Release Handle (2) » Install
- 17. Hood Latch Actuator Bolt (1) » Install and tighten [2x] — [Fastener Specifications](#)