

FORGE

AI AGENT CHECKLIST

Fillable - click any box, type in any yellow area, then Save

33

HELPERS READY

3

LOCKED ON PURPOSE

1

GOAL AT A TIME

HOW TO USE THIS FILE - read this once

Open it in Adobe Acrobat Reader (free), Preview on a Mac, or any browser.
Click a square to tick it. Click a yellow area and type.
Press Save (Ctrl+S / Cmd+S). Your ticks and notes are stored inside this file.
Print it instead if you prefer pen and paper. It works both ways.
You cannot break anything in here. It is a checklist, not a control panel.

THE PROMISE - why a child could not break your helpers

Every helper had its dangerous powers REMOVED before it was switched on.
The email helper has no send button. Not hidden - it is not in its toolbox.
No helper can buy, delete, publish, sign, or send anything. Ever.
The worst a helper can do is write you a note that is wrong. You read it. You decide.

PART 1 - WHAT WAS BUILT FOR YOU

In one sentence: 33 small AI helpers, each with one job, none able to do anything dangerous.

The five things you now own

- 1 33 AI helpers, switched on**
Each does ONE job. You call them by name, in plain English.
- 2 4 automatic safety gates**
Computer checks that block a mistake before it can happen. All four have already caught real errors.
- 3 A goal ladder**
Every helper is tied to your big goal. A helper that serves nothing gets refused by the computer.
- 4 A written safety list**
Things NO helper may ever do: send, buy, publish, delete, sign.
- 5 A private-data cleaner**
Phone numbers were published by mistake. They have been scrubbed from the project history, and the scrub was double-checked and passed.

The safety gates, and what each already caught

A gate that has never said no has never been tested. All four of these have said no.

Private-data guard	Phone numbers, account numbers, passwords, keys <i>Has blocked its own author more than once</i>
Goal guard	A helper that serves no goal of yours <i>Caught 3 helpers with goals nobody could measure</i>
Match guard	A helper whose powers stopped matching its contract <i>Caught its own first mistake on its first run</i>
Loop guard	A robot task that could cheat its own scoring <i>Refuses 2 of your 5 planned loops today</i>

THE MOST IMPORTANT THING THAT HAPPENED

One of your helpers - EVIDENCE-AUDITOR - was pointed at the work that built all this. It found 19 problems. One was a number wrong by more than double, in the direction that made the argument look better. It also caught a safety fix being called 'proven' when the real test had never run. That test has now been run. It passed. All 19 were fixed before you ever saw them. That is what these helpers are for.

MY NOTES - what I want these helpers to do for me

HABIT 1 - BE PROACTIVE

Run one helper today. Do not wait for a perfect moment.

The SMART version

- S** - Run the BRIEFER helper one time.
- M** - One page of notes exists that you did not write.
- A** - 25 minutes, no extra cost.
- R** - Already paid for, already installed. Nothing is blocking it.
- T** - **TODAY, before bed.**

Do these, in this order

☐	Open Claude Code in your FORGE project folder <i>Same window you already use</i>	
☐	Type: Use the BRIEFER agent to research ____ for me <i>Fill the blank with a real question</i>	
☐	Read the one page it gives back <i>Under 5 minutes</i>	
☐	Write down: did that save me time? Yes or no <i>The only score that matters</i>	

HABIT 1 - what happened when I tried it

--

HABIT 2 - BEGIN WITH THE END IN MIND

Your big goal is written. Now write the small one under it.

The SMART version

- S** - Write ONE 90-day goal in the goal ledger.
- M** - A filled row where the file is blank now.
- A** - 20 minutes thinking, 2 minutes typing.
- R** - Only you may do this. No helper is allowed to.
- T** - **This week. Sunday at the latest.**

Do these, in this order

☐ Open agents/analysis/goal-ledger.md <i>Your big goal is already at the top</i>	
☐ Find the QUARTER table - it is empty <i>One row is enough. Not three.</i>	
☐ Write: <something> will be true by <a date> <i>Not 'improve sales'. A date, or it does not count.</i>	
☐ Name ONE next action, the first physical thing <i>Open the file. Send the email. Make the call.</i>	

HABIT 2 - what happened when I tried it

--

HABIT 3 - PUT FIRST THINGS FIRST

One goal moving at a time. Everything else gets parked.

The SMART version

- S** - Exactly ONE goal marked MOVING.
- M** - Count the MOVING rows. The number is 1.
- A** - A one-word edit.
- R** - Hard emotionally, easy practically.
- T** - Every Monday morning, forever.

Do these, in this order

☐ Count the MOVING rows in your goal ledger <i>More than 1 means you are slowing yourself down</i>	
☐ Pick ONE. Change the rest to PARKED. <i>Parked is not cancelled. It is 'not today'.</i>	
☐ Use the PARKING agent for every new idea <i>Say: Use the PARKING agent to park this idea</i>	
☐ Set a stop time BEFORE starting any work block <i>Open-ended blocks are why nothing starts</i>	

HABIT 3 - what happened when I tried it

HABIT 4 - THINK WIN-WIN

Each helper gets only the powers it needs. You both win.

The SMART version

- S** - Read the forbidden-actions list on the red page.
- M** - You can name 3 forbidden actions from memory.
- A** - 5 minutes of reading.
- R** - You need this to trust them.
- T** - Before any helper touches your email.

Do these, in this order

☐ Read the red page in this file <i>It is short on purpose</i>	
☐ Notice: the email helper has NO send button <i>Removed, not hidden</i>	
☐ Run: python3 scripts/agent_parity.py <i>Checks the powers still match. Copy that line exactly.</i>	
☐ If it ever says BLOCKED, do not override it <i>A blocked gate is the system working</i>	

HABIT 4 - what happened when I tried it

HABIT 5 - SEEK FIRST TO UNDERSTAND

Read what the helper wrote BEFORE you act on it.

The SMART version

- S** - Never act on output you have not read.
- M** - Zero things sent or filed unread.
- A** - Costs seconds.
- R** - This is the whole safety design.
- T** - Every single time. No exceptions.

Do these, in this order

☐ Read the answer all the way to the end <i>Warnings are usually at the bottom</i>	
☐ Look for Unknown, Unverified, or Assumption <i>Those mean the helper is NOT sure. Believe it.</i>	
☐ If a number surprises you, ask for the maths <i>Say: Show me how you calculated that</i>	
☐ Run EVIDENCE-AUDITOR on anything important <i>Say: Use the EVIDENCE-AUDITOR agent on this</i>	

HABIT 5 - what happened when I tried it

HABIT 6 - SYNERGIZE

Pair a maker with a checker. Never let one helper mark its own work.

The SMART version

- S** - Every BUILDER change gets a REVIEWER check.
- M** - Zero code changes with no review.
- A** - One extra sentence when you ask.
- R** - Proven: the checker found 19 real problems.
- T** - **Same day. Never 'later'.**

Do these, in this order

☐	After BUILDER writes, run the checker immediately <i>Say: Now use the ADVERSARIAL-REVIEWER agent</i>	
☐	For research, pair BRIEFER with EVIDENCE-AUDITOR <i>One writes, one attacks</i>	
☐	For anything with a number, ask for re-derivation <i>Exactly how the 2% vs 4.72% error was caught</i>	
☐	Never accept 'looks good' from the helper that wrote it <i>Not lying - it just cannot see its blind spot</i>	

HABIT 6 - what happened when I tried it

HABIT 7 - SHARPEN THE SAW

Weekly: check whether the helpers actually save you time.

The SMART version

- S** - Run STEWARD once a week, read one screen.
- M** - Your review minutes. Going down, or not.
- A** - 10 minutes on a Friday.
- R** - You cannot know if this works without it.
- T** - Every Friday. Calendar it now.

Do these, in this order

☐ Friday: Use the STEWARD agent for this week <i>Reports how much of your time helpers used</i>	
☐ Look at ONE number: your review minutes <i>Up two weeks running = demote a helper</i>	
☐ Ask GOALKEEPER if anything is stuck <i>Say: Use the GOALKEEPER agent</i>	
☐ Tick the box, close the laptop, rest <i>Rest is part of the habit, not the reward</i>	

HABIT 7 - what happened when I tried it

--

PART 3 - EVERY HELPER, ONE BY ONE

33 switched on. 3 deliberately locked. Tick each one as you try it.

HOW TO CALL ANY HELPER - this never changes

1. Open Claude Code in your FORGE project folder.
 2. Type a normal sentence with the helper's NAME in it.
 3. Example: Use the MAILROOM agent to sort my inbox.
 4. That is the whole thing. No menu, no code, no setup.
- Forgot a name? Just describe what you want - it will pick one for you.

TIME BACK - 7 helpers

You get hours of your life back.

1. BRIEFER

READY TO USE NOW

Given an approved question and up to three approved public sources, produce a one-page brief with an evidence ledger and named uncertainties.

Its one job: Replace one research session a week that Andrew would otherwise run himself.

☐ Say: "Use the BRIEFER agent."

2. BUILDER

READY TO USE NOW

Given a well-specified issue, produce a draft pull request with tests.

Its one job: Andrew stops writing the mechanical 80% of the talent application.

☐ Say: "Use the BUILDER agent."

3. INTERVIEW-PREP

READY TO USE NOW

Builds the examiner-interview agenda: what the rejection actually says, the proposed distinction, and the fallback position - before the call.

Its one job: Every office action gets an interview agenda before a response is drafted.

☐ Say: "Use the INTERVIEW-PREP agent."

4. MAILROOM

READY TO USE NOW

Given one mailbox, classify every unread thread and draft replies for the drafts folder. Never sends.

Its one job: Remove the DECIDING from the inbox, not the typing.

☐ Say: "Use the MAILROOM agent."

5. ROUTER

READY TO USE NOW

Given one question, decide which tier answers it, dispatch it, and log the decision. Never answers.

Its one job: Every question is answered at the cheapest tier that can answer it, and agents never spend the headroom Andrew needs for his own work.

☐ Say: "Use the ROUTER agent."

6. SCOUT

READY TO USE NOW

Given federal opportunity sources, return only opportunities that clear seven eligibility gates. Public sources only.

Its one job: Andrew never learns about a fitting opportunity too late, and never reads about one he cannot bid.

☐ Say: "Use the SCOUT agent."

7. STEWARD		READY TO USE NOW
Weekly, per lane: what ran, what you approved, what it got wrong, what it cost, and how much headroom was left. <i>Its one job: Andrew's review minutes fall, week over week.</i>		
☐	Say: "Use the STEWARD agent."	
NOTHING BREAKS - 22 helpers		Stops a mistake you can never undo.
8. ADVERSARIAL-REVIEWER		READY TO USE NOW
Reads a diff expecting it to be wrong and reports concrete failure scenarios. Never edits. <i>Its one job: (hand-written definition)</i>		
☐	Say: "Use the ADVERSARIAL-REVIEWER agent."	
9. ART-DELTA		READY TO USE NOW
Element-by-element mapping of each independent claim against the closest known reference, and the one element no reference discloses. <i>Its one job: Every independent claim has a written delta before it is filed, and the section 103 case against it is already on paper.</i>		
☐	Say: "Use the ART-DELTA agent."	
10. ATTESTOR		READY TO USE NOW
Given any agent's claim that it did something, verify the artifact actually exists. A claim without an artifact is void. <i>Its one job: No claim of completed work enters the record without an artifact behind it.</i>		
☐	Say: "Use the ATTESTOR agent."	
11. CANARY		READY TO USE NOW
Given a fixed golden set and a seeded defect, detect when an agent's quality drifts - including when a reviewer stops finding things. <i>Its one job: Catch an agent going bad within one month of it starting.</i>		
☐	Say: "Use the CANARY agent."	
12. CAPTABLE		LOCKED - waiting on your lawyer or a missing setting
Given a document that creates, transfers or dilutes ownership, extract the terms that change f and surface them before signature. Never advises. <i>Its one job: No equity leaves Andrew's hands on terms nobody read.</i>		
☐	Say: "Use the CAPTABLE agent."	
13. CAPTURE		LOCKED - waiting on your lawyer or a missing setting
Given one opportunity SCOUT cleared, assemble pre-bid intelligence - leading with the strongest case for NO-BID. <i>Its one job: No bid proceeds without the case against it having been made at full strength.</i>		
☐	Say: "Use the CAPTURE agent."	
14. CITATION-VERIFIER		READY TO USE NOW
Resolves every DOI and discards any source that does not match the record it claims to be. <i>Its one job: (hand-written definition)</i>		
☐	Say: "Use the CITATION-VERIFIER agent."	

15. COMPLIANCE-MATRIX		READY TO USE NOW
Turns a solicitation into a requirement matrix; model-invented rows isolated, never merged. <i>Its one job: (hand-written definition)</i>		
☐	Say: "Use the COMPLIANCE-MATRIX agent."	
16. DILIGENCE		READY TO USE NOW
Given one personal or capital decision, assemble primary-source evidence and name what is unknowable. Never recommends. Never estimates. Never transacts. <i>Its one job: No capital or family decision is made on a number nobody computed.</i>		
☐	Say: "Use the DILIGENCE agent."	
17. ELIGIBILITY-SCOUT		READY TO USE NOW
Flags section 101 eligibility risk in draft claims for a software or AI invention. Flags. Never opines, never scores, never clears. <i>Its one job: Zero section 101 rejections that a pre-filing pattern check would have caught.</i>		
☐	Say: "Use the ELIGIBILITY-SCOUT agent."	
18. EVIDENCE-AUDITOR		READY TO USE NOW
Audits any document against the truth standard: invented numbers, upgraded labels, fake citations. <i>Its one job: (hand-written definition)</i>		
☐	Say: "Use the EVIDENCE-AUDITOR agent."	
19. IDS-WARDEN		READY TO USE NOW
Inventories everything that may have to be disclosed under the duty of candor, with dates. A candor failure does not cause a rejection - it can render a granted patent unenforceable. <i>Its one job: Zero statutory bars and zero candor surprises.</i>		
☐	Say: "Use the IDS-WARDEN agent."	
20. LIBRARIAN		built, not switched on
Given your dissertation domain, surface new literature weekly - every item DOI-resolved, retraction-checked, and matched to the record it claims to be. <i>Its one job: No unverified source ever reaches the dissertation.</i>		
☐	Say: "Use the LIBRARIAN agent."	
21. MATRIX		built, not switched on
Given a solicitation, produce a complete requirement matrix with provenance. Model-invented rows are isolated, never merged. <i>Its one job: Zero proposals rejected for non-compliance.</i>		
☐	Say: "Use the MATRIX agent."	
22. NIGHTWATCH		LOCKED - waiting on your lawyer or a missing setting
Given one genuinely hard, contested, consequential question, run the paid five-seat panel. Manual only. Typed SPEND. Rare. <i>Its one job: Tell Andrew whether his five seats are actually independent - and retire itself if they are not.</i>		
☐	Say: "Use the NIGHTWATCH agent."	

23. ORCHESTRATOR		READY TO USE NOW
Drive a multi-window elimination run: four thinkers, one closer, gates before the merge, stop on no-new-corrections. <i>Its one job: Where one model is not enough, produce real divergence instead of false agreement.</i>		
☐	Say: "Use the ORCHESTRATOR agent."	
24. PRIORART		READY TO USE NOW
Given an invention disclosure, assemble a prior-art packet for counsel. No opinion. No probability. No public disclosure. Ever. <i>Its one job: Counsel never starts from zero, and never from a search whose gaps are hidden.</i>		
☐	Say: "Use the PRIORART agent."	
25. REDACTOR		READY TO USE NOW
Before anything leaves this machine - a commit, an email, an artifact, a screenshot - scan it for what must never leave. Blocks, does not warn. <i>Its one job: Nothing that must never be published reaches this public repository.</i>		
☐	Say: "Use the REDACTOR agent."	
26. REVIEWER		built, not switched on
Given a diff, find the input that breaks it. Report. Never fix. <i>Its one job: No agent-authored change reaches Andrew unreviewed.</i>		
☐	Say: "Use the REVIEWER agent."	
27. SENTINEL		READY TO USE NOW
Given every dated obligation across the lanes, surface what is approaching before it is late. Metadata only - never content. <i>Its one job: No dated obligation is ever missed.</i>		
☐	Say: "Use the SENTINEL agent."	
28. SPEC-WARDEN		READY TO USE NOW
Mechanically verifies section 112 support: every claim term appears in the specification, every "the X" has an antecedent, every functional element has an algorithm. <i>Its one job: Zero section 112 rejections. This class is entirely self-inflicted, so the target is zero.</i>		
☐	Say: "Use the SPEC-WARDEN agent."	
29. SYNTH-QA		READY TO USE NOW
Given synthetic candidate data, exercise the talent application's flows and report what breaks. No real candidate records, ever. <i>Its one job: No user finds a defect that a synthetic fixture could have found first.</i>		
☐	Say: "Use the SYNTH-QA agent."	
NOTHING FORGOTTEN - 4 helpers		Tells you when something is stuck.
30. FIRSTFRUITS		READY TO USE NOW
Given an income or distribution event, record what was given, as a percentage, in the period it happened. Never moves money. Never names a percentage. <i>Its one job: Giving is measured from the first dollar, not deferred to the billionth.</i>		
☐	Say: "Use the FIRSTFRUITS agent."	

31. GOALKEEPER

READY TO USE NOW

Holds the goal ledger. Every goal has an owner and one next action; every agent traces to at least one goal. Flags orphans in both directions.

Its one job: No goal goes unowned and no agent runs without a goal.

☐ Say: "Use the GOALKEEPER agent."

32. PARKING

READY TO USE NOW

Given an idea that is not today's mission, capture it and get it out of the way. Resurface it at the weekly review, not before.

Its one job: No second front is ever opened on a day that already has one.

☐ Say: "Use the PARKING agent."

33. TRACKER

READY TO USE NOW

Given your dissertation's open questions, keep one live register of what is asked, what is answered, what is contradicted, and what is still open.

Its one job: No research question is silently abandoned.

☐ Say: "Use the TRACKER agent."

GETS EASIER - 3 helpers

Next time costs less than this time.

34. ASSET-LINE

READY TO USE NOW

Given a week of recorded hours, classify every one as building an owned asset or renting out time, and report the ratio. Classifies. Does not judge.

Its one job: Make the asset-versus-time split of Andrew's week a number he sees weekly, instead of an impression he forms yearly.

☐ Say: "Use the ASSET-LINE agent."

35. HARVESTER

READY TO USE NOW

After every run, extract what is reusable into the lane's library. Never let the same work be done twice.

Its one job: The next proposal starts from a library, not a blank page.

☐ Say: "Use the HARVESTER agent."

36. OPTIMIZER

READY TO USE NOW

Run a bounded improvement loop: change one component, re-run the fixed evaluation, keep or revert. Never unlimited.

Its one job: Only measured improvements are kept. Noise is never banked.

☐ Say: "Use the OPTIMIZER agent."

TWO JOBS NO HELPER CAN DO FOR YOU

These are not helpers. They are yours.

WHY THESE ARE NOT ON THE HELPER LIST

It would have been easy to make these look like helpers.

That would have been a lie, and you would have waited forever for something that was never coming. Nothing and nobody can do these except you.

BASELINE

Capture two weeks of unmodified time data, so "did this help" has an answer instead of an impression.

Its one job: Give day 90 an answer instead of an impression.

☐

I have done the BASELINE job myself

No helper will ever tick this for you

SMOKE

Given a browser or remote route, prove it reaches the right host, the right browser profile and the right page - and that Stop works - before any real work is trusted to it.

Its one job: No route is trusted before it is tested.

☐

I have done the SMOKE job myself

No helper will ever tick this for you

WHAT NO HELPER MAY EVER DO

Print this page. Put it where you can see it.

X Send an email to anyone

X Buy anything or move money

X Submit to a government portal

X File anything with the patent office

X Publish or post anything

X Sign or agree to terms

X Delete your data

X Put anything live for customers

X Log in as you, or solve a CAPTCHA

X Decide who gets hired

X Merge code into the main project

X Invent a number or a percentage

WHY YOU CAN TRUST THIS LIST

These are not promises in a document. The powers were physically removed.
The email helper has no send button to press. It is not in its toolbox.
A computer check runs on every change. If a helper ever gained one of these powers, the check stops the change from saving.
That check has already blocked its own author more than once.

If something ever feels wrong

☐

STOP. Close the window.

You lose nothing. Helpers stop when you close them.

☐

Nothing was sent, bought, or published

It could not have been. See the list above.

☐

Write down what you saw

One line is enough

☐

Ask a fresh session to check it

Say: Use the EVIDENCE-AUDITOR agent on this

YOUR MASTER CHECKLIST

Tick in order. Do not skip. Never two at once.

TODAY

☐	Read the front page of this file <i>3 minutes</i>	
☐	HABIT 1 - run the BRIEFER helper once <i>25 minutes. This is the big one.</i>	
☐	Write one sentence: did it save me time? <i>Yes or no. That is all.</i>	

THIS WEEK

☐	HABIT 2 - write ONE 90-day goal <i>A date, or it does not count</i>	
☐	HABIT 3 - mark exactly one goal MOVING <i>Count them. The number is 1.</i>	
☐	HABIT 7 on Friday - run STEWARD <i>Put it in your calendar now</i>	
☐	Start the 14-day time baseline <i>Only you can do this one</i>	

ONLY YOU CAN DO THESE - still waiting

☐	Open the Cloudflare test link (30 seconds) <i>Checks if your project files show on your public website</i>	
☐	Send the GitHub Support letter <i>Already written in agents/27. The rewrite it describes is DONE, so it is safe to send.</i>	
☐	Ask your lawyer the four contract questions <i>Unlocks 3 of your locked helpers</i>	
☐	Ask FIU what AI use is allowed for your doctorate <i>Highest-risk unanswered question you have</i>	
☐	Find the seat-3 model ID in your console <i>2 minutes. Unlocks NIGHTWATCH.</i>	

MY NOTES

Room to think. Type here or write by hand.

NOTES 1

NOTES 2

NOTES 3

NOTES 4