

ОТЧЕТ ПО ПРАКТИКЕ №1

Шаг 1 – создание репозитория

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git config --global --list
user.name=waldemar
user.email=235098976+DriftIsMyDebug@users.noreply.github.com
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial
$ git init
Initialized empty Git repository in D:/learn_sharp/GitTutorial/.git/
```

Шаг 2 – создание 2 текстовых файлов и коммита

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ echo "First file in repository" > first.txt && echo "Second file in repository" > second.txt^C
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git add .
warning: in the working copy of 'first.txt', LF will be replaced by CR
LF the next time Git touches it
warning: in the working copy of 'second.txt', LF will be replaced by CRLF
the next time Git touches it
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   first.txt
        new file:   second.txt
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git commit -m "Initial commit"
[master (root-commit) 18ca603] Initial commit
2 files changed, 2 insertions(+)
create mode 100644 first.txt
create mode 100644 second.txt
```

 .git	09.10.2026 18:29	Папка с файлами	
 first.txt	09.10.2026 18:27	Текстовый докум...	1 КБ
 second.txt	09.10.2026 18:27	Текстовый докум...	1 КБ

Шаг 3 – создание и добавление файла .gitignore

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ echo "some logs" > debug.log

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ ls
debug.log  first.txt  second.txt

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git add .gitignore
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git commit -m "Add .gitignore with rules"
[master 0463398] Add .gitignore with rules
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
```

Шаг 4 – изменение одного из файлов и создание коммита

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ echo "Add a new smth strings in first file" >> first.txt

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ cat first.txt
First file in repository
Add a new smth strings in first file

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   first.txt

no changes added to commit (use "git add" and/or "git commit -a")

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git add first.txt
warning: in the working copy of 'first.txt', LF will be replaced by CRLF the next time Git touches it

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git commit -m "Update first.txt with a new line"
[master 58f02a3] Update first.txt with a new line
1 file changed, 1 insertion(+)
```

Шаг 5 – создание ветки и изменение файлов

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git checkout -b dev
Switched to a new branch 'dev'
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git checkout -b dev
Switched to a new branch 'dev'
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ echo "This change is made in dev branch" >> second.txt
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git status
on branch dev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
       modified:   second.txt
```

```
no changes added to commit (use "git add" and/or "git commit -a")
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git add .
warning: in the working copy of 'second.txt', LF will be replaced by CRLF the next time Git touches it
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git status
on branch dev
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
       modified:   second.txt
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git commim -m "Update second.txt file in dev branch"
git: 'commim' is not a git command. see 'git --help'.
```

```
The most similar command is
commit
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git commit -m "Update second.txt in dev branch"
[dev 07d2add] update second.txt in dev branch
1 file changed, 1 insertion(+)
```

Шаг 6 – слияние веток и изменение файла

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git merge dev
Updating 58f02a3..07d2add
Fast-forward
 second.txt | 1 +
 1 file changed, 1 insertion(+)
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ echo "Line from master branch" >> first.txt
```

Шаг 7 – коммит файла в главной ветке

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git commit -m "Edit first.txt in master branch"
[master f156b26] Edit first.txt in master branch
1 file changed, 1 insertion(+)
```

Шаг 8 – изменение файла в новой ветке и создание-разрешение конфликта

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git commit -m "Edit first.txt in dev branch"
[dev e8c7ff8] Edit first.txt in dev branch
1 file changed, 1 insertion(+)

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (dev)
$ git checkout master
Switched to branch 'master'

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git merge dev
Auto-merging first.txt
CONFLICT (content): Merge conflict in first.txt
Automatic merge failed; fix conflicts and then commit the result.
```

```
$ git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   first.txt

no changes added to commit (use "git add" and/or "git commit -a")

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master|MERGING)
$ git add first.txt

Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master|MERGING)
$ git commit -m "Fix merge conflict between master and dev"
[master e19b4b7] Fix merge conflict between master and dev
```

```
First file in repository
Add a new smth strings in first file
<<<<<< HEAD
Line from master branch
=====
Line from dev branch
>>>>>> dev
```

Шаг 9 – история коммитов с отображением

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (master)
$ git log --oneline --graph --all
*   e19b4b7 (HEAD -> master) Fix merge conflict between master and dev
| \
|  * e8c7ff8 (dev) Edit first.txt in dev branch
|  * | f156b26 Edit first.txt in master branch
|  /
| /
* 07d2add Update second.txt in dev branch
* 58f02a3 Update first.txt with a new line
* 0463398 Add .gitignore with rules
* 18ca603 Initial commit
```

Шаг 10 – создание удаленного репозитория

```
$ git push -u origin main
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 12 threads
Compressing objects: 100% (19/19), done.
Writing objects: 100% (22/22), 2.18 KiB | 1.09 MiB/s, done.
Total 22 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/DriftIsMyDebug/GitTutorial.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

```
Banan@waldemar MINGW64 /D/learn_sharp/GitTutorial (main)
$ git remote -v
origin https://github.com/DriftIsMyDebug/GitTutorial.git (fetch)
origin https://github.com/DriftIsMyDebug/GitTutorial.git (push)
```

Шаг 11 – создание readme на github

DriftIsMyDebug

Create README.md

9fd7ace · now

8 Commits

	.gitignore	Add .gitignore with rules	26 minutes ago
	README.md	Create README.md	now
	first.txt	Fix merge conflict between master and dev	12 minutes ago
	second.txt	Update second.txt in dev branch	19 minutes ago

 README

 

GitTutorial

A repository for completing the Git practical assignment.

Completed Tasks:

- Creating a repository and managing commits
- Configuring file exclusion via .gitignore
- Working with branches (`main` and `dev`)
- Simulating and manually resolving a merge conflict
- Synchronizing the local repository with GitHub

All step-by-step screenshots are located in the `report.pdf` file.

Шаг 12 – получение изменения из облака github в локальный репозиторий

```
banan@waidemar MINGW64 /D:/learn_sharp/GitTutorial (main)
$ git pull origin main
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.22 KiB | 15.00 KiB/s, done.
From https://github.com/DriftIsMyDebug/GitTutorial
 * branch            main          -> FETCH_HEAD
    e19b4b7..9fd7ace  main          -> origin/main
Updating e19b4b7..9fd7ace
Fast-forward
 README.md | 12 ++++++++
 1 file changed, 12 insertions(+)
 create mode 100644 README.md
```

Имя	Дата изменения	Тип	Размер
.git	09.10.2026 19:07	Папка с файлами	
.gitignore	09.10.2026 18:36	Исходный файл ...	1 КБ
debug.log	09.10.2026 18:36	Текстовый докум...	1 КБ
first.txt	09.10.2026 18:50	Текстовый докум...	1 КБ
README.md	09.10.2026 19:07	Исходный файл ...	1 КБ
second.txt	09.10.2026 18:45	Текстовый докум...	1 КБ