# PROJECT DIRECTORY

## ARCHITECT


MAUST ARCHITECTURAL SERVICES, INC
112 NORTH MAIN STREET
GOSHEN, INDIANA 46526
CONTACT: MICHAEL L. MAUST, AIA.
PHONE: (574) 537-8500
FAX: (574) 537-0808


## CIVIL


ENGINEERING RESOURCES, INC.
360 SOUTH MAIN ST. BLUFFTON, IN. 46714
PH (260) 228-0544


## OWNER

VJAY PATEL

## PROJECT DATA

PROJECT NAME: HOME 2
PROJECT ADDRESS: W. WASHINGTON CENTER ROAD
PROJECT LOCATION: FORT WAYNE, IN 46818

PROJECT DESCRIPTION: NEW FOUR STORY HOME 2 HOTEL. BUILDING CONSTRUCTION SYSTEM WILL BE WOOD FRAMING WITH MISCELLANEOUS STEEL COLUMNS AND BEAMS. EXTERIOR FINISHES WILL CONSIST OF EIFS & CULTURE STONE.

## BRAND FRANCHISE

HOME2 BY HILTON HOTELS AND RESORTS

## APPLICABLE CODES

THIS PROJECT HAS BEEN DESIGNED IN ACCORDANCE WITH THE FOLLOWING CODES AND STANDARDS, AND ALL WORK AND MATERIALS SHALL COMPLY WITH THE APPLICABLE CODE AND/OR STANDARDS;

1. GENERAL ADMINISTRATIVE RULES (GAR) (10-11-01)
2. INDIANA BUILDING CODE (IBC), 2014 (12-1-14)
   - 2.1. International Building Code - 2012 - First Printing
   - 2.2. Indiana Amendments
3. INDIANA RESIDENTIAL CODE (IBC), 2014 (9-11-15)
   - 3.1. International Residential Code, 2003
   - 3.2. Indiana Amendments and Chase Amendments
4. INDIANA HANDICAPPED ACCESSIBILITY CODE )2-21-03
   - 4.1. ANSI A117.1, 2009
   - 4.2. Indiana Amendments
5. INDIANA ELECTRICAL CODE (IEC), 2009, (08-26-09)
   - 5.1. NFPA 70, National Electrical Code, 2008
   - 5.2. Indiana Amendments
6. INDIANA MECHANICAL CODE (IMC), 2014, (12-1-14)
   - 6.1. International Mechanical Code, 2012 - First Printing
   - 6.2. Indiana Amendments
7. INDIANA PLUMBING CODE (IPC), 2012 (12-24-12)
   - 7.1. International Plumbing Code, 2006
   - 7.2. Indiana Amendments
8. INDIANA ENERGY CONSERVATION CODE (IECC), 2010, (05-06-10)
   - 8.1. ANSI/ASHRAR 90.1, 2007 Edition
   - 8.2. Indiana Amendments
9. INDIANA FIRE CODE (IFC) - 2014 (12-1-14)
   - 9.1. International Fire Code - 2012 - First Printing
   - 9.2. Indiana Amendments

## TYPE OF CONSTRUCTION

CONSTRUCTION TYPE: V-A; FULLY SPRINKLED IN ACCORDANCE WITH SECTION 903.3.1.1, NFPA 13

FIRE RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS (TABLE 601):

| BUILDING ELEMENT FOR CONSTRUCTION TYPE: V-A | |
|---|---|
| STRUCTURAL FRAME | |
| INCLUDING COLUMNS, GIRDERS, TRUSSES | 1 HOUR RATED |
| BEARING WALLS | |
| EXTERIOR | 1 HOUR RATED |
| INTERIOR | 1 HOUR RATED |
| NONBEARING WALLS & PARTITIONS | |
| EXTERIOR | 1 HOUR RATED |
| FLOOR CONSTRUCTION | |
| INCLUDING SUPPORTING BEAMS & JOISTS | 1 HOUR RATED |
| ROOF CONSTRUCTION | |
| INCLUDING SUPPORT BEAMS & JOISTS | 1 HOUR RATED |

FIRE-RESISTANCE RATING REQUIREMENTS FOR EXTERIOR WALLS BASED ON FIRE SEPARATION DISTANCE (TABLE 602): SEPARATION FROM PARKING GARAGE : 5 FT < X < 10 FT REQUIRED 1 HR RATED.

FIRE SEPARATION DISTANCE (FEET) FOR CONSTRUCTION TYPE: V-A GREATER THAN 10 AND LESS THAN 30. OCCUPANCY GROUP: R-1 RESIDENTIAL (HOTEL) RATING REQUIRED: 1 HOUR (NO RATING REQUIRED WHEN GREATER THAN OR EQUAL TO 30.)

## USE AND OCCUPANCY CLASSIFICATIONS AND ALLOWABLE AREAS

CONSTRUCTION TYPE VA / SPRINKLED

WALLS SEPARATING SLEEPING UNITS SHALL BE CONSTRUCTED AS FIRE PARTITIONS IN ACCORDANCE WITH SECTION 708.

FLOOR ASSEMBLIES SEPARATING SLEEPING UNITS SHALL BE CONSTRUCTED AS HORIZONTAL ASSEMBLIES IN ACCORDANCE WITH SECTION 711

FIRST FLOOR TAKEN AS NON-SEPARATED USES 508.3
USES:
R-1 HOTEL (TRANSIENT)
A-2/A-3 ASSEMBLY - BREAKFAST AREA
B BUSINESS - OFFICES AND HOTEL LAUNDRY
ALLOWABLE AREA AND NUMBER OF FLOORS PER USES: PER TABLE 506.2 AND 504.4
TYPE VA CONSTRUCTION, SM - SPRINKLED MULTI STORY
R-1 36,000 SQ. FT. PER FLOOR 4 STORIES
A-2/A-3 34,500 SQ. FT. PER FLOOR 3 STORIES
B 54,000 SQ.FT. PER FLOOR 4 STORIES
PER SECTION 508.3.1 - OCCUPANCY CLASSIFICATION
THE MOST RESTRICTIVE PROVISION OF CHAPTER 9 SHALL APPLY TO ALL AREAS
PER SECTION 508.3.2 - ALLOWABLE AREA AND HEIGHT
THE MOST RESTRICTIVE ALLOWANCES FOR AREA AND HEIGHT SHALL APPLY TO THE WHOLE NON-SEPARATED USE AREA.
AREA TO BE SPRINKLED
MOST RESTRICTIVE ALLOWABLE AREA AND HEIGHT IS A-2
ALLOWABLE AREA: PER TABLE 506.2
CONSTRUCTION TYPE VA
SPRINKLED MULTI STORY = 34,500 ALLOWABLE SQ FT FIRST FLOOR

UPPER FLOORS SEPARATED FROM FIRST FLOOR BY ONE HOUR HORIZONTAL OCCUPANCY SEPARATION - PER 508.4 - SEPARATED OCCUPANCIES
ONE HOUR FLOOR ASSEMBLY

UPPER FLOORS ( 2 THROUGH 4)
USES:
R-1 OCCUPANCY WITH ACCESSORY USE PER 508.2
AREA TO BE SPRINKLED
ALLOWABLE AREA: PER TABLE 506.2
CONSTRUCTION TYPE VA
SPRINKLED MULTI STORY = 36,000 ALLOWABLE SQ. FT PER FLOOR

TOTAL BUILDING AREA:
ALLOWABLE:
MULTI STORY BUILDING TOTAL ALLOWABLE AREA = 3 TIMES THE ALLOWABLE FLOOR AREA PER STORY - WITH DIFFERENT ALLOWABLE AREA PER FLOOR THE RATIO OF ALLOWABLE TO ACTUAL MUST BE EQUAL TO OR LESS THAN 3

| | ALLOWABLE | ACTUAL | RATIO |
|---|---|---|---|
| FIRST FLOOR | 34,500 | 17,982 | 0.5212 |
| SECOND FLOOR | 36,000 | 16,270 | 0.4519 |
| THIRD FLOOR | 36,000 | 16,270 | 0.4519 |
| FOURTH FLOOR | 36,000 | 16,270 | 0.4519 |
| TOTAL | | 66,792 | 1.8770 < OR = 3 |

BUILDING HEIGHT FEET: PER TABLE 504.3
CONSTRUCTION TYPE VA, SPRINKLED
ALLOWABLE:
R-1 70 FEET
A-2/A-3 70 FEET
B 70 FEET
ACTUAL: 59'-2 1/4"

BUILDING HEIGHT STORIES: PER TABLE 504.4
ALLOWABLE:
R-1 4 STORIES
A-2/A-3 3 STORIES
B 4 STORIES

ACTUAL:
R-1 4 STORIES
A-2/A-3 1 STORIES
B 1 STORIES

## INTERIOR FINISHES

INTERIOR WALL AND CEILING FINISH REQUIREMENTS BY OCCUPANCY (TABLE 803.5):
GROUP: R-1 - RESIDENTIAL (HOTEL)
B - BUSINESS (LAUNDRY, PROFESSIONAL SERVICES)
SPRINKLED:
VERTICAL EXITS AND EXIT PASSAGEWAYS: B
EXIT ACCESS CORRIDORS AND OTHER EXITS: C
ROOMS AND ENCLOSED SPACES: C
GROUP: A-2 - ASSEMBLY (GREAT ROOM)
A-3 - ASSEMBLY (LOBBY, MISC.)
SPRINKLED:
VERTICAL EXITS AND EXIT PASSAGEWAYS: B
EXIT ACCESS CORRIDORS AND OTHER EXITS: B
ROOMS AND ENCLOSED SPACES: C

-BUILDING IS PROVIDED WITH AUTOMATIC SPRINKLING SYSTEM THROUGHOUT

FIRE PROTECTION FEATURES
DESIGNED IN ACCORDANCE WITH NFPA 13

## MEANS OF EGRESS

OCCUPANT LOAD CALCULATIONS (TABLE 1004.1.1):
GROUND FLOOR: 301 OCCUPANTS
SECOND FLOOR: 144 OCCUPANTS
THIRD FLOOR: 144 OCCUPANTS
FOURTH FLOOR 144 OCCUPANTS

TOTAL: 733 OCCUPANTS

NUMBER OF REQUIRED EXITS (TABLE 1019.1): 2

EXIT ACCESS TRAVEL DISTANCE (TABLE 1016.1):
OCCUPANCY: R,A
WITH SPRINKLER SYSTEM: 250 FEET

## FIRE PROTECTION FEATURES

-BUILDING IS PROVIDED WITH AUTOMATIC SPRINKLING SYSTEM THROUGHOUT DESIGNED IN ACCORDANCE WITH NFPA 13

-PORTABLE FIRE EXTINGUISHERS @ 75' MAX. TRAVEL

- ACTIVE STANDPIPE

- FOR TYPE "V-A" CONSTRUCTION: COLUMNS, GIRDERS, TRUSSES, BEAMS, LINTELS OR OTHER STRUCTURAL MEMBERS WHICH SUPPORT MORE THAN TWO FLOORS, OR ONE FLOOR AND A ROOF, OR SUPPORT LOAD-BEARING WALL OR A NON-LOAD-BEARING WALL MORE THAN TWO STORIES IN HEIGHT SHALL BE INDIVIDUALLY PROTECTED ON ALL SIDES FOR THE FULL LENGTH OR HEIGHT OF WITH MATERIAL HAVING THE REQUIRED FIRE-RESISTANCE RATING.

- AGGREGATE FLOOR/CEILING ASSEMBLY PENETRATIONS, ALL DISCIPLINES, SHALL NOT EXCEED 144 SQUARE INCHES, NOMINAL, IN ANY GIVEN 100 SQUARE FOOT AREA, PER IBC 713.4.1.1

## SUBMITTALS

THE FOLLOWING ITEMS SHALL BE DONE AS DESIGN/BUILD AND SHOULD BE SUBMITTED AT TIME OF PERMITTING TO THE JURISDICTION AND TO ARCHITECT FOR REVIEW AND APPROVAL.

1. FLOOR & ROOF TRUSSES WITH STATES ENGINEER'S SEAL
2. POOL (WHERE PROVIDED)
3. SPRINKLER SYSTEM / STAND PIPE
4. FIRE ALARM SYSTEM
5. STEEL FABRICATION AND ERECTION DRAWINGS
6. FLOOR AND ROOF TRUSS DRAWINGS WITH LICENSED ENGINEER STAMP

## THIRD PARTY TESTING

SITE PREP AND SOIL COMPACTION ALL CONCRETE WORK ANY SPECIAL INSPECTION ITEM.

## DRAWING INDEX

| NO. | NAME |
|---|---|
| **GENERAL** | |
| A001 | PROJECT INDEX AND JOB INFORMATION |
| LS101 | FIRST FLOOR LIFE SAFETY PLAN |
| LS102 | SECOND FLOOR LIFE SAFETY PLAN |
| LS103 | THIRD FLOOR LIFE SAFETY PLAN |
| LS104 | FOURTH FLOOR LIFE SAFETY PLAN |
| **CIVIL** | |
| C101 | ARCHITECTURAL SITE PLAN |
| | SEE CIVIL SET |
| **STRUCTURAL** | |
| S001 | GENERAL NOTES |
| S101 | FOUNDATION PLAN |
| S102 | FOUNDATION DETAILS |
| S201 | FIRST FLOOR STEEL PLAN |
| S202 | SECOND FLOOR FRAMING PLAN |
| S203 | THIRD FLOOR FRAMING PLAN |
| S204 | FOURTH FLOOR FRAMING PLAN |
| S301 | ROOF FRAMING PLAN |
| S401 | SHEAR WALL DETAILS |
| S402 | SHEAR WALL DETAILS |
| S403 | PARTY WALL DETAILS |
| S501 | STEEL ELEVATIONS |
| S502 | STEEL ELEVATIONS AND DETAILS |
| **ARCHITECTURAL** | |
| A101 | FIRST FLOOR PLAN |
| A102 | SECOND FLOOR PLAN |
| A103 | THIRD FLOOR PLAN |
| A104 | FOURTH FLOOR PLAN |
| A105 | ROOF PLAN |
| A151 | ENLARGED FIRST FLOOR PLAN |
| A152 | ENLARGED FIRST FLOOR PLAN |
| A153 | ENLARGED FIRST AND UPPER FLOOR PLANS |
| A161 | INTERIOR ELEVATIONS |
| A162 | INTERIOR ELEVATIONS |
| A163 | INTERIOR ELEVATIONS |
| A164 | POOL ELEVATIONS & DETAILS |
| A201 | EXTERIOR ELEVATIONS |
| A202 | EXTERIOR ELEVATIONS |
| A301 | FULL BUILDING SECTION |
| A401 | ENLARGED BUILDING SECTIONS |
| A402 | ENLARGED BUILDING SECTIONS |
| A403 | ELEVATOR SECTION |
| A404 | STAIR PLANS AND DETAILS |
| A405 | STAIR SECTION |
| A406 | MISCELLANEOUS SECTIONS AND DETAILS |
| A407 | CANOPY AND PERGOLA SECTIONS |
| A408 | CANOPY AND PERGOLA SECTIONS |
| A409 | DUMPSTER PLAN AND ELEVATION |
| A410 | DUMPSTER SECTION AND ELEVATION |
| A411 | EXTERIOR DETAILS & TRELLIS |
| A412 | FIRE PIT PLAN, SECTION, AND ELEVATION |
| A413 | LINEN CHUTE SECTION AND DETAILS |
| A450 | WALL TYPES |
| A451 | FIRST FLOOR WALL TYPES PLAN |
| A452 | UPPER FLOOR WALL TYPES PLAN |
| A453 | FLOOR AND PIPE PENETRATION DETAILS |
| A454 | FLOOR AND PIPE PENETRATION DETAILS |
| A500 | TYPICAL MOUNTING HEIGHTS |
| A501 | KING STUDIO |
| A502 | ACCESSIBLE KING STUDIO |
| A503 | DOUBLE QUEEN STUDIO |
| A504 | ACCESSIBLE DOUBLE QUEEN STUDIO |
| A505 | GUESTROOM BLOCKING DIAGRAM |
| A506 | ONE BEDROOM STUDIO "B" |
| A507 | ACCESSIBLE ONE BEDROOM STUDIO ROLL-IN |
| A508 | ACCESSIBLE ONE BEDROOM STUDIO |
| A509 | GUEST BATHROOM ELEVATIONS |
| A510 | GUEST BATHROOM BLOCKING DIAGRAMS |

| NO. | NAME |
|---|---|
| **ARCHITECTURAL (CONTINUED)** | |
| A601 | CASEWORK ELEVATIONS AND DETAILS |
| A602 | CASEWORK ELEVATIONS AND DETAILS |
| A603 | CASEWORK ELEVATIONS AND DETAILS |
| A604 | CASEWORK ELEVATIONS AND DETAILS |
| A605 | FRONT DESK PLAN ELEVATIONS |
| A606 | FRONT DESK SECTIONS AND BACK WALL DTLS |
| A607 | BREAKFAST PERCH PLAN AND ELEVATION |
| A701 | DOOR SCHEDULE |
| A702 | ROOM FINISH SCHEDULE & WINDOW TYPES |
| A801A | ENLARGED FIRST FLOOR REFLECTED CEILING PLAN |
| A801B | ENLARGED FIRST FLOOR REFLECTED CEILING PLAN |
| A801C | ENLARGED FIRST FLOOR RCP & DETAILS |
| A802 | SECOND FLOOR REFLECTED CEILING PLAN |
| A803 | THIRD FLOOR REFLECTED CEILING PLAN |
| A804 | FOURTH FLOOR REFLECTED CEILING PLAN |
| A901 | ENLARGED FIRST FLOOR FF&E PLAN |
| A902 | ENLARGED FIRST FLOOR FF&E PLAN |
| A903 | ENLARGED FIRST & UPPER FLOOR FF&E PLANS |
| K100 | KITCHEN EQUIPMENT PLAN |
| **PLUMBING** | |
| P001 | PLUMBING NOTES AND SCHEDULES |
| P002 | PLUMBING DETAILS |
| P003 | WATER RISER DIAGRAMS |
| P004 | SANITARY RISER DIAGRAMS |
| P005 | SANITARY RISER DIAGRAMS |
| P101 | FIRST FLOOR PLUMBING PLAN |
| P102 | FIRST FLOOR SANITARY PLAN |
| P201 | SECOND FLOOR PLUMBING PLAN |
| P202 | SECOND FLOOR SANITARY PLAN |
| P301 | THIRD FLOOR PLUMBING PLAN |
| P302 | THIRD FLOOR SANITARY PLAN |
| P401 | FOURTH FLOOR PLUMBING PLAN |
| P402 | FOURTH FLOOR SANITARY PLAN |
| P502 | ROOF SANITARY PLAN |
| **MECHANICAL** | |
| M001 | MECHANICAL SCHEDULES |
| M002 | MECHANICAL DETAILS |
| M003 | MECHANICAL NOTES |
| M101 | FIRST FLOOR MECHANICAL PLAN |
| M201 | SECOND FLOOR MECHANICAL PLAN |
| M301 | THIRD FLOOR MECHANICAL PLAN |
| M401 | FOURTH FLOOR MECHANICAL PLAN |
| M402 | FOURTH FLOOR EXHAUST PLAN |
| M501 | ROOF MECHANICAL PLAN |
| M601 | FIRST FLOOR GAS PLAN |
| M602 | ROOF GAS PLAN |
| **ELECTRICAL** | |
| E001 | ELECTRICAL NOTES |
| E002 | ELECTRICAL RISER DIAGRAMS |
| E101 | FIRST FLOOR POWER PLAN |
| E102A | ENLARGED FIRST FLOOR LIGHTING PLAN |
| E102B | ENLARGED FIRST FLOOR LIGHTING PLAN |
| E102C | ENLARGED FIRST FLOOR LIGHTING PLAN |
| E201 | SECOND FLOOR POWER PLAN |
| E202 | SECOND FLOOR LIGHTING PLAN |
| E301 | THIRD FLOOR POWER PLAN |
| E302 | THIRD FLOOR LIGHTING PLAN |
| E401 | FOURTH FLOOR POWER PLAN |
| E402 | FOURTH FLOOR LIGHTING PLAN |
| E501 | ROOF POWER PLAN |
| E701 | GUESTROOM ELECTRICAL PLANS |
| E702 | GUESTROOM ELECTRICAL PLANS |
| E800 | PANEL SCHEDULES |
| E801 | PANEL SCHEDULES |
| SE101 | SITE PHOTOMETRIC PLAN |
| SE102 | SITE ELECTRICAL PLAN |

HOME 2
SUITES BY HILTON

## GENERAL NOTES

-ALTHOUGH DRAWINGS ARE DRAWN TO SCALE, THE ACCURACY OF THE DRAWING CANNOT BE GUARANTEED DUE TO DISCREPANCIES IN THE METHODS OF REPRODUCTION. DIMENSIONS SHOULD BE DERIVED FROM DIMENSIONED PLANS.

-ALL DIMENSIONS, ROUGH OPENING SIZES, AND ELEVATION MARKERS MUST BE FIELD VERIFIED BY THE GENERAL CONTRACTOR. MAUST ARCHITECTURAL SERVICES SHALL NOT BE HELD RESPONSIBLE FOR ANY DIMENSIONAL DISCREPANCIES WHICH HAVE NOT BEEN BROUGHT TO THEIR ATTENTION PRIOR TO CONSTRUCTION.


M
MAUST ARCHITECTURAL SERVICES
DIVISION OF L.E.M., INC.
112 NORTH MAIN STREET
GOSHEN, INDIANA 46526


- * Architects
- * Planners
- * Consultants
- * Construction Mgmt.
- * Rule 5 and MS4 Filing


PHONE (574) 537-8500
FAX (574) 537-0808


These drawings are the property of Maust Architectural Services and may not be reprinted, copied or reused in any manner without the expressed written consent of Maust Architectural Services.

HOME 2 SUITES BY HILTON

SHEET SIZE 24x36

FT. WAYNE, INDIANA

REVISIONS :

PRELIMINARY - NOT FOR CONSTRUCTION

DATE: 05/01/26
JOB NO.: MAS-26-105
NAME: PROJECT INDEX AND JOB INFORMATION
SHEET: A001