

 40 minutes

Core Module - 2 JQUERY

28-02-2023

* Required

1. Enter Your Name *

2. Choose Your Nsti *

- ☐ NSTI Noida
- ☐ NSTI Mumbai
- ☐ NSTI Jodhpur

3. How can you get the total number of arguments passed to a function?

* (1 Point)

- ☐ Using args.length property
- ☐ Using arguments.length property
- ☐ Both of the above.
- ☐ None of the above.

4. Which built-in method returns the length of the string? * (1 Point)

- ☐ length()
- ☐ size()
- ☐ index()
- ☐ None of the above.

5. Which sign does jQuery use as a shortcut for jQuery? * (1 Point)

- ☐ the % sign
- ☐ the ? Sign
- ☐ the \$ sign
- ☐ the @ sign

6. What is the correct jQuery code to set the background color of all p elements to red? * (1 Point)

- ☐ \$("p").layout("background-color","red");
- ☐ \$("p").manipulate("background-color","red");
- ☐ \$("p").css("background-color","red");
- ☐ \$("p").style("background-color","red");

7. Find the correct statement:- * (1 Point)

- ☐ To use jQuery, you do not have to do anything. Most browsers(Internet Explorer, Chrome, Firefox and Opera) have the jQuery library built in the browser
- ☐ To use jQuery, you must buy the jQuery library at "www.jquery.com"
- ☐ To use jQuery, you can refer to a hosted jQuery library at Google
- ☐ All the above

8. Which jQuery function is used to prevent code from running, before the document is finished loading? * (1 Point)

- ☐ \$(document).load()
- ☐ \$(document).ready()
- ☐ \$(body).onload()
- ☐ None of the above

9. Which statement best explains what "unobtrusive JavaScript" is? *
(1 Point)

- ☐ JavaScript that doesn't annoy users
- ☐ JavaScript that is separate from HTML
- ☐ JavaScript that does not affect a web page
- ☐ JavaScript that works even with scripting turned off

10. What is the correct JavaScript syntax to write "Hello World"? *
(1 Point)

- ☐ document.write("Hello World")
- ☐ ("Hello World")
- ☐ response.write("Hello World")
- ☐ D. "Hello World"

11. What is jQuery? Find the correct statement:- * (1 Point)

- ☐ jQuery is a library of JavaScript Functions.
- ☐ jQuery stands for Structured Query Language
- ☐ jQuery stands for Cascading Style Sheets.
- ☐ jQuery communication between computers on the Internet.

12. The JQuery library contains the followig features;- * (1 Point)

- ☐ Html/ Dom Manipulation
- ☐ Css Maniulation
- ☐ Html Event Methods
- ☐ Effects and animations
- ☐ All of above

13. How many versions are available for downloading the JQuery? * (1 Point)

- ☐ Production Version
- ☐ Development version
- ☐ None of the above
- ☐ both of the above

14. Find the correct Syntax for hide all elements:- * (1 Point)

- ☐ \$(this).hide()
- ☐ \$("p").hide()
- ☐ \$(".test").hide()
- ☐ \$(".test").hide()

15. which symbol is used to find an element with a specific id:- * (1 Point)

☐ #

☐ >

☐ \$

☐ .

16. Which function do you reference in HTML form data? * (1 Point)

☐ value()

☐ formData()

☐ val()

☐ None of the above

17. Which is the correct jQuery selector to select all <button> elements and <input> elements with type="input"? * (1 Point)

☐ \$(".button")

☐ \$(".:button")

☐ \$("button","input type='button'")

☐ \$(".:button,:input")

18. Which is the correct jQuery selector to select all odd table rows? *
(1 Point)

- ☐ \$("tr::odd")
- ☐ \$("tr.odd")
- ☐ \$("tr:odd")
- ☐ \$("tr:#odd")

19. Which method is used to attach an event handler function to an HTML element on mouse double click? * (1 Point)

- ☐ click()
- ☐ Click()
- ☐ dblclick()
- ☐ DbClick()

20. Which method is used to attach an event handler function to an HTML element when the mouse moves over the HTML elements? *
(1 Point)

- ☐ mousemove()
- ☐ mouseover()
- ☐ hover()
- ☐ mousehover()

21. What is the use of jQuery method toggle()? * (1 Point)

- ☐ To hide shown elements and to show hidden elements
- ☐ To remove current element
- ☐ To shift current element at the previous position
- ☐ All of the above

22. In jQuery DOM, what does DOM stand for? * (1 Point)

- ☐ Data Object Model
- ☐ Document Object Manipulation
- ☐ Document Object Model
- ☐ Document On Model

23. Which is the correct syntax to set the value of a CSS style attribute/property using the css() method? * (1 Point)

- ☐ `css("propertyname"="value");`
- ☐ `css("propertyname","value");`
- ☐ `css("propertyname":"value");`
- ☐ `css("propertyname":="value");`

24. Which jQuery method is used to get the direct parent element of the selected element? * (1 Point)

- ☐ parent()
- ☐ parents()
- ☐ parentsUntil()
- ☐ All of the above

25. There are multiple <h3> elements in an HTML document, which is the correct jQuery statement to get the last <h3> element? * (1 Point)

- ☐ \$("h3").last();
- ☐ \$("h3").children();
- ☐ \$("h3").lastChild();
- ☐ \$("h3").down();

26. If the names of variables are the same, then which of the following type of variable takes precedence? * (1 Point)

- ☐ local variable
- ☐ global variable
- ☐ both (a) & (b)
- ☐ None of the above

27. Which of the following is the correct code in jQuery to make all div elements 80px high? * (1 Point)

- ☐ \$("div").height(80);
- ☐ \$("div").height = "80" ;
- ☐ \$("div").height = 80 ;
- ☐ None of the above

28. Can we use multiple document.ready() function on the same page? * (1 Point)

- ☐ Maybe
- ☐ Yes
- ☐ No
- ☐ none of the above

29. JQuery a library is for:- * (1 Point)

- ☐ client scripting
- ☐ server scripting
- ☐ both of the above
- ☐ none of the above

30. Which of these is NOT a valid comment in JavaScript? * (1 Point)

- ☐ // This is a comment
- ☐ /* This is a comment. */
- ☐ /* This is a comment
- ☐ none of the above

31. \$.abc() is equivalent to? * (1 Point)

- ☐ [javascript.abc\(\)](#)
- ☐ [document.abc\(\)](#)
- ☐ [jQuery.abc\(\)](#)
- ☐ None of the above

32. Which method is not used for filtering in jQuery? * (1 Point)

- ☐ first()
- ☐ eq()
- ☐ last()
- ☐ none of the above

This content is neither created nor endorsed by Microsoft. The data you submit will be sent to the form owner.



Microsoft Forms