# Classification Empty

classification_empty.csv · 2026-10-09T18:05:09.624735+00:00

## 1. Executive review summary

Pre-model evidence for the declared tabular task; no composite reliability score or model-quality verdict is defined.

| 30 | 1 | 1 |
|---|---|---|
| parsed rows | input features | declared targets |

30 parsed rows; 1 selected input feature; 1 target. Annotation coverage separates observation, expectation, metadata resolution, and declared uncertain validity.

## 2. Prioritized actions

No supported review findings in the computed scope. Coverage limitations and unavailable evidence still require review.

Composite scoring: not defined. Priorities are internal review rules, not validated performance or readiness ratings.

## 3. Dataset, roles, parsing, declarations

Purpose undeclared.

Roles: 1 features, 1 targets, 0 metadata, 0 ignored. Resolved roles and full declarations are retained in JSON.

Parsing: utf-8; pandas_default. Source-token review covers 60 comparable prefix cells. NA-like tokens may become missing; numeric-looking codes may lose leading zeros. No source values were rewritten.

## 4. Annotation or input coverage

Observed vectors: 0 complete, 0 partial, 30 empty. 0 rows have any annotation. Expected-vector completion: 0 / 0 rows with resolved requirements. Expected coverage is unavailable: no resolved expected annotations.

> Unknown expectation is separate from uncertain label validity. Supplied values remain in descriptive evidence. Optional absence does not establish intentional absence. Expected coverage must be read alongside unknown-expectation populations.

### Per-target annotation coverage

| Target | Observed / rows | Supplied / expected | Unknown expectation | Invalid / conflicts | Uncertain observed |
|---|---|---|---|---|---|
| y | 0 / 30 (0.0%) | 0 / 0 (Unavailable) | 30 / 30 | 0 / 0 | 0 |

### Annotation state counts

| Target | Absent | Expected gaps | Intentional absence | Unresolved metadata |
|---|---|---|---|---|
| y | 30 | 0 | 0 | 0 |

## 5. Task-specific evidence

### Observed class distribution

No computed records to display in this scope. This is not a universal clean verdict.

## 6. Features, repetition, annotation populations

All-column parsed duplicates: 0 extra rows. Selected-feature identity and observed annotation variation have separate scopes. Repetition may be legitimate or intentional weighting.

Selected-input repetition: 0 groups; 0 rows participate in observed annotation disagreement; 0 groups have mixed expectation/status metadata. These scopes remain separate.

### Selected feature structure

| Feature | Meaning | Storage | Observed distinct | Missing / rows |
|---|---|---|---|---|
| x | assumed quantitative | int64 | 30 | 0 / 30 |

### Annotation population contrasts

No computed records to display in this scope. This is not a universal clean verdict.

4 feature/cohort records computed; 4 have an empty comparison population. Empty populations support no shape contrast; their counts and reasons remain in JSON.

Population contrasts are descriptive within this file. They do not establish a missingness mechanism, representativeness, or deployment shift.

## 7. Applicability, bounds, scoring, limitations

Observed annotations are supplied evidence, not verified ground truth. No model performance, representativeness, clustering quality, or anomaly correctness is established.

Execution: completed. Coverage describes these checks, not a percentage of universal reliability. Source/header preflight, bounded row read, post-load frame measurement, cooperative stage deadlines; no hard memory or execution guarantee.

**annotation cohorts: completed.** Completed within the declared diagnostic scope.

### Presentation truncation

These records were computed and remain in JSON; their omission here is separate from analytical bounds and execution failures.

- cohort details with an empty population: 0 displayed of 4 computed; 4 omitted from this presentation.

## 8. Technical appendix

Methodology: tabular_partial_classification_v1 · Schema 1.2. Source SHA-256: `c7bf9f5ca25fc2570ced926213b24d2bbd85df3de8396cabb940c19e2cd84466`. 15 detail rows displayed; appendix budget 100. Full checks, evidence references, declarations, bounds, and computed data are in JSON.

### Check applicability and execution (repeated checks aggregated)

| Check | Count and scope examples | Applicability | Execution | Reason |
|---|---|---|---|---|
| schema | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| missingness | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |

| Check | Count and scope examples | Applicability | Execution | Reason |
|---|---|---|---|---|
| column variation | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| categorical cardinality | 1 checks; 1 scopes: dataset | not_applicable | not_run | No nonnumeric input columns. |
| feature missingness | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| exact duplicates | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| numeric summary | 1 checks; 1 scopes: x | applicable | completed | Completed within declared scope |
| numeric outliers | 1 checks; 1 scopes: x | applicable | completed | Completed within declared scope |
| feature semantics | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| annotation coverage | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| target coverage | 1 checks; 1 scopes: y | applicable | completed | Completed within declared scope |
| annotation cohorts | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| classification distribution | 1 checks; 1 scopes: dataset | blocked | not_run | No observed annotations. Coverage remains available. |
| annotation repetition | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |
| parsing fidelity | 1 checks; 1 scopes: dataset | applicable | completed | Completed within declared scope |