Scene

scene.csv · 2026-10-09T18:04:31.842889+00:00

1. Executive review summary

Pre-model evidence for the declared tabular task; no composite reliability score or model-quality verdict is defined.

2407	294	6
parsed rows	input features	declared targets

2,407 parsed rows; 294 selected input features; 6 targets. Annotation coverage separates observation, expectation, metadata resolution, and declared uncertain validity.

2. Prioritized actions

Low · Exact repeated records

Review whether repetition represents valid repeated events, deliberate weighting, or unintended copying. Do not automatically deduplicate.

Low · Observed differences on repeated inputs

Review omitted context, stochastic outcomes, or annotation differences. No label is proven incorrect.

2 affected fields or checks; observed annotations grouped by selected inputs

Composite scoring: not defined. Priorities are internal review rules, not validated performance or readiness ratings.

3. Dataset, roles, parsing, declarations

Purpose undeclared.

Roles: 294 features, 6 targets, 0 metadata, 0 ignored. Resolved roles and full declarations are retained in JSON.

Parsing: utf-8; pandas_default. Source-token review covers 20000 comparable prefix cells. NA-like tokens may become missing; numeric-looking codes may lose leading zeros. No source values were rewritten.

Parsing review: inspection_incomplete. Full warnings and source scope are in JSON.

4. Annotation or input coverage

Observed vectors: 2407 complete, 0 partial, 0 empty. 2407 rows have any annotation. Expected-vector completion: 0 / 0 rows with resolved requirements. Expected coverage is unavailable: no resolved expected annotations.

> Unknown expectation is separate from uncertain label validity. Supplied values remain in descriptive evidence. Optional absence does not establish intentional absence. Expected coverage must be read alongside unknown-expectation populations.

Per-target annotation coverage

Target	Observed / rows	Supplied / expected	Unknown expectation	Invalid / conflicts	Uncertain observed
Field	2407 / 2407 (100.0%)	0 / 0 (Unavailable)	2407 / 2407	0 / 0	0
Mountain	2407 / 2407 (100.0%)	0 / 0 (Unavailable)	2407 / 2407	0 / 0	0
Beach	2407 / 2407 (100.0%)	0 / 0 (Unavailable)	2407 / 2407	0 / 0	0
Sunset	2407 / 2407 (100.0%)	0 / 0 (Unavailable)	2407 / 2407	0 / 0	0
FallFoliage	2407 / 2407 (100.0%)	0 / 0 (Unavailable)	2407 / 2407	0 / 0	0
Urban	2407 / 2407 (100.0%)	0 / 0 (Unavailable)	2407 / 2407	0 / 0	0

Annotation state counts

Target	Absent	Expected gaps	Intentional absence	Unresolved metadata
Field	0	0	0	0

Target	Absent	Expected gaps	Intentional absence	Unresolved metadata
Mountain	0	0	0	0
Beach	0	0	0	0
Sunset	0	0	0	0
FallFoliage	0	0	0	0
Urban	0	0	0	0

5. Task-specific evidence

Cardinality: 1.073951; density: 0.17899183 on 2407 complete vectors. Observed-positive fraction over known cells: 0.17899183 on 14442 cells. Metrics describe supplied assignments. All-zero complete vectors are valid. Unusual combinations and low cardinality are not label errors.

Observed binary assignments

Label	Positive	Negative	Unknown (absent)	Invalid	Positive / known
Field	433	1974	0	0	18.0%
Mountain	533	1874	0	0	22.1%
Beach	427	1980	0	0	17.7%
Sunset	364	2043	0	0	15.1%
FallFoliage	397	2010	0	0	16.5%
Urban	431	1976	0	0	17.9%

Partial-vector positive-count bounds (invalid vectors excluded)

No computed records to display in this scope. This is not a universal clean verdict.

Complete-vector cardinality

Positive labels	Complete vectors
1	2230
2	176
3	1

Label pairs on jointly observed rows

Labels	Jointly observed / rows	00 / 01 / 10 / 11	Jaccard	P(second + | first +)
Beach / Sunset	2407 / 2407	1616 / 364 / 427 / 0	0	0.0%
Beach / FallFoliage	2407 / 2407	1583 / 397 / 427 / 0	0	0.0%
Beach / Field	2407 / 2407	1548 / 432 / 426 / 1	0.00116414	0.2%
Beach / Mountain	2407 / 2407	1485 / 495 / 389 / 38	0.0412148	8.9%
Beach / Urban	2407 / 2407	1568 / 412 / 408 / 19	0.022646	4.4%
Sunset / FallFoliage	2407 / 2407	1646 / 397 / 364 / 0	0	0.0%
Sunset / Field	2407 / 2407	1610 / 433 / 364 / 0	0	0.0%
Sunset / Mountain	2407 / 2407	1510 / 533 / 364 / 0	0	0.0%
Sunset / Urban	2407 / 2407	1612 / 431 / 364 / 0	0	0.0%
FallFoliage / Field	2407 / 2407	1601 / 409 / 373 / 24	0.0297767	6.0%
FallFoliage / Mountain	2407 / 2407	1491 / 519 / 383 / 14	0.0152838	3.5%
FallFoliage / Urban	2407 / 2407	1579 / 431 / 397 / 0	0	0.0%
Field / Mountain	2407 / 2407	1517 / 457 / 357 / 76	0.0853933	17.6%
Field / Urban	2407 / 2407	1549 / 425 / 427 / 6	0.00699301	1.4%
Mountain / Urban	2407 / 2407	1444 / 430 / 532 / 1	0.00103842	0.2%

Recorded complete-vector combinations (all complete valid observed vectors)

Binary positions follow declared target order, independently of prioritized label tables: 1 = Beach, 2 = Sunset, 3 = FallFoliage, 4 = Field, 5 = Mountain, 6 = Urban.

Assignments in target order	Count
1 0 0 0 1 0	38
1 0 0 0 0 1	19
1 0 0 0 0 0	369
0 1 0 0 0 0	364
0 0 1 0 0 0	360
0 0 1 1 0 0	23
0 0 1 1 1 0	1
0 0 1 0 1 0	13
0 0 0 1 1 0	75
0 0 0 1 0 0	327
0 0 0 0 1 0	405
0 0 0 0 0 1	405
0 0 0 0 1 1	1
0 0 0 1 0 1	6
1 0 0 1 0 0	1

6. Features, repetition, annotation populations

All-column parsed duplicates: 7 extra rows. Selected-feature identity and observed annotation variation have separate scopes. Repetition may be legitimate or intentional weighting.

Selected-input repetition: 9 groups; 4 rows participate in observed annotation disagreement; 0 groups have mixed expectation/status metadata. These scopes remain separate.

Selected feature structure

Feature	Meaning	Storage	Observed distinct	Missing / rows
Att1	assumed quantitative	float64	2349	0 / 2407
Att2	assumed quantitative	float64	2346	0 / 2407
Att3	assumed quantitative	float64	2354	0 / 2407

Feature	Meaning	Storage	Observed distinct	Missing / rows
Att4	assumed quantitative	float64	2343	0 / 2407
Att5	assumed quantitative	float64	2346	0 / 2407
Att6	assumed quantitative	float64	2346	0 / 2407
Att7	assumed quantitative	float64	2345	0 / 2407
Att8	assumed quantitative	float64	2349	0 / 2407
Att9	assumed quantitative	float64	2369	0 / 2407
Att10	assumed quantitative	float64	2361	0 / 2407
Att11	assumed quantitative	float64	2363	0 / 2407
Att12	assumed quantitative	float64	2372	0 / 2407
Att13	assumed quantitative	float64	2370	0 / 2407
Att14	assumed quantitative	float64	2365	0 / 2407
Att15	assumed quantitative	float64	2370	0 / 2407
Att16	assumed quantitative	float64	2378	0 / 2407
Att17	assumed quantitative	float64	2382	0 / 2407
Att18	assumed quantitative	float64	2379	0 / 2407
Att19	assumed quantitative	float64	2381	0 / 2407
Att20	assumed quantitative	float64	2380	0 / 2407

Annotation population contrasts

No computed records to display in this scope. This is not a universal clean verdict.

5586 feature/cohort records computed; 5586 have an empty comparison population. Empty populations support no shape contrast; their counts and reasons remain in JSON.

Population contrasts are descriptive within this file. They do not establish a missingness mechanism, representativeness, or deployment shift.

7. Applicability, bounds, scoring, limitations

Observed annotations are supplied evidence, not verified ground truth. No model performance, representativeness, clustering quality, or anomaly correctness is established.

Execution: completed. Coverage describes these checks, not a percentage of universal reliability. Source/header preflight, bounded row read, post-load frame measurement, cooperative stage deadlines; no hard memory or execution guarantee.

annotation cohorts: completed. Completed within the declared diagnostic scope.

label pairs: completed. Completed within the declared diagnostic scope.

combinations: completed. all complete valid observed vectors

Presentation truncation

These records were computed and remain in JSON; their omission here is separate from analytical bounds and execution failures.

- feature structure: 20 displayed of 294 computed; 274 omitted from this presentation.
- cohort details with an empty population: 0 displayed of 5586 computed; 5586 omitted from this presentation.

8. Technical appendix

Methodology: tabular_multilabel_v1 · Schema 1.2. Source SHA-256: `30da457e475acce169323ba673d7e481fa0cf11825c17b14e86a8b0c3b9b559d`. 15 detail rows displayed; appendix budget 100. Full checks, evidence references, declarations, bounds, and computed data are in JSON.

Check applicability and execution (repeated checks aggregated)

Check	Count and scope examples	Applicability	Execution	Reason
schema	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
missingness	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
column variation	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
categorical cardinality	1 checks; 1 scopes: dataset	not_applicable	not_run	No nonnumeric input columns.

Check	Count and scope examples	Applicability	Execution	Reason
feature missingness	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
exact duplicates	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
numeric summary	294 checks; 294 scopes: Att1, Att2, Att3 ...	applicable	completed	Completed within declared scope
numeric outliers	294 checks; 294 scopes: Att1, Att2, Att3 ...	applicable	completed	Completed within declared scope
feature semantics	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
annotation coverage	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
target coverage	6 checks; 6 scopes: Beach, Sunset, FallFoliage ...	applicable	completed	Completed within declared scope
annotation cohorts	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
multilabel	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
annotation repetition	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
parsing fidelity	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope