Wide

wide.csv · 2026-10-09T18:05:02.387770+00:00

1. Executive review summary

Pre-model evidence for the declared tabular task; no composite reliability score or model-quality verdict is defined.

240	350	48
parsed rows	input features	declared targets

240 parsed rows; 350 selected input features; 48 targets. Annotation coverage separates observation, expectation, metadata resolution, and declared uncertain validity.

2. Prioritized actions

Moderate · Unavailable expected annotations

Review resolved expected gaps alongside unknown-expectation coverage.

48 affected fields or checks; resolved expected annotations

Composite scoring: not defined. Priorities are internal review rules, not validated performance or readiness ratings.

3. Dataset, roles, parsing, declarations

Purpose undeclared.

Roles: 350 features, 48 targets, 0 metadata, 0 ignored. Resolved roles and full declarations are retained in JSON.

Parsing: utf-8; pandas_default. Source-token review covers 20000 comparable prefix cells. NA-like tokens may become missing; numeric-looking codes may lose leading zeros. No source values were rewritten.

Parsing review: inspection_incomplete. Full warnings and source scope are in JSON.

4. Annotation or input coverage

Observed vectors: 0 complete, 240 partial, 0 empty. 240 rows have any annotation. Expected-vector completion: 0 / 240 rows with resolved requirements.

> Unknown expectation is separate from uncertain label validity. Supplied values remain in descriptive evidence. Optional absence does not establish intentional absence. Expected coverage must be read alongside unknown-expectation populations.

Per-target annotation coverage

Target	Observed / rows	Supplied / expected	Unknown expectation	Invalid / conflicts	Uncertain observed
annotation_label_00	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_01	219 / 240 (91.2%)	219 / 240 (91.2%)	0 / 240	0 / 0	0
annotation_label_02	219 / 240 (91.2%)	219 / 240 (91.2%)	0 / 240	0 / 0	0
annotation_label_03	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_04	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_05	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_06	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_07	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_08	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0

Target	Observed / rows	Supplied / expected	Unknown expectation	Invalid / conflicts	Uncertain observed
annotation_label_09	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_10	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_11	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_12	219 / 240 (91.2%)	219 / 240 (91.2%)	0 / 240	0 / 0	0
annotation_label_13	219 / 240 (91.2%)	219 / 240 (91.2%)	0 / 240	0 / 0	0
annotation_label_14	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_15	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_16	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_17	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_18	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0
annotation_label_19	218 / 240 (90.8%)	218 / 240 (90.8%)	0 / 240	0 / 0	0

Annotation state counts

Target	Absent	Expected gaps	Intentional absence	Unresolved metadata
annotation_label_00	22	22	0	0
annotation_label_01	21	21	0	0
annotation_label_02	21	21	0	0
annotation_label_03	22	22	0	0
annotation_label_04	22	22	0	0
annotation_label_05	22	22	0	0

5. Task-specific evidence

Cardinality: Unavailable; density: Unavailable on 0 complete vectors. Observed-positive fraction over known cells: 0.33358793 on 10474 cells. Metrics describe supplied assignments. All-zero complete vectors are valid. Unusual combinations and low cardinality are not label errors.

Observed binary assignments

Label	Positive	Negative	Unknown (absent)	Invalid	Positive / known
annotation_label_00	72	146	22	0	33.0%
annotation_label_01	73	146	21	0	33.3%
annotation_label_02	73	146	21	0	33.3%
annotation_label_03	73	145	22	0	33.5%
annotation_label_04	73	145	22	0	33.5%
annotation_label_05	73	145	22	0	33.5%
annotation_label_06	73	145	22	0	33.5%
annotation_label_07	73	145	22	0	33.5%
annotation_label_08	73	145	22	0	33.5%
annotation_label_09	73	145	22	0	33.5%
annotation_label_10	73	145	22	0	33.5%
annotation_label_11	73	145	22	0	33.5%
annotation_label_12	73	146	21	0	33.3%
annotation_label_13	73	146	21	0	33.3%
annotation_label_14	73	145	22	0	33.5%
annotation_label_15	73	145	22	0	33.5%
annotation_label_16	73	145	22	0	33.5%
annotation_label_17	73	145	22	0	33.5%
annotation_label_18	73	145	22	0	33.5%
annotation_label_19	73	145	22	0	33.5%

Partial-vector positive-count bounds (invalid vectors excluded)

Lower positive count	Upper positive count	Partial vectors
14	18	49

Lower positive count	Upper positive count	Partial vectors
14	19	57
15	19	105
15	20	29

Complete-vector cardinality

No computed records to display in this scope. This is not a universal clean verdict.

Label pairs on jointly observed rows

Labels	Jointly observed / rows	00 / 01 / 10 / 11	Jaccard	P(second + | first +)
annotation_label_00 / annotation_label_01	197 / 240	66 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_02	197 / 240	66 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_03	196 / 240	131 / 0 / 0 / 65	1	100.0%
annotation_label_00 / annotation_label_04	196 / 240	65 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_05	196 / 240	66 / 66 / 64 / 0	0	0.0%
annotation_label_00 / annotation_label_06	196 / 240	131 / 0 / 0 / 65	1	100.0%
annotation_label_00 / annotation_label_07	196 / 240	65 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_08	196 / 240	66 / 66 / 64 / 0	0	0.0%
annotation_label_00 / annotation_label_09	196 / 240	131 / 0 / 0 / 65	1	100.0%
annotation_label_00 / annotation_label_10	196 / 240	65 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_11	218 / 240	73 / 73 / 72 / 0	0	0.0%
annotation_label_00 / annotation_label_12	197 / 240	132 / 0 / 0 / 65	1	100.0%
annotation_label_00 / annotation_label_13	197 / 240	66 / 66 / 65 / 0	0	0.0%

Labels	Jointly observed / rows	00 / 01 / 10 / 11	Jaccard	P(second + | first +)
annotation_label_00 / annotation_label_14	196 / 240	65 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_15	196 / 240	131 / 0 / 0 / 65	1	100.0%
annotation_label_00 / annotation_label_16	196 / 240	66 / 66 / 64 / 0	0	0.0%
annotation_label_00 / annotation_label_17	196 / 240	65 / 66 / 65 / 0	0	0.0%
annotation_label_00 / annotation_label_18	196 / 240	131 / 0 / 0 / 65	1	100.0%
annotation_label_00 / annotation_label_19	196 / 240	66 / 66 / 64 / 0	0	0.0%
annotation_label_00 / annotation_label_20	196 / 240	65 / 66 / 65 / 0	0	0.0%

Recorded complete-vector combinations (all complete valid observed vectors)

No computed records to display in this scope. This is not a universal clean verdict.

6. Features, repetition, annotation populations

All-column parsed duplicates: 0 extra rows. Selected-feature identity and observed annotation variation have separate scopes. Repetition may be legitimate or intentional weighting.

Selected-input repetition: 0 groups; 0 rows participate in observed annotation disagreement; 0 groups have mixed expectation/status metadata. These scopes remain separate.

Selected feature structure

Feature	Meaning	Storage	Observed distinct	Missing / rows
measurement_000_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_001_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_002_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_003_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240

Feature	Meaning	Storage	Observed distinct	Missing / rows
measurement_004_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_005_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_006_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_007_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_008_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_009_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_010_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_011_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_012_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_013_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_014_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_015_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_016_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_017_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_018_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240
measurement_019_with_explicit_source_unit	assumed quantitative	float64	240	0 / 240

Annotation population contrasts

Cohort	Feature	Cohort sizes	Missing counts	Supported shape evidence
annotation_label_00:observed_vs_expected_missing	measurement_000_with_explicit_source_unit	218 / 22	0 / 0	median 119.605, IQR 119.387; median 115.977, IQR 116.559
annotation_label_00:observed_vs_expected_missing	measurement_001_with_explicit_source_unit	218 / 22	0 / 0	median 239.105, IQR 238.887; median 231.477, IQR 232.059
annotation_label_00:observed_vs_expected_missing	measurement_002_with_explicit_source_unit	218 / 22	0 / 0	median 358.605, IQR 358.387; median 346.977, IQR 347.559
annotation_label_00:observed_vs_expected_missing	measurement_003_with_explicit_source_unit	218 / 22	0 / 0	median 478.105, IQR 477.887; median 462.477, IQR 463.059
annotation_label_00:observed_vs_expected_missing	measurement_004_with_explicit_source_unit	218 / 22	0 / 0	median 597.605, IQR 597.387; median 577.977, IQR 578.559
annotation_label_00:observed_vs_expected_missing	measurement_005_with_explicit_source_unit	218 / 22	0 / 0	median 717.105, IQR 716.887; median 693.477, IQR 694.059
annotation_label_00:observed_vs_expected_missing	measurement_006_with_explicit_source_unit	218 / 22	0 / 0	median 836.605, IQR 836.387; median 808.977, IQR 809.559
annotation_label_00:observed_vs_expected_missing	measurement_007_with_explicit_source_unit	218 / 22	0 / 0	median 956.105, IQR 955.887; median 924.477, IQR 925.059
annotation_label_00:observed_vs_expected_missing	measurement_008_with_explicit_source_unit	218 / 22	0 / 0	median 1075.6, IQR 1075.39; median 1039.98, IQR 1040.56
annotation_label_00:observed_vs_expected_missing	measurement_009_with_explicit_source_unit	218 / 22	0 / 0	median 1195.1, IQR 1194.89; median 1155.48, IQR 1156.06

Cohort	Feature	Cohort sizes	Missing counts	Supported shape evidence
annotation_label_00:observed_vs_expected_missing	measurement_010_with_explicit_source_unit	218 / 22	0 / 0	median 1314.6, IQR 1314.39; median 1270.98, IQR 1271.56
annotation_label_00:observed_vs_expected_missing	measurement_011_with_explicit_source_unit	218 / 22	0 / 0	median 1434.1, IQR 1433.89; median 1386.48, IQR 1387.06
annotation_label_00:observed_vs_expected_missing	measurement_012_with_explicit_source_unit	218 / 22	0 / 0	median 1553.6, IQR 1553.39; median 1501.98, IQR 1502.56
annotation_label_00:observed_vs_expected_missing	measurement_013_with_explicit_source_unit	218 / 22	0 / 0	median 1673.1, IQR 1672.89; median 1617.48, IQR 1618.06
annotation_label_00:observed_vs_expected_missing	measurement_014_with_explicit_source_unit	218 / 22	0 / 0	median 1792.6, IQR 1792.39; median 1732.98, IQR 1733.56
annotation_label_00:observed_vs_expected_missing	measurement_015_with_explicit_source_unit	218 / 22	0 / 0	median 1912.1, IQR 1911.89; median 1848.48, IQR 1849.06
annotation_label_00:observed_vs_expected_missing	measurement_016_with_explicit_source_unit	218 / 22	0 / 0	median 2031.6, IQR 2031.39; median 1963.98, IQR 1964.56
annotation_label_00:observed_vs_expected_missing	measurement_017_with_explicit_source_unit	218 / 22	0 / 0	median 2151.1, IQR 2150.89; median 2079.48, IQR 2080.06
annotation_label_00:observed_vs_expected_missing	measurement_018_with_explicit_source_unit	218 / 22	0 / 0	median 2270.6, IQR 2270.39; median 2194.98, IQR 2195.56
annotation_label_00:observed_vs_expected_missing	measurement_019_with_explicit_source_unit	218 / 22	0 / 0	median 2390.1, IQR 2389.89; median 2310.48, IQR 2311.06

50750 feature/cohort records computed; 33950 have an empty comparison population. Empty populations support no shape contrast; their counts and reasons remain in JSON.

Population contrasts are descriptive within this file. They do not establish a missingness mechanism, representativeness, or deployment shift.

7. Applicability, bounds, scoring, limitations

Observed annotations are supplied evidence, not verified ground truth. No model performance, representativeness, clustering quality, or anomaly correctness is established.

Execution: completed. Coverage describes these checks, not a percentage of universal reliability. Source/header preflight, bounded row read, post-load frame measurement, cooperative stage deadlines; no hard memory or execution guarantee.

annotation cohorts: completed. Completed within the declared diagnostic scope.

label pairs: bounded. Some declared candidate scope was not computed.

combinations: completed. all complete valid observed vectors

Presentation truncation

These records were computed and remain in JSON; their omission here is separate from analytical bounds and execution failures.

- annotation target details: 20 displayed of 48 computed; 28 omitted from this presentation.
- annotation state details: 6 displayed of 48 computed; 42 omitted from this presentation.
- label distributions: 20 displayed of 48 computed; 28 omitted from this presentation.
- label pairs: 20 displayed of 496 computed; 476 omitted from this presentation.
- feature structure: 20 displayed of 350 computed; 330 omitted from this presentation.
- cohort details with an empty population: 0 displayed of 33950 computed; 33950 omitted from this presentation.
- nonempty cohort contrasts: 20 displayed of 16800 computed; 16780 omitted from this presentation.

8. Technical appendix

Methodology: tabular_multilabel_v1 · Schema 1.2. Source SHA-256: `0e66e1622b15705779d275c72d6993b8a762f6218fd6761439e38a8f40ab85ac`. 16 detail rows displayed; appendix budget 100. Full checks, evidence references, declarations, bounds, and computed data are in JSON.

Check applicability and execution (repeated checks aggregated)

Check	Count and scope examples	Applicability	Execution	Reason
schema	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
missingness	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope

Check	Count and scope examples	Applicability	Execution	Reason
column variation	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
categorical cardinality	1 checks; 1 scopes: dataset	not_applicable	not_run	No nonnumeric input columns.
feature missingness	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
exact duplicates	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
numeric summary	350 checks; 350 scopes: measurement_000_with_explicit_source_unit, measurement_001_with_explicit_source_unit, measurement_002_with_explicit_source_unit ...	applicable	completed	Completed within declared scope
numeric outliers	350 checks; 350 scopes: measurement_000_with_explicit_source_unit, measurement_001_with_explicit_source_unit, measurement_002_with_explicit_source_unit ...	applicable	completed	Completed within declared scope
feature semantics	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
annotation coverage	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
target coverage	48 checks; 48 scopes: annotation_label_00, annotation_label_01, annotation_label_02 ...	applicable	completed	Completed within declared scope

Check	Count and scope examples	Applicability	Execution	Reason
annotation cohorts	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
multilabel	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
multilabel cardinality	1 checks; 1 scopes: dataset	blocked	not_run	No complete valid observed vectors.
annotation repetition	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope
parsing fidelity	1 checks; 1 scopes: dataset	applicable	completed	Completed within declared scope