Clean identical populations

Review qualified findings and the completed analytical scope. No qualifying issue means none within completed definitions and bounds.

Execution: completed · Backend: duckdb_local. A clean result means no qualifying issue within completed definitions and bounds.

1. Summary

0 qualified review findings across 2 source(s). Comparisons have no composite score or risk band.

2. Actions

No qualifying findings were produced within completed scope. Review declarations and unsearched scope before relying on this result.

3. Sources and declarations

source	rows	columns	sha256	task
reference	240	5	628c26dfe624e4b3b99d9250bae8f3592329fbd8de789d80b29ade3622c32286	classification
current	240	5	628c26dfe624e4b3b99d9250bae8f3592329fbd8de789d80b29ade3622c32286	classification

Alignment is case-sensitive and declaration-bound. Identifier/key strings preserve decoded lexical identity, including leading zeros and whitespace. Effective parsing, annotation, semantic, mapping and key declarations are retained in JSON.

4. Overlap and schema evidence

pair	added	removed	storage or role changes
reference:current	None	None	0

Overlap counts are participating rows and grouped multiset intersections. Shared observations do not prove leakage; absence applies only to completed definitions.

5. Feature populations and missingness

source	column	role	storage	missing	missing percent	nonfinite	distinct
reference	id	metadata	VARCHAR	0	0.0	0	240
reference	x	feature	BIGINT	0	0.0	0	240
reference	z	feature	BIGINT	0	0.0	0	240
reference	channel	feature	VARCHAR	0	0.0	0	2
current	id	metadata	VARCHAR	0	0.0	0	240
current	x	feature	BIGINT	0	0.0	0	240
current	z	feature	BIGINT	0	0.0	0	240
current	channel	feature	VARCHAR	0	0.0	0	2

pair	column	left rows	right rows	missing change pp	nonfinite change pp	TV	CDF	Wasserstein 1	block
reference:current	x	240	240	0.0	Unavailable	Unavailable	0.0	0.0	None
reference:current	z	240	240	0.0	Unavailable	Unavailable	0.0	0.0	None
reference:current	channel	240	240	0.0	Unavailable	0.0	Unavailable	Unavailable	None
reference:current	label	240	240	0.0	Unavailable	0.0	Unavailable	Unavailable	None

Missingness changes are signed percentage points. Distributions use observed categorical or finite quantitative values. Wasserstein-1 retains original units. Counts, full-population effects and separately qualified optional tests appear in JSON.

6. Targets, constraints and segments

source	column	role	storage	missing	missing percent	nonfinite	distinct
reference	label	target	VARCHAR	0	0.0	0	2
current	label	target	VARCHAR	0	0.0	0	2

Annotation expectation is independent of observed validity. Complete and partial vectors, declared requirements, subgroup mix and conditional populations retain their own denominators. Correlation, IQR candidates and conditional differences do not establish causality, fairness or anomaly correctness.

7. Methodology and coverage

Accepted task-family support does not mean exhaustive analytical searches. Planned limits complete bounded scope; omitted detail and unsearched scope remain explicit.

Method m4_local_2026_10_10. Parsing scalable_csv_v1. DuckDB 1.5.6. Searches are deterministic and bounded; required structural and configured overlap populations use every eligible record.

Resource defaults and runtime safeguards are engineering controls, not capacity guarantees. Disk planning estimates are conservative estimates, not upper bounds. Runtime 0.38 seconds; sampled peak worker RSS 119947264 bytes; recorded peak workspace 65536 bytes.

Parsed equality does not establish byte-identical records or proven leakage.

Effects and support describe supplied populations; conditional evidence is descriptive.

Search bounds and detail omissions remain visible in coverage.

8. Appendix and retained scope

check	status	population	unsearched	excluded columns
reference.structure	completed	all eligible records	0	
reference.annotations	completed	all eligible records	0	
reference.repeated_inputs	completed	all eligible records	0	
reference.annotation_cohorts	completed	all eligible records	0	
current.structure	completed	all eligible records	0	
current.annotations	completed	all eligible records	0	
current.repeated_inputs	completed	all eligible records	0	
current.annotation_cohorts	completed	all eligible records	0	
reference:current.schema	completed	all eligible records	0	

check	status	population	unsearched	excluded columns
reference:current.populations	completed	observed categorical or finite quantitative values; missing/non-finite counts separately	0	

Excluded-column previews show at most three shortened names; complete sets are retained in JSON. Human detail omissions, unsearched analytical scope, blocked methods and failed execution are distinct. JSON preserves all retained computed records. Generated 2026-10-10T17:41:08.490785+00:00.