bike

Hourly observations; timezone is an explicit validation assumption, unresolved DST folds stay unresolved. Components are not declared historically available.

Completed evidence · 1 sources · 31 retained records

9 evidence-qualified finding(s) across 1 supplied source(s). Required stages completed over eligible records; behavioral search scope is disclosed separately.

Actions to investigate

Declared observation schedule has absent records

1002 expected distinct observation slots are absent; supplied null values count as occupied records. Review the declarations and bounded witnesses.

declared_violation · t5

Some declared clock values remain unresolved

Dependent checks exclude unresolved temporal cells; the report does not treat them as compliant. Review the declarations and bounded witnesses.

investigation_candidate · t1

Window effects meet configured investigation settings

Review reference support, dispersion, seasonality, and entity composition before interpreting the change. Review the declarations and bounded witnesses.

investigation_candidate · t7 · cnt

Window effects meet configured investigation settings

Review reference support, dispersion, seasonality, and entity composition before interpreting the change. Review the declarations and bounded witnesses.

investigation_candidate · t11 · casual

Window effects meet configured investigation settings

Review reference support, dispersion, seasonality, and entity composition before interpreting the change. Review the declarations and bounded witnesses.

investigation_candidate · t15 · registered

Interpretation boundary

- No composite score or universal readiness verdict.
- Investigation defaults are not validated defect criteria.
- Supplied evidence does not prove what a production pipeline consumed.

Declarations

Evidence / source	Measurement or rule	Retained result
bike	source	bike
bike	role	dataset
bike	format	csv
bike	task / kind	dataset_profile
bike	task / target	Unavailable / unknown
bike	task / targets	[]
bike	task / feature columns	Unavailable / unknown
bike	task / metadata columns	[]
bike	task / group columns	[]
bike	temporal / clock / column	time
bike	temporal / clock / kind	instant
bike	temporal / clock / encoding	iso
bike	temporal / clock / format	Unavailable / unknown
bike	temporal / clock / epoch unit	Unavailable / unknown
bike	temporal / clock / timezone	America/New_York
bike	temporal / clock / timezone column	Unavailable / unknown
bike	temporal / clock / ambiguity	unresolved
bike	temporal / clock / fold column	Unavailable / unknown
bike	temporal / clock / date convention	Unavailable / unknown
bike	temporal / measurements [0] / name	cnt

20 of 81 metric rows shown. 61 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Chronology

Evidence / source	Measurement or rule	Retained result
t1 bike	rows	17379
t1 bike	cells	104274
t1 bike	declared dense missing cells	0
t1 bike	parse states / ambiguous local time	12
t1 bike	parse states / valid	104262
t1 bike	precision counts / second	104274
t1 bike	value states [casual] / measurement	casual
t1 bike	value states [casual] / state	valid
t1 bike	value states [casual] / cells	17379
t1 bike	value states [cnt] / measurement	cnt
t1 bike	value states [cnt] / state	valid
t1 bike	value states [cnt] / cells	17379
t1 bike	value states [hum] / measurement	hum
t1 bike	value states [hum] / state	valid
t1 bike	value states [hum] / cells	17379
t1 bike	value states [registered] / measurement	registered
t1 bike	value states [registered] / state	valid
t1 bike	value states [registered] / cells	17379
t1 bike	value states [temp] / measurement	temp
t1 bike	value states [temp] / state	valid

20 of 50 metric rows shown. 30 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 4 / 8

Continuity and history

Absent observations, supplied missing values and outside-expectation periods have different meanings. Event absence alone does not prove an outage.



bike · missing values and absent slots remain separate

bike · expected population

Evidence / source	Measurement or rule	Retained result
t4 bike	distinct entities	1
t4 bike	distinct series	6
t4 bike	history counts / min	17377
t4 bike	history counts / max	17377
t4 bike	history counts / entity weighted mean	17377
t4 bike	history length bins [0] / observations	4
t4 bike	history length bins [0] / series	6
t4 bike	observed first tick	1293858000000000000
t4 bike	observed last tick	1357012800000000000
t4 bike	observed entry exit is lifecycle	No
t4 bike	retained histories [casual] / entity	[]
t4 bike	retained histories [casual] / measurement	casual
t4 bike	retained histories [casual] / observations	17377
t4 bike	retained histories [casual] / cells	17377
t4 bike	retained histories [casual] / first tick	1293858000000000000
t4 bike	retained histories [casual] / last tick	1357012800000000000
t4 bike	retained histories [casual] / span ticks	63154800000000000
t4 bike	retained histories [cnt] / entity	[]
t4 bike	retained histories [cnt] / measurement	cnt
t4 bike	retained histories [cnt] / observations	17377

20 of 212 metric rows shown. 192 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Behavioral investigation

Thresholds and support settings are configurable investigation defaults. Reference support, sparse windows, zero dispersion, phase exclusions and population mix qualify interpretation.



bike / cnt · supplied cells per window



bike / casual · supplied cells per window

Evidence / source	Measurement or rule	Retained result
t7 bike / cnt	measurement	cnt
t7 bike / cnt	unit	count
t7 bike / cnt	comparisons [0] / reference window	0
t7 bike / cnt	comparisons [0] / comparison window	1
t7 bike / cnt	comparisons [0] / reference support	1383
t7 bike / cnt	comparisons [0] / comparison support	1448
t7 bike / cnt	comparisons [0] / reference iqr	74
t7 bike / cnt	comparisons [0] / reference span	["1293858000000000000","1299120900000000000"]
t7 bike / cnt	comparisons [0] / reference entities	1
t7 bike / cnt	comparisons [0] / comparison entities	1
t7 bike / cnt	comparisons [0] / unit	count
t7 bike / cnt	comparisons [0] / thresholds are investigation defaults	Yes
t7 bike / cnt	comparisons [0] / missingness change	0
t7 bike / cnt	comparisons [0] / missingness review	No
t7 bike / cnt	comparisons [0] / cdf distance	0.2262667
t7 bike / cnt	comparisons [0] / wasserstein 1	46.80046
t7 bike / cnt	comparisons [0] / normalized w1	0.6324387
t7 bike / cnt	comparisons [0] / normalization block	Unavailable / unknown

Evidence / source	Measurement or rule	Retained result
t7 bike / cnt	comparisons [0] / distribution review	Yes
t7 bike / cnt	comparisons [0] / below support descriptive only	No

20 of 6849 metric rows shown. 6829 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 6 / 8

Availability and outcome maturity

Undeclared availability remains unknown. Historical agreement concerns supplied coverage; it does not establish what a pipeline consumed.

Evidence / source	Measurement or rule	Retained result
t6 bike	features	["cnt","casual","registered","temp","hum","weathersit"]
t6 bike	meaning	Undeclared availability remains unknown; no timestamp inheritance.

2 of 2 metric rows shown. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 7 / 8

Chronological evaluation

No retained evidence applies to this topic in the declared scope.

0 of 0 metric rows shown. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 8 / 8

Methodology and coverage

Evidence / source	Measurement or rule	Retained result
method	schema	1.4
method	methodology	temporal_reliability_v1
method	execution status	completed
method	aggregate scope	Every eligible declared record in required stages; no silent sampling.
method	search scope [0] / selected measurements	["cnt","casual","registered","temp","hum","weathersit"]
method	search scope [0] / unsearched scope	[]
method	search scope [0] / work observation visits	5672766
method	search scope [0] / comparisons	504
method	search scope [0] / selection	Requested measurements first, then declaration order. Detail retention can miss behavior-only exceptions.
method	search scope [0] / defaults validated universal defect criteria	No
method	internal detail omissions / bike:entity histories	0
method	internal detail omissions / bike:series effects	26
method	timezone / package	tzdata
method	timezone / version	2026.5
method	timezone / zones / America/New York	d7f2206b3a45989fc9ad63d558922532fa7352280d5f87176bf1db79cb1d1fa9
method	phase seconds / bike:ingestion	0.1070317
method	phase seconds / bike:normalization	0.2589598
method	phase seconds / required diagnostics	0.2502283
method	phase seconds / availability history evaluation	1.1875e-05
method	phase seconds / behavior	1.349313

20 of 34 metric rows shown. 14 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Decoded-batch controls bound accepted batches and application retention. Native pages, dictionaries and conversion buffers can allocate before checks. Estimates and workload limits are provisional engineering controls. RSS monitoring can overshoot between samples.

Analytical scope left unsearched, retained-detail omissions, and presentation omissions are separate. No independent-row significance testing, model fitting, split generation, automatic repair or universal temporal score is performed.