NUMEK M5 · TEMPORAL RELIABILITY INTELLIGENCE

Controlled wide panel — escaped long measurement headers

Completed evidence · 1 sources · 72 retained records

0 evidence-qualified finding(s) across 1 supplied source(s). Required stages completed over eligible records; behavioral search scope is disclosed separately.

Actions to investigate

No qualifying findings within completed scope. Unknown timing, blocked methods and bounded searches remain visible in this report.

Interpretation boundary

- No composite score or universal readiness verdict.
- Investigation defaults are not validated defect criteria.
- Supplied evidence does not prove what a production pipeline consumed.

Generated 2026-10-10T22:58:06.145127+00:00 · Schema 1.4 · temporal_reliability_v1

Declarations

Evidence / source	Measurement or rule	Retained result
wide	Source and base task	{"format":"csv","role":"dataset","task":"dataset_profile","targets":null}
wide	observation	measurement
wide	layout	wide
wide	entity columns	["entity"]
wide	observation keys	[]
wide	clock	{"column":"time","kind":"instant","encoding":"epoch","format":null,"epoch_unit":"ns","timezone":null,"timezone_column":null,"ambiguity":"unresolved","fold_column":null,"date_convention":null}
wide	schedule	{"kind":"none","cadence_ns":null,"anchor":null,"civil_unit":null,"timezone":null,"month_end":"skip","source_id":null,"time_column":null,"entity_columns":[],"measurement_column":null,"expectation":"required_record","collection_status_column":null,"collection_active_values":["active"]}
wide	active intervals	[]
wide	measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_02_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_02_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_03_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_03_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_04_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_04_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_05_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_05_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_06_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_06_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_07_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_07_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_08_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_08_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_09_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_09_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_10_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_10_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}
wide	measurement_11_long composite name & <display> long composite name & <display> long composite name & <display>	{"name":"measurement_11_long composite name & <display> long composite name & <display> long composite name & <display>","column":null,"representation":"quantitative","unit":"declared unit & scale","meaning":null,"past_observation":false}

20 of 24 metric rows shown. 4 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Chronology

Evidence / source	Measurement or rule	Retained result
t1 wide	rows	240
t1 wide	cells	3840
t1 wide	declared dense missing cells	0
t1 wide	parse states / valid	3840
t1 wide	precision counts / ns	3840
t1 wide	value states [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>
t1 wide	value states [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / state	valid
t1 wide	value states [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / cells	240
t1 wide	value states [measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>
t1 wide	value states [measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>] / state	valid
t1 wide	value states [measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>] / cells	240
t1 wide	value states [measurement_02_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_02_long composite name & <display> long composite name & <display> long composite name & <display>
t1 wide	value states [measurement_02_long composite name & <display> long composite name & <display> long composite name & <display>] / state	valid
t1 wide	value states [measurement_02_long composite name & <display> long composite name & <display> long composite name & <display>] / cells	240
t1 wide	value states [measurement_03_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_03_long composite name & <display> long composite name & <display> long composite name & <display>
t1 wide	value states [measurement_03_long composite name & <display> long composite name & <display> long composite name & <display>] / state	valid
t1 wide	value states [measurement_03_long composite name & <display> long composite name & <display> long composite name & <display>] / cells	240
t1 wide	value states [measurement_04_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_04_long composite name & <display> long composite name & <display> long composite name & <display>
t1 wide	value states [measurement_04_long composite name & <display> long composite name & <display> long composite name & <display>] / state	valid

Evidence / source	Measurement or rule	Retained result
t1 wide	value states [measurement_04_long composite name & <display> long composite name & <display> long composite name & <display>] / cells	240

20 of 69 metric rows shown. 49 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Continuity and history

Absent observations, supplied missing values and outside-expectation periods have different meanings. Event absence alone does not prove an outage.



wide · missing values and absent slots remain separate

Evidence / source	Measurement or rule	Retained result
t4 wide	distinct entities	1
t4 wide	distinct series	16
t4 wide	history counts / min	240
t4 wide	history counts / max	240
t4 wide	history counts / entity weighted mean	240
t4 wide	history length bins [0] / observations	4
t4 wide	history length bins [0] / series	16
t4 wide	observed first tick	0
t4 wide	observed last tick	239000000000
t4 wide	observed entry exit is lifecycle	No
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / entity	["station & <north>"]
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / observations	240
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / cells	240
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / first tick	0
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / last tick	239000000000
t4 wide	retained histories [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / span ticks	239000000000
t4 wide	retained histories [measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>] / entity	["station & <north>"]
t4 wide	retained histories [measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>

Evidence / source	Measurement or rule	Retained result
t4 wide	retained histories [measurement_01_long composite name & <display> long composite name & <display> long composite name & <display>] / observations	240

20 of 248 metric rows shown. 228 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Behavioral investigation

Thresholds and support settings are configurable investigation defaults. Reference support, sparse windows, zero dispersion, phase exclusions and population mix qualify interpretation.



wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display> · supplied cells per window

Evidence / source	Measurement or rule	Retained result
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Reference	Window 0 · 0 to 19916666666 · unit declared unit & scale · support setting 100
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 0	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 1	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5.25
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 2	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 6
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 3	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 6
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 4	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 5	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 4.5
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 6	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 7	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 6
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 8	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 6

Evidence / source	Measurement or rule	Retained result
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 9	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5.25
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 10	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Window 11	20 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 20 · 1 entities · IQR 5
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 0 → 1	Support 20/20 · Δmissing 0 · CDF 0.1 · W1 0.2 · W1/IQR 0.04 · below support: descriptive
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 1 → 2	Support 20/20 · Δmissing 0 · CDF 0.1 · W1 0.2 · W1/IQR 0.03809524 · below support: descriptive
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 2 → 3	Support 20/20 · Δmissing 0 · CDF 0.1 · W1 0.2 · W1/IQR 0.03333333 · below support: descriptive
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 3 → 4	Support 20/20 · Δmissing 0 · CDF 0.1 · W1 0.2 · W1/IQR 0.03333333 · below support: descriptive
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 4 → 5	Support 20/20 · Δmissing 0 · CDF 0.05 · W1 0.45 · W1/IQR 0.09 · below support: descriptive
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 5 → 6	Support 20/20 · Δmissing 0 · CDF 0.05 · W1 0.45 · W1/IQR 0.1 · below support: descriptive
t7 wide / measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>	Comparison 6 → 7	Support 20/20 · Δmissing 0 · CDF 0.1 · W1 0.2 · W1/IQR 0.04 · below support: descriptive

20 of 10246 metric rows shown. 10226 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Additional charts remain in canonical HTML.

RETAINED EVIDENCE · 6 / 8

Availability and outcome maturity

Undeclared availability remains unknown. Historical agreement concerns supplied coverage; it does not establish what a pipeline consumed.

Evidence / source	Measurement or rule	Retained result
t6 wide	features	["measurement_00_long composite name & <display> long composite name & <display> long composite name & <display> ","measurement_01_long composite name & <display> long composite name & <display> long composite name & <display> ","measurement_02_long composite name & <display> long composite name & <display> long composite name & <display> ","mea… [retained JSON contains full detail]
t6 wide	meaning	Undeclared availability remains unknown; no timestamp inheritance.

2 of 2 metric rows shown. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 7 / 8

Chronological evaluation

No retained evidence applies to this topic in the declared scope.

0 of 0 metric rows shown. Presentation limits do not change analytical coverage.

Methodology and coverage

Evidence / source	Measurement or rule	Retained result
method	schema	1.4
method	methodology	temporal_reliability_v1
method	execution status	completed
method	aggregate scope	Every eligible declared record in required stages; no silent sampling.
method	search scope [None] / family	behavior_series
method	search scope [None] / source ids	["wide"]
method	search scope [None] / measurement	Unavailable / unknown
method	search scope [None] / scope / selected series	16
method	search scope [None] / scope / compared series windows	336
method	search scope [None] / scope / investigation candidates	0
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / entity	["station & <north>"]
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / measurement	measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / reference window	0
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / comparison window	1
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / reference cells	20
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / comparison cells	20
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / missingness change	0
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / cdf	0.1
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / w1	0.2
method	search scope [None] / scope / details [measurement_00_long composite name & <display> long composite name & <display> long composite name & <display>] / reference iqr	5

20 of 1745 metric rows shown. 1725 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Decoded-batch controls bound accepted batches and application retention. Native pages, dictionaries and conversion buffers can allocate before checks. Estimates and workload limits are provisional engineering controls. RSS monitoring can overshoot between samples.

Analytical scope left unsearched, retained-detail omissions, and presentation omissions are separate. No independent-row significance testing, model fitting, split generation, automatic repair or universal temporal score is performed.

Retained witnesses and selected detail

100 of 196 retained detail rows available here. Print shows up to 20 rows; JSON preserves every retained record. These presentation omissions do not change searched scope.

Evidence	Detail	Witness / selected population
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_00_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_01_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_02_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_03_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_04_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_05_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_06_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_07_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_08_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_09_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_10_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_11_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_12_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_13_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_14_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t4	retained histories	{"entity":["station & <north>"],"measurement":"measurement_15_long composite name & <display> long composite name & <display> long composite name & <display> ","observations":24… [JSON]
t9	Witness	{"entity":"[\"station & <north>\"]","first_tick":"0","last_tick":"0","observations":1,"state":"valid"}
t9	Witness	{"entity":"[\"station & <north>\"]","first_tick":"1000000000","last_tick":"1000000000","observations":1,"state":"valid"}
t9	Witness	{"entity":"[\"station & <north>\"]","first_tick":"2000000000","last_tick":"2000000000","observations":1,"state":"valid"}
t9	Witness	{"entity":"[\"station & <north>\"]","first_tick":"3000000000","last_tick":"3000000000","observations":1,"state":"valid"}