retail

Invoice-line events without an expected purchase cadence. Source-local minute labels, cancellations, negative quantities and missing customer keys remain visible.

Completed evidence · 1 sources · 20 retained records

2 evidence-qualified finding(s) across 1 supplied source(s). Required stages completed over eligible records; behavioral search scope is disclosed separately.

Actions to investigate

> **Window effects meet configured investigation settings**
>
> Review reference support, dispersion, seasonality, and entity composition before interpreting the change. Review the declarations and bounded witnesses.
>
> investigation_candidate · t8 · Quantity

> **Window effects meet configured investigation settings**
>
> Review reference support, dispersion, seasonality, and entity composition before interpreting the change. Review the declarations and bounded witnesses.
>
> investigation_candidate · t12 · UnitPrice

Interpretation boundary

- No composite score or universal readiness verdict.
- Investigation defaults are not validated defect criteria.
- Supplied evidence does not prove what a production pipeline consumed.

Generated 2026-10-10T22:50:54.020176+00:00 · Schema 1.4 · temporal_reliability_v1

Declarations

Evidence / source	Measurement or rule	Retained result
retail	Source and base task	{"format":"csv","role":"dataset","task":"dataset_profile","targets":null}
retail	observation	event
retail	layout	wide
retail	entity columns	["CustomerID"]
retail	observation keys	[]
retail	clock	{"column":"time","kind":"local_datetime","encoding":"iso","format":null,"epoch_unit":null,"timezone":null,"timezone_column":null,"ambiguity":"unresolved","fold_column":null,"date_convention":null}
retail	schedule	{"kind":"none","cadence_ns":null,"anchor":null,"civil_unit":null,"timezone":null,"month_end":"skip","source_id":null,"time_column":null,"entity_columns":[],"measurement_column":null,"expectation":"required_record","collection_status_column":null,"collection_active_values":["active"]}
retail	active intervals	[]
retail	Quantity	{"name":"Quantity","column":null,"representation":"quantitative","unit":"items","meaning":null,"past_observation":false}
retail	UnitPrice	{"name":"UnitPrice","column":null,"representation":"quantitative","unit":"GBP","meaning":null,"past_observation":false}
retail	Country	{"name":"Country","column":null,"representation":"categorical","unit":null,"meaning":null,"past_observation":false}

11 of 11 metric rows shown. Presentation limits do not change analytical coverage.

Chronology

Evidence / source	Measurement or rule	Retained result
t1 retail	rows	541909
t1 retail	cells	1625727
t1 retail	declared dense missing cells	0
t1 retail	parse states / valid	1625727
t1 retail	precision counts / second	1625727
t1 retail	value states [Country] / measurement	Country
t1 retail	value states [Country] / state	valid
t1 retail	value states [Country] / cells	541909
t1 retail	value states [Quantity] / measurement	Quantity
t1 retail	value states [Quantity] / state	valid
t1 retail	value states [Quantity] / cells	541909
t1 retail	value states [UnitPrice] / measurement	UnitPrice
t1 retail	value states [UnitPrice] / state	valid
t1 retail	value states [UnitPrice] / cells	541909
t1 retail	missing entity cells	405240
t1 retail	incomplete observation keys	0
t1 retail	observation meaning	event
t1 retail	clock units	nanoseconds
t1 retail	exact ticks	Yes
t3 retail	adjacent backward cells	0

20 of 30 metric rows shown. 10 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Continuity and history

Absent observations, supplied missing values and outside-expectation periods have different meanings. Event absence alone does not prove an outage.



retail · missing values and absent slots remain separate

Evidence / source	Measurement or rule	Retained result
t5 retail	distinct entities	4372
t5 retail	distinct series	13116
t5 retail	history counts / min	1
t5 retail	history counts / max	7983
t5 retail	history counts / entity weighted mean	93.05329
t5 retail	history length bins [0] / observations	1
t5 retail	history length bins [0] / series	237
t5 retail	history length bins [1] / observations	2
t5 retail	history length bins [1] / series	1536
t5 retail	history length bins [2] / observations	3
t5 retail	history length bins [2] / series	7998
t5 retail	history length bins [3] / observations	4
t5 retail	history length bins [3] / series	3345
t5 retail	observed first tick	1291191960000000000
t5 retail	observed last tick	1323435000000000000
t5 retail	observed entry exit is lifecycle	No
t5 retail	retained histories [Country] / entity	["12503"]
t5 retail	retained histories [Country] / measurement	Country
t5 retail	retained histories [Country] / observations	1
t5 retail	retained histories [Country] / cells	1

20 of 842 metric rows shown. 822 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Behavioral investigation

Thresholds and support settings are configurable investigation defaults. Reference support, sparse windows, zero dispersion, phase exclusions and population mix qualify interpretation.



retail / Quantity · supplied cells per window

Evidence / source	Measurement or rule	Retained result
t8 retail / Quantity	Reference	Window 0 · 1291191960000000000 to 1293878880000000000 · unit items · support setting 100
t8 retail / Quantity	Window 0	42481 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 42481 · 949 entities · IQR 6
t8 retail / Quantity	Window 1	36010 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 36010 · 807 entities · IQR 8
t8 retail / Quantity	Window 2	31438 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 31438 · 891 entities · IQR 10
t8 retail / Quantity	Window 3	35851 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 35851 · 985 entities · IQR 9
t8 retail / Quantity	Window 4	31119 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 31119 · 942 entities · IQR 11
t8 retail / Quantity	Window 5	37593 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 37593 · 1070 entities · IQR 11
t8 retail / Quantity	Window 6	39258 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 39258 · 1058 entities · IQR 9
t8 retail / Quantity	Window 7	39094 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 39094 · 1017 entities · IQR 11
t8 retail / Quantity	Window 8	35712 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 35712 · 999 entities · IQR 11
t8 retail / Quantity	Window 9	56959 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 56959 · 1401 entities · IQR 10
t8 retail / Quantity	Window 10	62294 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 62294 · 1467 entities · IQR 11
t8 retail / Quantity	Window 11	94100 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 94100 · 1757 entities · IQR 9
t8 retail / Quantity	Comparison 0 → 1	Support 42481/36010 · Δmissing 0 · CDF 0.05317868 · W1 4.930343 · W1/IQR 0.8217238 · investigation candidate
t8 retail / Quantity	Comparison 1 → 2	Support 36010/31438 · Δmissing 0 · CDF 0.04351829 · W1 5.597528 · W1/IQR 0.699691 · investigation candidate
t8 retail / Quantity	Comparison 2 → 3	Support 31438/35851 · Δmissing 0 · CDF 0.01946935 · W1 1.254345 · W1/IQR 0.1254345
t8 retail / Quantity	Comparison 3 → 4	Support 35851/31119 · Δmissing 0 · CDF 0.03223366 · W1 1.133896 · W1/IQR 0.1259885
t8 retail / Quantity	Comparison 4 → 5	Support 31119/37593 · Δmissing 0 · CDF 0.01736847 · W1 1.078976 · W1/IQR 0.09808875
t8 retail / Quantity	Comparison 5 → 6	Support 37593/39258 · Δmissing 0 · CDF 0.03342412 · W1 1.695707 · W1/IQR 0.1541552
t8 retail / Quantity	Comparison 6 → 7	Support 39258/39094 · Δmissing 0 · CDF 0.03330011 · W1 1.825133 · W1/IQR 0.2027926

20 of 1839 metric rows shown. 1819 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Additional charts remain in canonical HTML.

RETAINED EVIDENCE · 6 / 8

Availability and outcome maturity

Undeclared availability remains unknown. Historical agreement concerns supplied coverage; it does not establish what a pipeline consumed.

Evidence / source	Measurement or rule	Retained result
t7 retail	features	["Quantity","UnitPrice","Country"]
t7 retail	meaning	Undeclared availability remains unknown; no timestamp inheritance.

2 of 2 metric rows shown. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 7 / 8

Chronological evaluation

No retained evidence applies to this topic in the declared scope.

0 of 0 metric rows shown. Presentation limits do not change analytical coverage.

RETAINED EVIDENCE · 8 / 8

Methodology and coverage

Evidence / source	Measurement or rule	Retained result
method	schema	1.4
method	methodology	temporal_reliability_v1
method	execution status	completed
method	aggregate scope	Every eligible declared record in required stages; no silent sampling.
method	search scope [0] / selected measurements	["Quantity","UnitPrice","Country"]
method	search scope [0] / unsearched scope	[]
method	search scope [0] / work observation visits	23271444
method	search scope [0] / comparisons	525
method	search scope [0] / selection	Requested measurements first, then declaration order. Detail retention can miss behavior-only exceptions.
method	search scope [0] / defaults validated universal defect criteria	No
method	internal detail omissions / retail:entity histories	13016
method	internal detail omissions / retail:Country:window categories	237
method	internal detail omissions / retail:Country:window categories:stable cohort	0
method	internal detail omissions / retail:series effects	236
method	timezone / package	tzdata
method	timezone / version	2026.5
method	phase seconds / retail:ingestion	3.086851
method	phase seconds / retail:normalization	2.520867
method	phase seconds / required diagnostics	0.7933702
method	phase seconds / availability history evaluation	1.358299e-05

20 of 37 metric rows shown. 17 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage.

Decoded-batch controls bound accepted batches and application retention. Native pages, dictionaries and conversion buffers can allocate before checks. Estimates and workload limits are provisional engineering controls. RSS monitoring can overshoot between samples.

Analytical scope left unsearched, retained-detail omissions, and presentation omissions are separate. No independent-row significance testing, model fitting, split generation, automatic repair or universal temporal score is performed.

Retained witnesses and selected detail

100 of 215 retained detail rows available here. Print shows up to 20 rows; JSON preserves every retained record. These presentation omissions do not change searched scope.

Evidence	Detail	Witness / selected population
t5	retained histories	{"entity":["12503"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1294314660000000000","last_tick":"1294314660000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12503"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1294314660000000000","last_tick":"1294314660000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12503"],"measurement":"UnitPrice","observations":1,"cells":1,"first_tick":"1294314660000000000","last_tick":"1294314660000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12505"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1297431540000000000","last_tick":"1297431540000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12505"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1297431540000000000","last_tick":"1297431540000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12505"],"measurement":"UnitPrice","observations":1,"cells":1,"first_tick":"1297431540000000000","last_tick":"1297431540000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12943"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1297437180000000000","last_tick":"1297437180000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12943"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1297437180000000000","last_tick":"1297437180000000000","span_ticks":"0"}
t5	retained histories	{"entity":["12943"],"measurement":"UnitPrice","observations":1,"cells":1,"first_tick":"1297437180000000000","last_tick":"1297437180000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13017"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1322841180000000000","last_tick":"1322841180000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13017"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1322841180000000000","last_tick":"1322841180000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13017"],"measurement":"UnitPrice","observations":1,"cells":1,"first_tick":"1322841180000000000","last_tick":"1322841180000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13099"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1314898800000000000","last_tick":"1314898800000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13099"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1314898800000000000","last_tick":"1314898800000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13099"],"measurement":"UnitPrice","observations":1,"cells":1,"first_tick":"1314898800000000000","last_tick":"1314898800000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13120"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1302862740000000000","last_tick":"1302862740000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13120"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1302862740000000000","last_tick":"1302862740000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13120"],"measurement":"UnitPrice","observations":1,"cells":1,"first_tick":"1302862740000000000","last_tick":"1302862740000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13135"],"measurement":"Country","observations":1,"cells":1,"first_tick":"1306493520000000000","last_tick":"1306493520000000000","span_ticks":"0"}
t5	retained histories	{"entity":["13135"],"measurement":"Quantity","observations":1,"cells":1,"first_tick":"1306493520000000000","last_tick":"1306493520000000000","span_ticks":"0"}