NUMEK M5 · TEMPORAL RELIABILITY INTELLIGENCE

alfred

Official archived five-vintage extract. Availability is known only at civil-day granularity; no intraday or complete-history assurance.

Completed evidence · 2 sources · 13 retained records

0 evidence-qualified finding(s) across 2 supplied source(s). Required stages completed over eligible records; behavioral search scope is disclosed separately.

Actions to investigate

No qualifying findings within completed scope. Unknown timing, blocked methods and bounded searches remain visible in this report.

Interpretation boundary

- No composite score or universal readiness verdict.
- Investigation defaults are not validated defect criteria.
- Supplied evidence does not prove what a production pipeline consumed.

Generated 2026-10-10T21:28:02.208682+00:00 · Schema 1.4 · temporal_reliability_v1

Declarations

Evidence / source	Measurement or rule	Retained result
alfred	Source and base task	{"format":"csv","role":"dataset","task":"dataset_profile","targets":null}
alfred	observation	measurement
alfred	layout	wide
alfred	entity columns	[]
alfred	observation keys	["observation_date"]
alfred	clock	{"column":"observation_date","kind":"civil_date","encoding":"iso","format":null,"epoch_unit":null,"timezone":null,"timezone_column":null,"ambiguity":"unresolved","fold_colum… [JSON]
alfred	schedule	{"kind":"none","cadence_ns":null,"anchor":null,"civil_unit":null,"timezone":null,"month_end":"skip","source_id":null,"time_column":null,"entity_columns":[],"measurement_colu… [JSON]
alfred	active intervals	[]
alfred	value	{"name":"value","column":null,"representation":"quantitative","unit":"percent annualized change","meaning":"GDPC1_PCA","past_observation":false}
history	Source and base task	{"format":"csv","role":"history","task":"dataset_profile","targets":null}

10 of 10 metric rows shown. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

Chronology

Evidence / source	Measurement or rule	Retained result
t1 alfred	rows	2
t1 alfred	cells	2
t1 alfred	declared dense missing cells	0
t1 alfred	parse states / valid	2
t1 alfred	precision counts / day	2
t1 alfred	value states [value] / measurement	value
t1 alfred	value states [value] / state	valid
t1 alfred	value states [value] / cells	2
t1 alfred	missing entity cells	0
t1 alfred	incomplete observation keys	0
t1 alfred	observation meaning	measurement
t1 alfred	clock units	civil days
t1 alfred	exact ticks	Yes
t2 alfred	adjacent backward cells	0
t2 alfred	affected row union	0
t2 alfred	affected entities	0
t2 alfred	largest backward step ticks	Unavailable / unknown
t2 alfred	arrival order declared	No
t3 alfred	additional observations	0
t3 alfred	identical repeated identities	0

20 of 24 metric rows shown. 4 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

Continuity and history

Absent observations, supplied missing values and outside-expectation periods have different meanings. Event absence alone does not prove an outage.



alfred · missing values and absent slots remain separate

Evidence / source	Measurement or rule	Retained result
t4 alfred	distinct entities	1
t4 alfred	distinct series	1
t4 alfred	history counts / min	2
t4 alfred	history counts / max	2
t4 alfred	history counts / entity weighted mean	2
t4 alfred	history length bins [0] / observations	2
t4 alfred	history length bins [0] / series	1
t4 alfred	observed first tick	14610
t4 alfred	observed last tick	14700
t4 alfred	observed entry exit is lifecycle	No
t4 alfred	retained histories [value] / entity	[]
t4 alfred	retained histories [value] / measurement	value
t4 alfred	retained histories [value] / observations	2
t4 alfred	retained histories [value] / cells	2
t4 alfred	retained histories [value] / first tick	14610
t4 alfred	retained histories [value] / last tick	14700
t4 alfred	retained histories [value] / span ticks	90
t5 alfred	schedule	none
t5 alfred	inter observation distances / count	1
t5 alfred	inter observation distances / minimum ticks	90

20 of 143 metric rows shown. 123 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

Behavioral investigation

Thresholds and support settings are configurable investigation defaults. Reference support, sparse windows, zero dispersion, phase exclusions and population mix qualify interpretation.



alfred / value · supplied cells per window

Evidence / source	Measurement or rule	Retained result
t8 alfred / value	Reference	Window 0 · 14610 to 14617 · unit percent annualized change · support setting 100
t8 alfred / value	Window 0	1 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 1 · 1 entities · IQR 0
t8 alfred / value	Window 1	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 2	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 3	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 4	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 5	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 6	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 7	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 8	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 9	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 10	0 cells · missing rate Unavailable / unknown · invalid 0 · nonfinite 0 · finite 0 · 0 entities
t8 alfred / value	Window 11	1 cells · missing rate 0 · invalid 0 · nonfinite 0 · finite 1 · 1 entities · IQR 0
t8 alfred / value	Comparison 0 → 1	Support 1/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population
t8 alfred / value	Comparison 1 → 2	Support 0/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population
t8 alfred / value	Comparison 2 → 3	Support 0/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population
t8 alfred / value	Comparison 3 → 4	Support 0/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population
t8 alfred / value	Comparison 4 → 5	Support 0/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population
t8 alfred / value	Comparison 5 → 6	Support 0/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population
t8 alfred / value	Comparison 6 → 7	Support 0/0 · Δmissing Unavailable / unknown · blocked: empty_finite_population

20 of 149 metric rows shown. 129 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

RETAINED EVIDENCE · 6 / 8

Availability and outcome maturity

Undeclared availability remains unknown. Historical agreement concerns supplied coverage; it does not establish what a pipeline consumed.

Evidence / source	Measurement or rule	Retained result
t6 alfred	features	[]
t6 alfred	meaning	Undeclared availability remains unknown; no timestamp inheritance.
t7 alfred,history / value	feature	value
t7 alfred,history / value	feature unit	percent annualized change
t7 alfred,history / value	history unit	percent annualized change
t7 alfred,history / value	unit assumption	Bound history values share the feature unit unless explicitly declared otherwise.
t7 alfred,history / value	comparison states / agreement	2
t7 alfred,history / value	complete history inconsistencies	0
t7 alfred,history / value	qualified history inconsistencies	0
t7 alfred,history / value	no eligible complete	0
t7 alfred,history / value	no eligible incomplete	0
t7 alfred,history / value	later value match candidates	0
t7 alfred,history / value	unassignable history rows	0
t7 alfred,history / value	agreement meaning	Agreement within supplied coverage; not proof of production point-in-time correctness.
t7 alfred,history / value	tie order representation	Unavailable / unknown
t7 alfred,history / value	baseline meaning	Unavailable / unknown
t7 alfred,history / value	history binding / id	archived-vintages
t7 alfred,history / value	history binding / source id	alfred
t7 alfred,history / value	history binding / history source id	history
t7 alfred,history / value	history binding / features	["value"]

20 of 61 metric rows shown. 41 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

RETAINED EVIDENCE · 7 / 8

Chronological evaluation

No retained evidence applies to this topic in the declared scope.

0 of 0 metric rows shown. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

RETAINED EVIDENCE · 8 / 8

Methodology and coverage

Evidence / source	Measurement or rule	Retained result
method	schema	1.4
method	methodology	temporal_reliability_v1
method	execution status	completed
method	aggregate scope	Every eligible declared record in required stages; no silent sampling.
method	search scope [0] / selected measurements	["value"]
method	search scope [0] / unsearched scope	[]
method	search scope [0] / work observation visits	103
method	search scope [0] / comparisons	43
method	search scope [0] / selection	Requested measurements first, then declaration order. Detail retention can miss behavior-only exceptions.
method	search scope [0] / defaults validated universal defect criteria	No
method	internal detail omissions / alfred:entity histories	0
method	internal detail omissions / alfred:series effects	0
method	timezone / package	tzdata
method	timezone / version	2026.5
method	phase seconds / alfred:ingestion	0.007457958
method	phase seconds / alfred:normalization	0.003858125
method	phase seconds / history:ingestion	0.004093417
method	phase seconds / required diagnostics	0.005829625
method	phase seconds / availability history evaluation	0.008202708
method	phase seconds / behavior	0.02479779

20 of 33 metric rows shown. 13 presentation rows omitted; retained JSON preserves their evidence. Presentation limits do not change analytical coverage. Long cells are abbreviated; canonical HTML/JSON retains detail.

Decoded-batch controls bound accepted batches and application retention. Native pages, dictionaries and conversion buffers can allocate before checks. Estimates and workload limits are provisional engineering controls. RSS monitoring can overshoot between samples.

Analytical scope left unsearched, retained-detail omissions, and presentation omissions are separate. No independent-row significance testing, model fitting, split generation, automatic repair or universal temporal score is performed.

Retained witnesses and selected detail

24 of 24 retained detail rows available here. Print shows up to 20 rows; JSON preserves every retained record. These presentation omissions do not change searched scope.

Evidence	Detail	Witness / selected population
t4	retained histories	{"entity":[],"measurement":"value","observations":2,"cells":2,"first_tick":"14610","last_tick":"14700","span_ticks":"90"}
t10	Witness	{"entity":"[]","first_tick":"14610","last_tick":"14610","observations":1,"state":"valid"}
t10	Witness	{"entity":"[]","first_tick":"14700","last_tick":"14700","observations":1,"state":"valid"}
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":1,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":2,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":3,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":4,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":5,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":6,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":7,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":8,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":9,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":10,"reference_cells":1,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":0,"comparison_window":11,"reference_cells":1,"comparison_cells":1,"missingness_change":0.0,"cdf":1.0,"w1":2.1,"reference_iq… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":1,"comparison_window":2,"reference_cells":0,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":2,"comparison_window":3,"reference_cells":0,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":3,"comparison_window":4,"reference_cells":0,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":4,"comparison_window":5,"reference_cells":0,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":5,"comparison_window":6,"reference_cells":0,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]
t12	details	{"entity": [],"measurement":"value","reference_window":6,"comparison_window":7,"reference_cells":0,"comparison_cells":0,"missingness_change":null,"cdf":null,"w1":null,"reference_… [JSON]