NUMEK · DATATRUST

Text Reliability Intelligence

3 evidence-qualified findings; required checks completed over applicable records. Bounded investigations disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T13:15:08.339814+00:00

1. Summary and actionability

Deterministic violations, contextual observations, heuristic candidates and model-assisted candidates have distinct meanings. This audit provides no universal score or correctness certificate.

Sources	1
Execution	completed
Findings	3
Private evidence binding	`9abaa843039a9aa8e1448d0d9d98f5962d381a21289626931a5815b32c5752b0`

Priority actions

Invalidity: 9 · deterministic violation. Resolve retained invalidity witnesses, repair the applicable record or mapping, and re-audit the original preserved source.

Exact Duplicates: 2 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

Exact Duplicates: 2 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

2. Corpus integrity

Invalidity deterministic violation

full population

Invalid items	9
Reasons	annotation content unavailable: 3; invalid content: 2; invalid jsonl record: 2; invalid span: 2
Framing	source 1: records: 10; valid records: 8; invalid records: 2; separators: 1

Local evidence: `evidence_6548fc86f92d2871658cf44b` `evidence_38496ed37d8ff0b6f557623e` `evidence_f011035fa3094f50a1dfafed` `evidence_4f0758b44a123e8d5758280f` `evidence_ab10c3d2e2bc7f62e3300173`

Corpus deterministic fact

full population

Content units	14
States	empty: 1; invalid: 2; null: 2; present: 9
Characters	9,046
Utf8 bytes	9,130
Unusual controls	3
Minimum characters	0
Maximum characters	8,846
Mean characters	904.6
Character quartiles	2.5; 18; 52
Script counts	Latin: 7,699; Common: 1,311; Devanagari: 33; Inherited: 3
Nfc changed units	3
Unicode version	16.0.0
Script is language	No

Identities deterministic violation

full population

Ambiguous occurrences	0
Missing identities	0
Synthetic logical ids	No

3. Duplication and passages

Exact Duplicates contextual observation

full population

Representation	nfc
Groups	2
Occurrences	5
Excess occurrences	3
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_d287648332e7a0d5d8677ec8` `evidence_6a4761e362722ed6ea0e4ad0` `evidence_dff0332e6d713d42f19c5917` `evidence_3f05d94b23ee06d509ae26c3` `evidence_1df5c3a463172a077fc5a26f`

Exact Duplicates contextual observation

full population

Representation	raw
Groups	2
Occurrences	5
Excess occurrences	3
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_d287648332e7a0d5d8677ec8` `evidence_6a4761e362722ed6ea0e4ad0` `evidence_dff0332e6d713d42f19c5917` `evidence_3f05d94b23ee06d509ae26c3` `evidence_1df5c3a463172a077fc5a26f`

Repetition contextual observation

bounded

Units with repeated nonblank lines	0
Quality violation claimed	No

Near Duplicates heuristic candidate

bounded

Qualifying pairs	0
Subthreshold candidates	6
Threshold	0.8
Detail omissions	0
Not transitive	Yes
Containment recall claimed	No

Passages heuristic candidate

bounded

Verified passage matches	0
Minimum graphemes	50
Detail omissions	0
Template interpretation required	Yes

4. Tokens and annotations

Annotations deterministic fact

full population

States	kind: classification; observation: observed; expectation: unknown; count: 8; kind: span; observation: invalid; expectation: unknown; count: 4; kind: span; observation: observed; expectation: unknown; count: 4
Supplied tokens	0
Annotation collections	16
Annotation items	10
Charged annotation expansion	26
Metadata states	not declared: 16
Item states	valid: 9; invalid: 1
Label correctness established	No

Annotation Categories deterministic fact

full population

Category count	1
Frequencies	kind: classification; label reference: label 5a81585f55642332f61ad05d; count: 8
Retained category omissions	0

Annotation Disagreement contextual observation

full population

Repeated input groups with disagreement	0

Vocabulary deterministic fact

bounded

Observed distinct tokens	31
Token occurrences	1,460

Unit count	10
Top tokens	reference: token 536a31417c18be0b84d78f23; occurrences: 280; reference: token c1bdb796cdeec78648e71faf; occurrences: 141; reference: token 7d63743d0408fdf487768cea; occurrences: 140; reference: token 53a534fb9d0ab800ca6aaa35; occurrences: 140; reference: token 527f2fa9ce95bd5337eb806f; occurrences: 140
Tokenization	unicode letters numbers punctuation v1
Language independent words claimed	No

Tokenizer Vocabulary contextual observation

bounded

Examined units	10
Observed distinct token ids	48
Token occurrences	2,178
Tokens per unit distribution	2106: 1; 1: 2; 8: 1; 3: 1; 0: 1; 2 further entries in JSON
Top token ids	reference: model token id 5f666c54877c7ad89f4f1bf5; count: 280; reference: model token id 77b8c627f17b6919afd15c84; count: 141; reference: model token id a19485935709457c980881f0; count: 141; reference: model token id 22a34c6d834873d3f9c7fd32; count: 140; reference: model token id cd9b84a9f1f7a26a7cb98b7d; count: 140
Tokenizer artifact hash	0b44a9d7b51c3c62626640cda0e2c2f70fdacdc25bbbd68038369d14ebdf4c39
Truncation	No

5. Conversations

Conversations deterministic violation

full population

Conversations	3
Messages	6
Role counts	assistant: 2; tool: 1; user: 3
Violations	
Role alternation assumed	No
Tools executed	No

6. Retrieval and provenance

Retrieval deterministic violation

full population

Violations	
Judgment states	
Entity reference coverage	
Extractive parent count	0
Covered source characters union	0
Declared parent characters	0
Extractive character coverage	Unavailable
Unknown judgment is negative	No
Transformed chunk alignment claimed	No

7. Comparisons and model evidence

Language model assisted candidate

bounded

Predicted unit counts	ENGLISH: 7; SPANISH: 2
Window disagreement or unresolved	0
Model	package: lingua-language-detector; version: 2.1.1; artifact hashes: lingua/lingua.cpython-311-darwin.so: 21c935000486ae07b20c7da703d246c29e200d961941445ae5dabb790635c61f; languages: ENGLISH; HINDI; SPANISH; FRENCH; GERMAN; 2 further entries in JSON; calibrated confidence: No

Details: reference: evidence ee5b837d9233742e854e0171; window predictions: ENGLISH; ENGLISH; ENGLISH; separation margins: 0.999766; 0.999766; 0.999999; calibrated probability: No; reference: evidence dff0332e6d713d42f19c5917; window predictions: SPANISH; separation margins: 0.181365; calibrated probability: No

Semantic Similarity model assisted candidate

bounded

Model	model: intfloat/multilingual-e5-small; revision: fd1525a9fd15316a2d503bf26ab031a61d056e98; runtime: torch: 2.8.0; transformers: 4.57.1; tokenizers: 0.22.1; safetensors: 0.6.2; device: cpu; dtype: float32; 4 further entries in JSON
Document equivalence claimed	No
Global cosine threshold	Unavailable

Neighbors: window: reference: evidence e2257c9f33093ee6eb2991cd; parent reference: evidence ee5b837d9233742e854e0171; source span: 0; 1,887; token span: 0; 448; prefix: query: ; 2 further entries in JSON; neighbors: window: reference: evidence 02d128d8ee92ffbb1364c562; parent reference: evidence 55f295ca9c0ea051c978fe79; source span: 0; 4; token span: 0; 2; prefix: query: ; 2 further entries in JSON; cosine: 0.838902; window: reference: evidence 0a600b295967beaf470a80fe; parent reference: evidence d6bcb17d0e6837c0f979d3d6; source span: 0; 10; token span: 0; 3; prefix: query: ; 2 further entries in JSON; cosine: 0.836673; window: reference: evidence bb59e2cfa013f7cffba3715d; parent reference: evidence f0413e5f44203ca009e8465e; source span: 0; 26; token span: 0; 8; prefix: query: ; 2 further entries in JSON; cosine: 0.827245; window: reference: evidence a8eacde1e30f6191cdb6bc70; parent reference: evidence 1df5c3a463172a077fc5a26f; source span: 0; 52; token span: 0; 19; prefix: query: ; 2 further entries in JSON; cosine: 0.824893; window: reference: evidence 048dac905c3db87a4b29bc39; parent reference: evidence d287648332e7a0d5d8677ec8; source span: 0; 52; token span: 0; 19; prefix: query: ; 2 further entries in JSON; cosine: 0.824893; window: reference: evidence d576c996867ae375b6add0ea; parent reference: evidence ee5b837d9233742e854e0171; source span: 1,617; 3,499; token span: 384; 832; prefix: query: ; 2 further entries in JSON; neighbors: window: reference: evidence 02d128d8ee92ffbb1364c562; parent reference: evidence 55f295ca9c0ea051c978fe79; source span: 0; 4; token span: 0; 2; prefix: query: ; 2 further entries in JSON; cosine: 0.833344; window: reference: evidence 0a600b295967beaf470a80fe; parent reference: evidence d6bcb17d0e6837c0f979d3d6; source span: 0; 10; token span: 0; 3; prefix: query: ; 2 further entries in JSON; cosine: 0.83266; window: reference: evidence bb59e2cfa013f7cffba3715d; parent reference: evidence f0413e5f44203ca009e8465e; source span: 0; 26; token span: 0; 8; prefix: query: ; 2 further entries in JSON; cosine: 0.824901; window: reference: evidence a8eacde1e30f6191cdb6bc70; parent reference: evidence 1df5c3a463172a077fc5a26f; source span: 0; 52; token span: 0; 19; prefix: query: ; 2 further entries in JSON; cosine: 0.822187; window: reference: evidence 048dac905c3db87a4b29bc39; parent

reference: evidence d287648332e7a0d5d8677ec8; source span: 0; 52; token span: 0; 19; prefix: query: ; 2 further entries in JSON; cosine: 0.822187

Parent coverage: reference: evidence ee5b837d9233742e854e0171; source characters: 8,846; source characters covered union: 8,846; eligible windows: 6; embedded windows: 6; 1 further entries in JSON; reference: evidence dff0332e6d713d42f19c5917; source characters: 2; source characters covered union: 2; eligible windows: 1; embedded windows: 1; 1 further entries in JSON

8. Methods and coverage

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

Lexical Selection

Framed records	10
Invalid records	2
Content population	14
Valid applicable population	10
Eligible population	10
Selected population	10
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	0
Population estimate	No
Retained selected strata	4

Repetition

Examined units	10
Grapheme visits	9,024
Stop reason	selected scope completed
Population and selection	Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here

Vocabulary

Examined units	10
Token occurrences	1,460
Stop reason	selected scope completed
Vocabulary is lower bound	No
Population and selection	Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here

Near Duplicates

Candidate search	exhaustive selected unique units
Unique candidates	6
Candidate emissions	6
Omitted bucket emissions	0
Pair selection	requested evaluation then evaluation training then other requested then remaining v1
Indexed unique units	4
Excluded unique units	3
Shingle positions	8,908
Signature hash evaluations	21,280
Verified pairs	6
Unverified candidates	0
Verification visits	456
Candidate recall on this corpus	complete over indexed units
Global absence claim	No
Population and selection	Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here
Candidate profile	20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures

Passages

Representation	raw
Indexed units	10
Excluded units	0
Fingerprint work	8,992
Candidate emissions	0
Potential bucket emissions	38,781
Verified candidates	0
Verification visits	0
Stop reason	examined fingerprints completed
Candidate recall on this corpus	unknown
Global absence claim	No
Population and selection	Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here

Language

Eligible population	9
Examined units	9

Unexamined units	0
Selection	evaluation priority seeded strata
Full language population claimed	No

Tokenizer Vocabulary

Examined units	10
Excluded units	0
Tokenizer bytes	9,130
Tokenizer tokens	2,178

Semantic Similarity

Eligible parents	9
Tokenized parents	9
Embedded parents	9
Unprocessed parent window counts	unknown
Partial parents	0
Embedded windows	14
Tokenizer bytes	30,284
Tokenizer tokens	7,314
Token work reservation	input bytes reserved before call; emitted tokens charged on return, including the final rejected whole call
Pair comparisons	91
Possible selected window pairs	91
Exclusions	
Window method	token windows v1

Execution

Status	completed
Backend	duckdb local
Engine version	1.5.6
Phase seconds	source 1:ingestion: 0.0169097; required: 0.00980404; bounded lexical: 0.0243035; models: 3.51331
Duration seconds	3.83107
Peak workspace bytes	118,784
Estimated peak workspace bytes	268,435,456
Peak worker rss bytes	1,455,669,248

Whole job seconds	4.39692
Peak spill bytes	0
Serialized bytes	54,390

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.

Explicit bounded excerpts

evidence_d287648332e7a0d5d8677ec8

हिन्दी पाठ e´ literal markup [U+202E] bidi control

evidence_6a4761e362722ed6ea0e4ad0

हिन्दी पाठ e´ literal markup [U+202E] bidi control