NUMEK · DATATRUST

Text Reliability Intelligence

3 evidence-qualified findings; required checks completed over applicable records. Bounded investigations disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T12:54:54.006923+00:00

1. Summary and actionability

Deterministic violations, contextual observations, heuristic candidates and model-assisted candidates have distinct meanings. This audit provides no universal score or correctness certificate.

Sources	1
Execution	completed
Findings	3
Private evidence binding	`fc5b15d98ec1b2156dcb3850b7274b99c81c1dc34a076ce92bafad81880d5672`

Priority actions

Exact Duplicates: 1213 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

Exact Duplicates: 1213 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

Passages: 332 · heuristic candidate. Resolve original passage spans and review provenance and evaluation exposure.

2. Corpus integrity

Invalidity deterministic violation

full population

Invalid items	0
Reasons	
Framing	source 1: records: 11,873; valid records: 11,873; invalid records: 0; separators: 0

Corpus deterministic fact

full population

Content units	23,746
States	present: 23,746
Characters	10,335,201
Utf8 bytes	10,351,974
Unusual controls	86
Minimum characters	12
Maximum characters	4,063
Mean characters	435.24
Character quartiles	57; 170; 716
Script counts	Latin: 8,334,455; Common: 1,998,808; Greek: 1,083; Han: 765; Arabic: 90
Nfc changed units	0
Unicode version	16.0.0
Script is language	No

Identities deterministic violation

full population

Ambiguous occurrences	0
Missing identities	0
Synthetic logical ids	No

3. Duplication and passages

Exact Duplicates contextual observation

full population

Representation	nfc
Groups	1,213
Occurrences	11,891
Excess occurrences	10,678
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_5b6011d828d074f4456180ae` `evidence_c0f8aed9f76fad29d4b0b8af` `evidence_ec4d73e953212a90c9996dce` `evidence_448cb761dadeda0042efa1e9` `evidence_49a991f5684048b227cc56d1`

Exact Duplicates contextual observation

full population

Representation	raw
Groups	1,213
Occurrences	11,891
Excess occurrences	10,678
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_5b6011d828d074f4456180ae` `evidence_c0f8aed9f76fad29d4b0b8af` `evidence_ec4d73e953212a90c9996dce` `evidence_448cb761dadeda0042efa1e9` `evidence_49a991f5684048b227cc56d1`

Repetition contextual observation

bounded

Units with repeated nonblank lines	0
Quality violation claimed	No

Near Duplicates heuristic candidate

bounded

Qualifying pairs	0
Subthreshold candidates	153
Threshold	0.8
Detail omissions	0
Not transitive	Yes
Containment recall claimed	No

Passages heuristic candidate

bounded

Verified passage matches	332
Minimum graphemes	50
Detail omissions	322
Template interpretation required	Yes

Details: matches: reference: evidence f7ef6c37972debabc9d4ddcc; source grapheme span: 0; 1,305; source codepoint span: 0; 1,305; reference: evidence f3987fc524d723b9b9762eb7; source grapheme span: 0; 1,305; source codepoint span: 0; 1,305; graphemes: 1,305; matches: reference: evidence 450101a9a957e60f3e75a6d2; source grapheme span: 0; 1,901; source codepoint span: 0; 1,901; reference: evidence 833cc5ccc011366015a90b8b; source grapheme span: 0; 1,901; source codepoint span: 0; 1,901; graphemes: 1,901

4. Tokens and annotations

Annotations deterministic fact

full population

States	kind: qa; observation: observed; expectation: required; count: 11,873
Supplied tokens	0
Annotation collections	11,873
Annotation items	20,302
Charged annotation expansion	32,175
Metadata states	not declared: 11,873
Item states	valid: 20,302
Label correctness established	No

Annotation Categories deterministic fact

full population

Category count	0
Frequencies	
Retained category omissions	0

Annotation Disagreement contextual observation

full population

Repeated input groups with disagreement	0

Vocabulary deterministic fact

bounded

Observed distinct tokens	3,602
Token occurrences	13,856
Unit count	128
Top tokens	reference: token 9d618d13e6077789977e01be; occurrences: 795; reference: token 05023edc01dfe2e6b2bc4c73; occurrences: 679; reference: token 93e3df9774c40063fadeb0ca; occurrences: 495;

	reference: token b375ea3cfa1f2841ef7c0f0f; occurrences: 455; reference: token 11476de58964fe4613731832; occurrences: 318; 5 further entries in JSON
Tokenization	unicode letters numbers punctuation v1
Language independent words claimed	No

5. Conversations

Conversations deterministic violation

full population

Conversations	0
Messages	0
Role counts	
Violations	
Role alternation assumed	No
Tools executed	No

6. Retrieval and provenance

Retrieval deterministic violation

full population

Violations	
Judgment states	
Entity reference coverage	
Extractive parent count	0
Covered source characters union	0
Declared parent characters	0
Extractive character coverage	Unavailable
Unknown judgment is negative	No
Transformed chunk alignment claimed	No

7. Comparisons and model evidence

No applicable evidence in this topic. See check applicability and coverage in strict JSON.

8. Methods and coverage

Lexical Selection deterministic fact

bounded

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Selected strata	source: source 1; field: field 854412033efb04b3fd8eb47b; kind: context; split: split 4680df7372866ce41e907a34; length stratum: 1001+; 3 further entries in JSON; source: source 1; field: field 854412033efb04b3fd8eb47b; kind: context; split: split 4680df7372866ce41e907a34; length stratum: 101-1000; 3 further entries in JSON; source: source 1; field: field 2907742f26bd531fe5cc8609; kind: question; split: split 4680df7372866ce41e907a34; length stratum: 0-100; 3 further entries in JSON; source: source 1; field: field 2907742f26bd531fe5cc8609; kind: question; split: split 4680df7372866ce41e907a34; length stratum: 101-1000; 3 further entries in JSON
Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

Lexical Selection

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746

Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No
Retained selected strata	4

Repetition

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No
Examined units	128
Grapheme visits	73,513
Stop reason	selected scope completed
Retained selected strata	4

Vocabulary

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc

Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No
Examined units	128
Token occurrences	13,856
Stop reason	selected scope completed
Vocabulary is lower bound	Yes
Retained selected strata	4

Near Duplicates

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No
Candidate search	exhaustive selected unique units
Unique candidates	153
Candidate emissions	153
Omitted bucket emissions	0
Pair selection	requested evaluation then evaluation training then other requested then remaining v1
Indexed unique units	18
Excluded unique units	106
Shingle positions	8,670
Signature hash evaluations	997,780
Verified pairs	153
Unverified candidates	0
Verification visits	121,159
Candidate recall on this corpus	complete over indexed units
Global absence claim	No

Retained selected strata	4
Candidate profile	20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures

Passages

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	raw
Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No
Indexed units	128
Excluded units	0
Fingerprint work	73,001
Candidate emissions	7,491
Potential bucket emissions	10,611
Verified candidates	7,491
Verification visits	572,221
Stop reason	examined fingerprints completed
Candidate recall on this corpus	unknown
Global absence claim	No
Retained selected strata	4

Execution

Status	completed
Backend	duckdb local
Engine version	1.5.6
Phase seconds	source 1:ingestion: 2.71653; required: 0.105491; bounded lexical: 0.576563; models: 0.000144792
Duration seconds	3.41685
Peak workspace bytes	73,310,208
	268,435,456

Estimated peak workspace bytes	
Peak worker rss bytes	315,686,912
Whole job seconds	3.77951
Peak spill bytes	0
Serialized bytes	35,610

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.