NUMEK · DATATRUST

# Text Reliability Intelligence

2 evidence-qualified findings; required checks completed over applicable records. Bounded investigations disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T12:54:12.697840+00:00

## 1. Summary and actionability

Deterministic violations, contextual observations, heuristic candidates and model-assisted candidates have distinct meanings. This audit provides no universal score or correctness certificate.

| | |
|---|---|
| **Sources** | 1 |
| **Execution** | completed |
| **Findings** | 2 |
| **Private evidence binding** | `a42c59b8512ff1f35dbbd5086e3fb3b9af366f28a39c567af8fd63b1dd835dc7` |

### Priority actions

**Exact Duplicates**: 3 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

**Exact Duplicates**: 3 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

# 2. Corpus integrity

### Invalidity deterministic violation

full population

| | |
|---|---|
| **Invalid items** | 0 |
| **Reasons** | |
| **Framing** | source 1: records: 1,659; valid records: 1,659; invalid records: 0; separators: 0 |

### Corpus deterministic fact

full population

| | |
|---|---|
| **Content units** | 1,659 |
| **States** | present: 1,659 |
| **Characters** | 168,392 |
| **Utf8 bytes** | 436,850 |
| **Unusual controls** | 74 |
| **Minimum characters** | 11 |
| **Maximum characters** | 368 |
| **Mean characters** | 101.502 |
| **Character quartiles** | 66; 93; 130 |
| **Script counts** | Devanagari: 132,517; Common: 35,801; Inherited: 74 |
| **Nfc changed units** | 0 |
| **Unicode version** | 16.0.0 |
| **Script is language** | No |

### Identities deterministic violation

full population

| | |
|---|---|
| **Ambiguous occurrences** | 0 |
| **Missing identities** | 0 |
| **Synthetic logical ids** | No |

# 3. Duplication and passages

### Exact Duplicates contextual observation

full population

| | |
|---|---|
| **Representation** | nfc |
| **Groups** | 3 |
| **Occurrences** | 6 |
| **Excess occurrences** | 3 |
| **Cross source or split groups** | 0 |
| **Equality verified** | Yes |

Local evidence: `evidence_c43e8f9afd43964193e36b11` `evidence_bb1cbba9354c065cadacf6f5` `evidence_0373e81c0ee860a3644cc803` `evidence_72bf31bdb6e8a89a7fa7e1e7` `evidence_c0f1e93d5f31d54f324b2b5d`

### Exact Duplicates contextual observation

full population

| | |
|---|---|
| **Representation** | raw |
| **Groups** | 3 |
| **Occurrences** | 6 |
| **Excess occurrences** | 3 |
| **Cross source or split groups** | 0 |
| **Equality verified** | Yes |

Local evidence: `evidence_c43e8f9afd43964193e36b11` `evidence_bb1cbba9354c065cadacf6f5` `evidence_0373e81c0ee860a3644cc803` `evidence_72bf31bdb6e8a89a7fa7e1e7` `evidence_c0f1e93d5f31d54f324b2b5d`

### Repetition contextual observation

bounded

| | |
|---|---|
| **Units with repeated nonblank lines** | 0 |
| **Quality violation claimed** | No |

### Near Duplicates heuristic candidate

bounded

| | |
|---|---|
| **Qualifying pairs** | 0 |
| **Subthreshold candidates** | 3,655 |
| **Threshold** | 0.8 |
| **Detail omissions** | 0 |
| **Not transitive** | Yes |
| **Containment recall claimed** | No |

## Passages heuristic candidate

bounded

| | |
|---|---|
| **Verified passage matches** | 0 |
| **Minimum graphemes** | 50 |
| **Detail omissions** | 0 |
| **Template interpretation required** | Yes |

# 4. Tokens and annotations

### Annotations deterministic fact

full population

| | |
|---|---|
| **States** | kind: token; observation: observed; expectation: required; count: 1,659 |
| **Supplied tokens** | 35,217 |
| **Annotation items** | 1,659 |
| **Metadata states** | not declared: 1,659 |
| **Item states** | valid: 35,217 |
| **Label correctness established** | No |

### Annotation Categories deterministic fact

full population

| | |
|---|---|
| **Category count** | 15 |
| **Frequencies** | kind: token; label reference: label 740bf6c0afb869bf2b08777c; count: 7,928; kind: token; label reference: label d285b36267099fa8c4fb332d; count: 7,288; kind: token; label reference: label 432829012ac334d1fba8bdd5; count: 4,214; kind: token; label reference: label 705bac720b9291b3ab5be740; count: 3,490; kind: token; label reference: label 4e34501974e801e114a0d418; count: 2,417; 5 further entries in JSON |
| **Retained category omissions** | 5 |

### Annotation Disagreement contextual observation

full population

| | |
|---|---|
| **Repeated input groups with disagreement** | 0 |

### Vocabulary deterministic fact

bounded

| | |
|---|---|
| **Observed distinct tokens** | 1,328 |
| **Token occurrences** | 3,611 |
| **Unit count** | 128 |

| | |
|---|---|
| **Top tokens** | reference: token 948c7bff73023f315b8fe422; occurrences: 175; reference: token 5b342c336961e0348a9fb9a2; occurrences: 127; reference: token 4fa7543f310e85e4160f6dd1; occurrences: 115; reference: token 0c69cabab2de96d3712e5331; occurrences: 109; reference: token 0c7a042def05ffdf21b9fc97; occurrences: 91; 5 further entries in JSON |
| **Tokenization** | unicode letters numbers punctuation v1 |
| **Language independent words claimed** | No |

# 5. Conversations

### Conversations deterministic violation

full population

| | |
|---|---|
| **Conversations** | 0 |
| **Messages** | 0 |
| **Role counts** | |
| **Violations** | |
| **Role alternation assumed** | No |
| **Tools executed** | No |

# 6. Retrieval and provenance

### Retrieval deterministic violation

full population

| Violations | |
|---|---|
| Judgment states | |
| Entity reference coverage | |
| Extractive parent count | 0 |
| Covered source characters union | 0 |
| Declared parent characters | 0 |
| Extractive character coverage | Unavailable |
| Unknown judgment is negative | No |
| Transformed chunk alignment claimed | No |

# 7. Comparisons and model evidence

No applicable evidence in this topic. See check applicability and coverage in strict JSON.

# 8. Methods and coverage

### Lexical Selection deterministic fact

bounded

| | |
|---|---|
| **Framed records** | 1,659 |
| **Invalid records** | 0 |
| **Content population** | 1,659 |
| **Valid applicable population** | 1,659 |
| **Eligible population** | 1,659 |
| **Selected population** | 128 |
| **Selection** | evaluation priority then seeded stratified round robin v1 |
| **Seed** | 0 |
| **Representation** | nfc |
| **Selected strata** | source: source 1; field: field 35d275477d4d9405396e6ce1; kind: document; split: split a5448cfa1e3918ef4b49d3ac; length stratum: 0-100; 3 further entries in JSON; source: source 1; field: field 35d275477d4d9405396e6ce1; kind: document; split: split a5448cfa1e3918ef4b49d3ac; length stratum: 101-1000; 3 further entries in JSON |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 1,531 |
| **Population estimate** | No |

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

### Lexical Selection

| | |
|---|---|
| **Framed records** | 1,659 |
| **Invalid records** | 0 |
| **Content population** | 1,659 |
| **Valid applicable population** | 1,659 |
| **Eligible population** | 1,659 |
| **Selected population** | 128 |
| **Selection** | evaluation priority then seeded stratified round robin v1 |
| **Seed** | 0 |

| | |
|---|---|
| **Representation** | nfc |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 1,531 |
| **Population estimate** | No |
| **Retained selected strata** | 2 |

### Repetition

| | |
|---|---|
| **Framed records** | 1,659 |
| **Invalid records** | 0 |
| **Content population** | 1,659 |
| **Valid applicable population** | 1,659 |
| **Eligible population** | 1,659 |
| **Selected population** | 128 |
| **Selection** | evaluation priority then seeded stratified round robin v1 |
| **Seed** | 0 |
| **Representation** | nfc |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 1,531 |
| **Population estimate** | No |
| **Examined units** | 128 |
| **Grapheme visits** | 11,329 |
| **Stop reason** | selected scope completed |
| **Retained selected strata** | 2 |

### Vocabulary

| | |
|---|---|
| **Framed records** | 1,659 |
| **Invalid records** | 0 |
| **Content population** | 1,659 |
| **Valid applicable population** | 1,659 |
| **Eligible population** | 1,659 |
| **Selected population** | 128 |
| **Selection** | evaluation priority then seeded stratified round robin v1 |
| **Seed** | 0 |
| **Representation** | nfc |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 1,531 |
| **Population estimate** | No |

| | |
|---|---|
| **Examined units** | 128 |
| **Token occurrences** | 3,611 |
| **Stop reason** | selected scope completed |
| **Vocabulary is lower bound** | Yes |
| **Retained selected strata** | 2 |

## Near Duplicates

| | |
|---|---|
| **Framed records** | 1,659 |
| **Invalid records** | 0 |
| **Content population** | 1,659 |
| **Valid applicable population** | 1,659 |
| **Eligible population** | 1,659 |
| **Selected population** | 128 |
| **Selection** | evaluation priority then seeded stratified round robin v1 |
| **Seed** | 0 |
| **Representation** | nfc |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 1,531 |
| **Population estimate** | No |
| **Candidate search** | exhaustive selected unique units |
| **Unique candidates** | 3,655 |
| **Candidate emissions** | 3,655 |
| **Omitted bucket emissions** | 0 |
| **Pair selection** | requested evaluation then evaluation training then other requested then remaining v1 |
| **Indexed unique units** | 86 |
| **Excluded unique units** | 42 |
| **Shingle positions** | 7,236 |
| **Signature hash evaluations** | 999,880 |
| **Verified pairs** | 3,655 |
| **Unverified candidates** | 0 |
| **Verification visits** | 607,070 |
| **Candidate recall on this corpus** | complete over indexed units |
| **Global absence claim** | No |
| **Retained selected strata** | 2 |
| **Candidate profile** | 20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures |

## Passages

| | |
|---|---|
| **Framed records** | 1,659 |
| **Invalid records** | 0 |
| **Content population** | 1,659 |
| **Valid applicable population** | 1,659 |
| **Eligible population** | 1,659 |
| **Selected population** | 128 |
| **Selection** | evaluation priority then seeded stratified round robin v1 |
| **Seed** | 0 |
| **Representation** | raw |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 1,531 |
| **Population estimate** | No |
| **Indexed units** | 128 |
| **Excluded units** | 0 |
| **Fingerprint work** | 10,817 |
| **Candidate emissions** | 49 |
| **Potential bucket emissions** | 50 |
| **Verified candidates** | 49 |
| **Verification visits** | 399 |
| **Stop reason** | examined fingerprints completed |
| **Candidate recall on this corpus** | unknown |
| **Global absence claim** | No |
| **Retained selected strata** | 2 |

## Execution

| | |
|---|---|
| **Status** | completed |
| **Backend** | duckdb local |
| **Engine version** | 1.5.6 |
| **Phase seconds** | source 1:ingestion: 0.244172; required: 0.0141307; bounded lexical: 0.408025; models: 0.000127416 |
| **Duration seconds** | 0.680826 |
| **Peak workspace bytes** | 15,716,352 |
| **Estimated peak workspace bytes** | 268,435,456 |
| **Peak worker rss bytes** | 224,559,104 |
| **Whole job seconds** | 1.06692 |

| | |
|---|---|
| **Peak spill bytes** | 0 |
| **Serialized bytes** | 25,596 |

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.